

## **Module 2 - Non-Linear Equations**

## **Module 2 - Non-Linear Equations**

- Topic 1 - Solving Non-Linear Equations
- Topic 2 - The Newton-Raphson Method, Secant Method
- Topic 3 - The Bisection Method

## **Topic 1 - Solving Non-Linear Equations**

- What is a Non-Linear Equation ?
- Solving Non-linear Equations
- Analytical vs. Numerical Methods
- Example

# What is a Non-Linear Equation ?

## Different Types of Non-Linear Equations

- **Polynomials (excluding first order)**

- **Transcendentals**

" a transcendental function "transcends" algebra in that it cannot be expressed in terms of a finite sequence of the algebraic operations of addition, multiplication, and root extraction. Examples of transcendental functions include the exponential function, the logarithm, and the trigonometric functions. "


- Exponentials
- Logarithms
- Trigonometrics

# What is a Non-Linear Equation ?

# Solving Non-linear Equations

**Example:** Solve the following equation.

$$y = x^2 + 2x - 10$$



# Solving Non-linear Equations

## Defintion of **Solution**

- -

- -

- -

# Analytical vs. Numerical Methods

## Analytical

- solution to a problem that can be written in **closed form**
- solution in terms of known functions, constants, etc.
- gives an **exact answer**


## Numerical

- an **approximation** to the solution of a mathematical equation
- iterative procedure or algorithm
-

## Example

We are looking for where the line crosses the x-axis, so how can we tell where this happens?

$$y = x^2 + 2x - 10$$



## **Topic 2 - The Newton-Raphson Method, Secant Method**

- Classification of Methods
- Taylor Series Derivation
- The Newton Raphson Method
- The Finite Difference
- Modified Newton-Raphson, Secant Method
- Algorithm Comparison

# Classification of Methods

## Theoretical/Analytical Solution Techniques

- solving the equation using exact mathematics
- leads to an exact or *analytical* solution


## Numerical Solution Techniques

- approximating the solution to the equation using varying methods, or *algorithms*
- leads to a approximate solution
- a.k.a. *Numerical Method*

# Classification of Methods

These scientists changed the world forever.

- Isaac Newton, mathematician and physicist, 1642-1727
- Joseph Raphson, mathematician, 1648-1715
- Brook Taylor, mathematician, 1685-1731



# Classification of Methods

The Newton-Raphson method uses the slope at a point to approximate the solution. The process is repeated until the approximate solution meets a given tolerance.





## Taylor Series Derivation

The method can be derived from the Taylor series.

$$f(x) \approx f(a) + f'(a)(x - a) + \frac{f''(a)}{2!}(x - a)^2 + \dots + \frac{f^{(n)}(a)}{n!}(x - a)^{(n)}$$

# Taylor Series Derivation

The 4 possible sign (+/-) cases are handled by the algorithm.



# The Newton Raphson Method

## Algorithm Summary:

- - Step 1: choose an initial estimate of the root value,  $x_0$
- - Step 2: calculate an updated estimate of the root value using the derived formula

$$x_1 = x_0 + \Delta x = x_0 - \frac{f(x_0)}{f'(x_0)}$$

- - Step 3: calculate improved estimates until the solution meets exit condition(s)

$$x_{i+1} = x_i + \Delta x_i = x_i - \frac{f(x_i)}{f'(x_i)}$$

# The Newton Raphson Method

**General Use Algorithm:** a much better hammer ...

## Pros:

- can be used for many different equations
- problem specific algebra not required to obtain value of solution
- execution of numerical method is routine and can be automated


## Cons:

- problem definition can be difficult
- solution results and computation time dependent on initial estimation
- numerical solution must be computed for with defined equation parameters

# The Newton Raphson Method

## 4 General Use Cases

- The general problem of solving for the root of a non linear equation can be extended to 4 useful variants.
- With careful equation setup, all cases can be solved with the same systematic routine.



# The Newton Raphson Method

# The Finite Difference

Our goal is to write a computer program to automate the Newton-Raphson method. We want our program to be (1) robust to different inputs and (2) user friendly.

# The Finite Difference

The Newton-Raphson method is not **purely numerical**, why?

- The Equation
- The Derivation

**How can we avoid this issue?**

*Hint:* Think about the title **secant** ...

# The Finite Difference

This idea or technique is the foundation of a family of methods known as the *Finite Difference Methods*.

Forward  
Difference



Backwards  
Difference




Central  
Difference



# Modified Newton-Raphson, Secant Method

The **secant** method is a modified version of the Newton-Raphson method which uses the Finite difference method to compute the slope values of the function to be solved.



# Modified Newton-Raphson, Secant Method

## Algorithm Summary:

- - Step 1: choose an initial estimate of the root value,  $x_0$
- - Step 2: calculate an updated estimate of the root value using the derived formula

$$x_1 = x_0 + \Delta x = x_0 -$$

- - Step 3: calculate improved estimates until the solution meets exit condition(s)

$$x_{i+1} = x_i + \Delta x_i = x_i -$$

# Modified Newton-Raphson, Secant Method

**General Use Algorithm:** the secant method is a generalized, numerical tool for solving non linear equations

## Pros:

- -
- -
- -

## Cons:

- -
- -
- -

### **Topic 3 - The Bisection Method**

- Analytical vs. Numerical
- A Bracketing Method: Graphical Explanation
- Algorithm Description

# Analytical vs. Numerical

## Theoretical/Analytical Solution Techniques

- solving the equation using exact mathematics
- leads to an exact or *analytical* solution

## Numerical Solution Techniques

- approximating the solution to the equation using varying methods, or *algorithms*
- leads to a approximate solution
- a.k.a. *Numerical Method*

# Analytical vs. Numerical

# A Bracketing Method: Graphical Explanation

The Bisection method is a *bracketing method*.



## A Bracketing Method: Graphical Explanation



## A Bracketing Method: Graphical Explanation



# Algorithm Description

1.

2.

3.

4.

## Algorithm Description

See MATLAB example.

# Algorithm Description

**General Use Algorithm:** the bisection method can also be used to solve the general root finding problem

Pros:

- -
- -
- -

Cons:

- -
- -
- -


## **Topic 3 - Mechanical Design Problem**

- Problem Statement
- Mathematical Model
- Solution Approach
- Design

# Problem Statement

## A Mechanical Design Problem


As an engineer you are asked to design a structure. The geometry of this structures is simple but certain properties are critical. Also you want to spend as little as possible on materials.



You are required to design is a cone with a surface area of exactly  $25m^2$  to a tolerance of  $0.1 m^2$  and a height of exactly  $1m$ . Your goal is to find the radius in meters.

## Problem Statement

What is the *mathematical model* of the cone?



surface area,  $s = \pi r l = \pi r \sqrt{h^2 + r^2}$   
volume,  $v = \pi r^2 \frac{h}{3}$

# Problem Statement

How are you going to solve this problem?

## Problem Statement

How are you going to *design* the cone?

