

GSET - Programming with Mr. Hill

Tristan Hill

Tennessee Technological University

Summer 2021

Module 2 - Variables and Assignment

Module 2 - Variables and Assignment

- Types of Numbers
- Variables and Type
- Assignment and Memory
- *A Riddle*
- A C++ Example

Types of Numbers




Image: x-engineer.org

Types of Numbers

Binary	Decimal	Hexadecimal
0	0	0
1	1	1
10	2	2
11	3	3
100	4	4
	5	5
	6	6
	7	7
	8	8
	9	9
	10	A
	11	B

Binary	Decimal	Hexadecimal
	12	C
	13	D
	14	E
	15	F
	16	
	17	
	18	
	19	
	20	
	21	
	22	
	23	

Types of Numbers

Binary	Decimal	Hex.
0	0	0
1	1	1
10	2	2
11	3	3
100	4	4

Binary	Decimal	Hex.
0	0	0
1	1	1
10	2	2
11	3	3
100	4	4

some reference

Variables and Type

Types in Python

Text Type:	str
Numeric Types:	int, float, complex
Sequence Types:	list, tuple, range
Mapping Types:	dict
Set Types:	set, frozenset
Boolean Type:	bool
Binary Types:	bytes, bytearray, memoryview
None Type:	NoneType

Variables and Type

```
value_A = 100;
```

```
value_B = 25.56j;
```

```
course = "ENGR1220-021-GSET"
```

A variable is a storage container.

- In Python and many other programming languages, each variable has a type determined by the programmer during [Initialization](#).
- The type can be explicitly used in the initialization for clarity.

Variables and Type


The type can be explicitly used in the initialization for clarity.

```
value_A = int(100);
```

```
value_B = complex(25.56j);
```



```
course = str("ENGR1220-021-GSET")
```

Assignment and Memory



[Sparkfun - Transistor](#)
[Wikipedia - Transistor](#)

Assignment and Memory



Wikipedia - Memory Cell

Wikipedia - Semiconductor Memory Wikipedia - RAM

Assignment and Memory

The Assignment Operator

```
val_A = 53214;
```

```
val_B = 0;
```

- In Python and many other programming languages, variables are assigned a value using the equals sign. This is called [assignment](#).
- Typically the value in the variable can be changed, or re-assigned.

A Riddle

Question:

What is the maximum number of rupees that you can hold in the original *Legend of Zelda* video game?

Answer:

A C++ Example

```
# Variables and Assignment - Python - June 6, 2023
```

```
val = 56
```

```
print("The value is: ",val)
```
