Email converted by ThinkBox | EmailToPDFA 1.6.0-beta.7; EA-PDF 1.0 1mi

Finding Aid

This index summarizes structured fields for messages in this EA-PDF 1mi archive.
Harvested email(s): Not recorded
Run stats: 7 messages across 1 folder
Generated: 2026-11-03 18:31:37 EST

#	From	To	Date	Subject
1	Jörn Kottmann <kottmann@gmail.com>	users@opennlp.apache.org	2014-02-26 02:50:04 -0500	Re: Feature Generators
2	Barry Olddog <oldcanine@yahoo.com>	kottmann@gmail.com, users@opennlp.apache.org	2014-02-25 16:20:52 -0500	Re: init tokenizer fails: "Bad type in putfield/putstatic"
3	Kenig Ma <kenigma1122@gmail.com>	users@opennlp.apache.org	2014-02-25 05:17:08 -0500	Feature Generators
4	Nick Burch (JIRA) <jira@apache.org>	dev@tika.apache.org	2014-02-26 07:20:19 -0500	[jira] [Resolved] (TIKA-1249) Vcard files detection
5	Gary Murphy (JIRA) <jira@apache.org>	dev@tika.apache.org	2014-02-26 07:12:20 -0500	[jira] [Commented] (TIKA-1250) Process loops infintely processing a CHM file
6	Couchbase <couchbase@couchbase.com>	hong-thai.nguyen@polyspot.com	2014-02-24 16:14:34 -0500	[WEBINAR] - "Introducing Couchbase Server 2.5"
7	Luis Filipe da Cruz Nassif </o=PF/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipi...	'lfcnassif@gmail.com' <lfcnassif@gmail.com>	2020-11-26 17:18:29 -0500	FW: First email

From: Jörn Kottmann <kottmann@gmail.com>
Reply-To: users@opennlp.apache.org
Date: Wed, 26 Feb 2014 08:50:04 +0100
To: users@opennlp.apache.org
Subject: Re: Feature Generators
Message-ID: <530D9CAC.5080901@gmail.com>
Folder: Début du fichier de données Outlook

Hello,

the PreviousMapFeatureGenerator remebers the last outcome (Begin of
name, Inside a name,
outside a name) for a token in all previous sentences. It shoud be
cleared after the end of a document
with a call to the name finders clearAdaptivData method.

Jörn

On 02/25/2014 11:17 AM, Kenig Ma wrote:
> Hi,
>
> Is there documentation on the existing features generators? In particular
I
> am looking at PreviousMapFeatureGenerator, trying to get my head around it
> but not sure if I understand what it is.
>
> Thanks
> Ken
>

From: Barry Olddog <oldcanine@yahoo.com>
Reply-To: users@opennlp.apache.org, Barry Olddog <oldcanine@yahoo.com>
Date: Tue, 25 Feb 2014 13:20:52 -0800
To: kottmann@gmail.com, users@opennlp.apache.org
Subject: Re: init tokenizer fails: "Bad type in putfield/putstatic"
Message-ID: <1393363252.28814.YahooMailNeo@web140906.mail.bf1.yahoo.com>
Folder: Début du fichier de données Outlook

That message came from 1.5.3.

The stack trace:

```
Exception in thread "main" java.lang.VerifyError: (class: opennlp/model
/GenericModelReader, method: checkModelType signature: ()V) Bad type in
putfield/putstatic
at opennlp.tools.util.model.GenericModelSerializer.create
(GenericModelSerializer.java:35)
at opennlp.tools.util.model.GenericModelSerializer.create
(GenericModelSerializer.java:31)
at opennlp.tools.util.model.BaseModel.loadModel(BaseModel.java:231)
at opennlp.tools.util.model.BaseModel.<init>(BaseModel.java:181)
at opennlp.tools.tokenize.TokenizerModel.<init>(TokenizerModel.java:125)

        ....  code to call the above.
```

In addition, Eclipse tells me: "Source not found".

(p.s. I should have subscribed before sending the question, but hopefully will catch up.)

The above in response to:

Hello,

in which version do you get the error? Is that printed out by 1.5.3 or by 1.3?
Did you get an exception? If so please post the full stack trace.

In the course of the development the training data used to train the English models
was extended and improved when errors came up.

To give it a fair comparison you should use the same training data for
both versions.

Jörn

On 02/25/2014 12:40 AM, Barry Olddog wrote:
> That was the error message from opennlp/model/GenericModelReader.
checkModelType signature
>
> I'm using the 1.5.3 binary from the mirror at LSU, and I'm using the
> downloaded models from sourceforge to test how the tools perform
> differently from version 1.3.
>
> Many thanks if anyone can give me a clue about how to fix.
>
> Barry

From: Kenig Ma <kenigma1122@gmail.com>
Reply-To: users@opennlp.apache.org
Date: Tue, 25 Feb 2014 18:17:08 +0800
To: users@opennlp.apache.org
Subject: Feature Generators
Message-ID: <CAJ+FrY6C_Hp_b-Pzx2VqUqnonx9Dei8kcXDV7j1wPT99mNKsuA@mail.gmail.com>
Folder: Début du fichier de données Outlook

Hi,

Is there documentation on the existing features generators? In particular I am looking at PreviousMapFeatureGenerator, trying to get my head around it but not sure if I understand what it is.

Thanks
Ken

From: Nick Burch (JIRA) <jira@apache.org>
Reply-To: dev@tika.apache.org
Date: Wed, 26 Feb 2014 12:20:19 +0000
To: dev@tika.apache.org
Subject: [jira] [Resolved] (TIKA-1249) Vcard files detection
Message-ID: <JIRA.12697327.1393405059550.107997.1393417219950@arcas>
Folder: Début du fichier de données Outlook

```
     [ https://issues.apache.org/jira/browse/TIKA-1249?page=com.atlassian.
jira.plugin.system.issuetabpanels:all-tabpanel ]

Nick Burch resolved TIKA-1249.
------------------------------

       Resolution: Fixed
    Fix Version/s: 1.6

Thanks for this, applied in r1572029.

> Vcard files detection
> ---------------------
>
>                 Key: TIKA-1249
>                 URL: https://issues.apache.org/jira/browse/TIKA-1249
>             Project: Tika
>          Issue Type: Improvement
>          Components: detector
>    Affects Versions: 1.6
>            Reporter: Marco Quaranta
>            Priority: Minor
>             Fix For: 1.6
>
>
> Please improve vcard (http://it.wikipedia.org/wiki/VCard) files detection
with the following "mime-type" entry:
> {noformat}
> <mime-type type="text/x-vcard">
>         <glob pattern="*.vcf"/>
>         <sub-class-of type="text/plain"/>
>         <magic priority="50">
>            <match value="BEGIN:VCARD" type="string" offset="0"/>
>         </magic>
> </mime-type>
> {noformat}
```

--
This message was sent by Atlassian JIRA
(v6.1.5#6160)

From: Gary Murphy (JIRA) <jira@apache.org>
Reply-To: dev@tika.apache.org
Date: Wed, 26 Feb 2014 12:12:20 +0000
To: dev@tika.apache.org
Subject: [jira] [Commented] (TIKA-1250) Process loops infintely processing a CHM file
Message-ID: <JIRA.12697352.1393416577650.107951.1393416740976@arcas>
Folder: Début du fichier de données Outlook

```
    [ https://issues.apache.org/jira/browse/TIKA-1250?page=com.atlassian.
jira.plugin.system.issuetabpanels:comment-
tabpanel&focusedCommentId=13912806#comment-13912806 ]

Gary Murphy commented on TIKA-1250:
----------------------------------

The process is looping in ChmLzxBlock around line 613.  I put in this hack
to allow the process continue, but I wouldn't expect this to be the correct
solution:

                    int iterations = 0;
                    do {
                        x++;
                        z <<= 1;
                        z += getChmSection().checkBit(x);
                        iterations++;
                        if (iterations > 1024) {
                           throw new TikaException("Data cycle in the file
contents");
                        }
                    } while ((z = pretreetable[z]) >= ChmConstants.
LZX_MAINTREE_TABLEBITS);

I have a file that will reproduce the problem, but I don't see now to
attach this to the record.

> Process loops infintely processing a CHM file
> ---------------------------------------------
>
>                 Key: TIKA-1250
>                 URL: https://issues.apache.org/jira/browse/TIKA-1250
>             Project: Tika
>          Issue Type: Bug
>          Components: parser
>    Affects Versions: 1.5
```

>   Environment: Java 7 on Linux
>   Reporter: Gary Murphy
>   Priority: Critical
>
> Parsing process loops infinitely on certain CHM files. This is NOT the same as TIKA-1152

--
This message was sent by Atlassian JIRA
(v6.1.5#6160)

From: Couchbase <couchbase@couchbase.com>
Reply-To: webinar@couchbase.com
Date: Mon, 24 Feb 2014 15:14:34 -0600
To: hong-thai.nguyen@polyspot.com
Subject: [WEBINAR] - "Introducing Couchbase Server 2.5"
Message-ID: <343897812.110224025.1393276474157.JavaMail.root@abmas02.marketo.org>
Folder: Début du fichier de données Outlook

[Webinar] - Introducing Couchbase Server 2.5:Better Reliability and Security for Enterprises

LIVE WEBINAR: February 26, 2014 at 10am PST

Register now

Curious to know what's new in Couchbase Server 2.5? Couchbase Server is a NoSQL document database for interactive apps. The latest 2.5 Couchbase Server release is here and includes several exciting features in areas like reliability, security and connection management. With this release, enterprises can use rack zone awareness and secure cross datacenter for better reliability and security. In this webinar, you'll also get to see a hands-on tour of the new features in Couchbase Server with a live demo.

- What is rack-zone awareness in Couchbase Server and how it can be used for increased reliability and availability.
- How you can use secure cross datacenter replication for enhanced security on-the-wire when data is replicated from one datacenter to another, and
- How better connection management in Couchbase Server 2.5 can help you support many more clients, thus enabling higher scale.

See you there!

Sincerely,
The Couchbase Team

Free Download

2440 West El Camino Real,Suite 101, Mountain View, California 94040 | 650-417-7500 | www.couchbase.com

If you no longer wish to receive these emails, click on the following link: Unsubscribe

From: Luis Filipe da Cruz Nassif </o=PF/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=1986a6ceef584908bf591fb983a00f9d-Luis Filipe da Cruz N>

Date: Thu, 26 Nov 2020 17:18:29 -0500

To: 'lfcnassif@gmail.com' <lfcnassif@gmail.com>

Subject: FW: First email

Message-ID: <2915856a7d3449e68529f3e61b8d26bc@pf.gov.br>

Folder: Début du fichier de données Outlook

Forwarding mail…

First email.eml

Attachments

Email: FW: First email
Sent: Thu, 26 Nov 2020 17:18:29 -0500

These placeholders identify attachments; their native bytes are not embedded separately.

This isolated PDF does not preserve the original attachment contents.

First email.eml