



INNOVATIVE ALUMINUM PROFILES





Lazlo has 30+ years of experience in signage and advertising industry.

Lazlo offers a complete range of innovative solutions for indoor and outdoor advertising.

We offer a wide range of top quality aluminium profile systems and components, low prices, convenient scheme of logistics, services and professional advice in the choice of profile systems. We provide extra services such as technical drawings and cutting profiles on various professional equipment.

We offer innovative solution to our customers and provide opportunities to our partners. We aim long term partnerships with companies interested in expanding their range of services and products. Our profiles are made up from top quality aluminium alloy 6063.

We constantly strive to bring innovative products to enhance your signage programs

Snap Frame

Non Lit

Lit



PL25EL

PL25EL is a light weight profile for making small non-lit snap frames. It has front cover profile of 25mm.

Specification


Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr

Print Media

Media Type	Any Rigid Sheet, Paper Print
Media Side	Single Side
Lighting	Non Lit

How to Assemble

- PL25EL consists of base (code:PL25) and cover (code:EL25) arrangement
- Assembled together making flip profile system using click accessory (code:FS025).
- With base profile having depth of 5 mm for accommodating any rigid sheet (upto 5mm).
- The frame is fixed with corner accessory (code:FC007).
- This frame is directly screwed on the wall.



Accessories



Code: FC007
Qty: 4
Corner Connector



Code: FS025
Qty: As Per Profile RFT
Click for Profiles



Code: SCREW
Qty: 16
Corner Connector Screw



PL25EL



EL25
30mm Face Cover Elliptical



PL25
30mm Base

Colour Options



Mill Finish



Silver



Black



White



Custom Coating



Wall Fitting

Installation

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



PL25SQ

PL25SQ is a light profile for making small non-lit snap frames. It has front cover profile of 25mm.

Specification


Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr

Print Media


Media Type	Any Rigid Sheet, Paper Print
Media Side	Single Side
Lighting	Non Lit

How to Assemble


- PL25SQ consists of base (code:PL25) and cover (code:SQ25) arrangement
- Assembled together making flip profile system using click accessory (code:FS025)
- Base profile has depth of 5mm to accommodate any rigid sheet
- The frame is fixed with corner accessory (code:FC007)
- This frame is directly screwed on the wall



PL25SQ



SQ25
25mm Face Cover Flat



PL25
30mm Base

Accessories



Code: FC007
Qty: 4
Corner Connector



Code: FS025
Qty: As Per Profile RFT
Click for Profiles



Code: SCREW
Qty: 16
Corner Connector Screw

Colour Options



Mill Finish



Silver



Black



White



Custom Coating



Wall Fitting

Installation

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.

LOGO
TAGLINE HERE

Jewelry

JUST FOR YOU

Lorem ipsum dolor sit amet,otur
adipiscing elit, sed do eiusmod
tempor incididunt ut labore et



50%
OFF

BUY NOW

CALL TO ORDER MORE
+000 123 456 789

WWW.WEBSITE.COM

MAX

SL30EL

SL30EL is a heavy profile for making large non-lit snap frames. It has front cover profile of 30mm. Frame is easy to handle as it is heavy and has large slot for rigid sheet

Specification


Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr

Print Media

Media Type	Any Rigid Sheet, Paper Print
Media Side	Single Side
Lighting	Non Lit

How to Assemble

- SL30EL Consists of Base (Code:SL30) And Cover (Code:Els30) Arrangement
- Assembled together making flip profile system using click accessory (code:FS026)
- Base profile has depth of 5mm to accommodate any rigid sheet
- The frame is fixed with corner accessory (code:FC013)
- This frame is directly screwed on the wall



SL30EL



ESL30
30mm Face Cover Elliptical



SL30
30mm Base

Accessories



Code: FC013
Qty: 4
Corner Connector



Code: FS026
Qty: As Per Profile RFT
Click for Profiles



Code: SCREW
Qty: 8
Corner Connector Screw

Colour Options



Mill Finish



Silver



Black



White



Custom Coating



Wall Fitting

Installation

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



LENOVO®
4 AWE
1 INCR

LENOVO® G SERIES
 AFFORDABLE VERSATILITY

LENOVO® S SERIES
 AFFORDABLE SLIM

LENOVO® Y SERIES
 ULTIMATE GAMING M

Distributor For Bangladesh
GLOBAL BRAND PVT. LTD.

[/lenovogbp](#)

PL48SQ

PL48SQ is a heavy profile for making large non-lit snap frames. It has front cover profile of 48mm. Frame is easy to handle as it is heavy and has open slot for MS pipe frame & silicon edge insert for fabric.

Specification


Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr

Print Media

Media Type	Flex, Fabric
Media Side	Single Side
Lighting	Non Lit

How to Assemble

- PL48SQ consists of base (code:PL48) and cover (code:SQ48) arrangement
- Assembled together making flip profile system using click accessory (code:FS048)
- Base profile having depth where flex MS frame of 1 inch x 1 inch can be mounted.
- The base profile also has arrangement where fabric can also be mounted using strip (code:PP015/SS015)
- The frame is fixed with corner accessory (code:FC007)
- This frame is directly screwed on the wall



Accessories



Code: FC007
Qty: 8
Corner Connector



Code: PP015
Qty: As Per
Profile RFT
Plastic Edge Strip



Code: FS048
Qty: As Per
Profile RFT
Click for Profiles



Code: SS015
Qty: As Per
Profile RFT
Silicon Edge Strip



Code: SCREW
Qty: 32
Corner Connector Screw



Code: WH
Qty: 2
Wire Hanging

Colour Options



Installation




Size Assortment


We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



PL48SQ



SQ48
48mm Face Cover Flat



PL48
48mm Base



HLP

HLP is a light profile for making small lit snap frames. It has front cover profile of 33mm. Frame has separate slots for LGP and foam sheets

Specification


Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr

Print Media

Media Type	Translite
Media Side	Single Side
Lighting	Edge Lit

How to Assemble

- HLP consists of base (code:HB) and cover (code:HC) arrangement
- Assembled together making flip profile system using click accessory (code:HLPC)
- Base profile has depth of 7 mm for accommodating foam sheet (upto 2mm), light guiding panel (upto 5mm), and led (strip or rigid)
- The frame is fixed with corner accessory (code:FC007)
- Hanging accessory (code:HLPT) is used to hang the frame onto the wall.



Accessories



Code: FC007
Qty: 4
Corner Connector



Code: SCREW
Qty: 16
Corner Connector Screw



Code: HLPC
Qty: As Per
Profile Rft
Click for Profiles



Code: HLPT
Qty: 3
Hanging Fitting

Colour Options



Mill Finish



Silver



Black



White



Custom Coating

Installation



Wall Fitting

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



HLP



HC
33mm Face Cover Flat



HB
33mm Base



HLP BOX

HLP BOX is a heavy profile for making large back lit snap frames. It has front cover profile of 33mm. Frame is heavy and has separate slots for diffuser sheets and foam sheets and also fabric mounting.

Specification


Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr

Print Media

Media Type	Translite, Fabric, Any Backlit Rigid Sheet
Media Side	Single Side
Lighting	Back Lit

How to Assemble

- HLP consists of base (code:HBOX) and cover (code:HC) arrangement
- Assembled together making flip profile system using click accessory (code:HLPC)
- Base profile has depth of 50 mm for accommodating back lit led
- The frame is fixed with corner accessory (code:FC007)
- This frame is directly screwed to the wall.



Accessories



Code: FC007
Qty: 4
Corner Connector



Code: PP015
Qty: As Per Profile RFT
Plastic Edge Strip



Code: HLPC
Qty: As Per Profile RFT
[Click for Profiles](#)



Code: SS015
Qty: As Per Profile RFT
Silicon Edge Strip



Code: SCREW
Qty: 16
Corner Connector Screw



Code: WH
Qty: 2
Wire Hanging



Code: HLPT
Qty: 3
Hanging Fitting



Code: ASTAND
Qty: 2
A Shaped Stand

Colour Options



Mill Finish



Silver



Black



White



Custom Coating

Installation



Wall Fitting



Suspended



Flange



Self Standing

Size Assortment


We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



HLP BOX
50mm Box



HC
33mm Face Cover Flat



H BOX



PL30ELDS

PL30ELDS is a heavy profile for making large double sided Lit Snap Frames. It has front cover profile of 30mm. Frame has separate slots for LGP.

Specification


Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr

Print Media

Media Type	Translite,
Media Side	Double Side
Lighting	Edge Lit

How to Assemble

- PL30ELDS consists of base (code:PL30) and two covers (code:EL30) arrangement
- Assembled together making flip profile system using click accessory (code:FS026)
- Depth of 10 mm for accommodating light guiding panel (upto 10mm) , and led (strip or rigid)
- The frame is fixed with corner accessory (code:FC007)
- Hanging accessory (code:WH) is used to suspend the frame



Accessories



Code: FC007
Qty: 8
Corner Connector



Code: SCREW
Qty: 32
Corner Connector Screw



Code: FS26
Qty: As Per
Profile RFT (X2)
[Click for Profiles](#)



Code: WH
Qty: 2
Wire Hanging

Colour Options



Mill Finish



Silver



Black



White



Custom Coating

Installation




Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



PL30ELDS



EL30
30mm Face Cover Elliptical



PL30
30mm Base



PL30SQ

PL30SQ is a heavy profile for making large Lit Snap Frames. It has front cover profile of 30mm. Frame is easy to handle as it is heavy and has separate slots for heavy LGP and foam sheets

Specification


Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr

Print Media

Media Type	Translite,
Media Side	Single Side
Lighting	Edge Lit

How to Assemble

- PL30SQ consists of base (code:PL30) and cover (code:SQ30) arrangement
- Assembled together making flip profile system using click accessory (code:FS026)
- Depth of 12 mm for accommodating foam sheet (upto 2mm), light guiding panel (upto 10mm), and led (strip or rigid)
- The frame is fixed with corner accessory (code:FC007)
- Hanging accessory (code:LP038) is used to hang the frame onto the wall.



Accessories



Code: FC007
Qty: 4
Corner Connector



Code: SCREW
Qty: 16
Corner Connector Screw



Code: FS26
Qty: As Per
Profile RFT
[Click for Profiles](#)



Code: LP038
Qty: 2
Hanging Fitting

Colour Options



Mill Finish



Silver



Black



White



Custom Coating




Wall Fitting

Installation

Size Assortment


We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



PL30SQ



SQ30
30mm Face Cover Flat



PL30
30mm Base



PL30SQDS

PL30SQDS is a heavy profile for making large double sided lit snap frames. It has front cover profile of 30mm. Frame has separate slots for LGP

Specification


Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr

Print Media

Media Type	Translite,
Media Side	Double Side
Lighting	Edge Lit

How to Assemble

- PL30SQDS consists of base (code:PL30) and two covers (code:SQ30) arrangement
- Assembled together making flip profile system using click accessory (code:FS026)
- Depth of 10 mm for accommodating light guiding panel (upto 10mm) , and led (strip or rigid)
- The frame is fixed with corner accessory (code:FC007)
- Hanging accessory (code:WH) is used to suspend the frame



Accessories



Code: FC007
Qty: 8
Corner Connector



Code: SCREW
Qty: 32
Corner Connector Screw



Code: FS26
Qty: As Per
Profile RFT (X2)
Click for Profiles



Code: WH
Qty: 2
Wire Hanging

Colour Options



Mill Finish



Silver



Black



White



Custom Coating

Installation



Size Assortment


We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



PL30SQDS



SQ30
30mm Face Cover Flat



PL30
30mm Base



PL75SQ

PL75SQ is a heavy profile for making large lit snap frame hoardings. It has front cover profile of 75mm. Frame has space to mount MS flex mounted frame in it.

Specification


Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr

Print Media

Media Type	Flex
Media Side	Single Side
Lighting	Back Lit

How to Assemble

- PL75SQ consists of base (code:PL75) and cover (code:SQ75) arrangement
- Assembled together making flip profile system using click accessory (code:FS075)
- Base profile has arrangement of mounting ms flex frame in it
- The frame is fixed with corner accessory (code:FC013)
- The frame is mounted on fabricated stand
- Can slide backing sheet upto 5mm



Accessories



Code: FC013
Qty: 8
Corner Connector



Code: FS075
Qty: As Per Profile RFT
Click for Profiles



Code: SCREW
Qty: 16
Corner Connector Screw



Code: ASTAND
Qty: 2
A Shaped Stand



Code: WH
Qty: 2
Wire Hanging

Colour Options



Mill Finish



Silver



Black



White



Custom Coating



Wall Fitting



Suspended




Flange

Installation

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



PL75SQ



SQ75
75mm Face Cover Flat



PL75
75mm Base



Seg Frames

Pillar Wrapping

SEG Fabric Non Lit

SEG Fabric Premium Lit

SEG Fabric Economy Lit

SEG Fabric Double Side

SEG Snap Frames



PW105

PW105 is a heavy weight profile for making edge to edge covering pillar fabric frames.

Profile depth is 105mm

Specification


Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Fabric, Flex
Media Side	Single Side
Lighting	Backlit

How to Assemble

- Cut profile in 45 degree angle
- Assemble 4 cut profiles with the help of Corner connectors (FC013) and (PW105C)
- Four of such frames screwed to each other in 90 degrees will make a four sided frame
- This frame is directly screwed on the wall / pillar



PW105

Accessories



Code: FC013
Qty: 4
Corner connector



Code: PW105C
Qty: 4
Corner connector



Code: SCREW
Qty: 24
Corner connector screw



Code: PP015
Qty: As per profile
RFT
Plastic edge strip



Code: SS015
Qty: As per profile
RFT
Silicon edge strip

Colour Options

 Mill Finish
(full length)

 Silver
(full length)

 Black
(only in cut sizes)

 White
(only in cut sizes)

 Custom Coating
(only in cut sizes)

Installation

 Wall Fitting

 Four Sided

 Pillar Wrap

 Self Standing

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.

lenovo



ASUS

DEAL OF THE MONTH!

Zenbook 14X OLED UX5401

A vision of brilliance

BELI SEKARANG



Immersive 16:10 2.8K
OLED HDR Display

Exclusive
NumberPad 2.0

63Whrs Longer
Battery Life


DISKON 1,4 JUTA

4 - 31 JULI 2022

EXCLUSIVE IN ASUS ONLINE STORE



Powered by Intel Core™ i7 processor
with Iris Xe graphics
and Windows Hello



ASUS Store. Compare. Choose. Purchase.



Business Laptop

Refurbished

Dell Latitude 7390

8th Generation Intel Core i7 Processor



8GB RAM 256GB SSD

13.3" FHD (1920 x 1080) Touch with Corning
Gorilla Glass, Camera & microphone, Wi-Fi capable

Touch & Non-Touch Both are Available

FE15

FE15 is a 15mm depth light weight profile for making non lit fabric frames.

Specification



Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Fabric, Flex
Media Side	Single Side
Lighting	Non lit

How to Assemble

- Cut profile in 45 degree angle.
- Assemble 4 cut profiles with the help of corner connector (FC013).
- This frame is directly screwed on the wall.



FE15

Accessories



Code: FC013
Qty: 4
Corner connector



Code: PP015
Qty: As per profile
RFT
Plastic edge strip



Code: SCREW
Qty: 16
Corner connector screw



Code: SS015
Qty: As per profile
RFT
Silicon edge strip

Colour Options



Installation



Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.

IF IT'S
IMPORTANT
YOU WILL
FIND
A WAY.

IF NOT,
YOU WILL
FIND
AN EXCUSE.

Fearless Life

TF16

TF16 is a 16mm depth heavy weight profile for making non lit fabric frames.

Specification



Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Fabric, Flex
Media Side	Single Side
Lighting	Non lit

How to Assemble

- Cut profile in 45 degree angle.
- Assemble 4 cut profiles with the help of coner connector (FC013).
- This frame is directly screwed on the wall.



TF16

Accessories



Code: FC013
Qty: 4
Corner connector



Code: PP015
Qty: As per profile
RFT
Plastic edge strip



Code: SCREW
Qty: 16
Corner connector screw



Code: SS015
Qty: As per profile
RFT
Silicon edge strip

Colour Options


 Mill Finish
(full length)


 Silver
(full length)


 Black
(only in cut sizes)


 White
(only in cut sizes)



 Custom Coating
(only in cut sizes)

Installation



Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



TF25

TF25 is a 25mm depth heavy weight profile for making non lit fabric frames.

Specification



Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Fabric, Flex
Media Side	Single Side
Lighting	Non lit

How to Assemble

- Cut profile in 45 degree angle.
- Assemble 4 cut profiles with the help of coner connector (PW105C).
- This frame is directly screwed on the wall.



TF25

Accessories



Code: PW105C
Qty: 4
Corner connector



Code: PP015
Qty: As per profile
RFT
Plastic edge strip



Code: SCREW
Qty: 8
Corner connector screw



Code: SS015
Qty: As per profile
RFT
Silicon edge strip

Colour Options



Installation



Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



FS31

FS31 is a 31mm depth heavy weight profile for making non lit fabric frames. it has separate slot for sliding ACP backing sheet upto 5mm.

Specification



Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Fabric, Flex
Media Side	Single Side
Lighting	Non lit

How to Assemble

- Cut profile in 45 degree angle.
- Assemble 4 cut profiles with the help of coner connector (PW105C).
- This frame is directly screwed on the wall.



FS31

Accessories



Code: PW105C
Qty: 4
Corner connector



Code: SCREW
Qty: 8
Corner Connector Screw



Code: SS015
Qty: As Per
Profile RFT
Silicon Edge Strip



Code: PP015
Qty: As Per
Profile RTF
Plastic Edge Strip



Code: WH
Qty: 2
Wire Hanging

Colour Options

 Mill Finish
(full length)

 Silver
(full length)

 Black
(only in cut sizes)

 White
(only in cut sizes)

 Custom Coating
(only in cut sizes)

Installation

 Wall Fitting

 Suspended

 Flange

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



Arquitectura lógica
Áreas para oficinas desde 114 a 7.000 m²
plantas de 450 m²
18 pisos

Ubicación lógica
Bogotá D.C.
Av. Caracas 147 105-25
en la zona de oficinas más
activa del país. Sobre la
NQS frente al futuro desarrollo
de masividad.

Inversión lógica
Pregunte por nuestro
leasing que ahorra
hasta el 95% del valor
del inmueble desde la
construcción.
Desde
\$8.900.000 m²

FUTURA
ARQUITECTURA • UBICACIÓN • INVERSIÓN
CLICK AQUI
más información
Tel. (571) 520 5594 / Cel. 322 362 0052
www.futura106.com
CANALES PERSONALIZADOS
FUTURA INMOBILIARIA

FS51

FS51 is a 51mm depth heavy weight profile for making lit fabric frames. It has separate slot for sliding ACP backing sheet upto 5mm.

Specification



Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5in / 1866.9mm / 1.865mtr

Print Media

Media Type	Fabric, Flex
Media Side	Single Side
Lighting	Back Lit / Side Lit

How to Assemble

- Cut profile in 45 degree angle.
- Assemble 4 cut profiles with the help of corner connectors (PW105C) & (FC007).
- This frame is directly screwed on the wall.



FS31

Accessories



Code: PW105C
Qty: 4
Corner connector



Code: FC007
Qty: 4
Corner Connector



Code: SCREW
Qty: 24
Corner Connector Screw



Code: PP015
Qty: As Per
Profile RFT
Plastic Edge Strip



Code: SS015
Qty: As Per
Profile RFT
Silicon Edge Strip



Code: ASTAND
Qty: 2
A Shaped Stand



Code: WH
Qty: 2
Wire Hanging

Colour Options

Mill Finish (full length)	Silver (full length)	Black (only in cut sizes)	White (only in cut sizes)	Custom Coating (only in cut sizes)

Installation

Wall Fitting	Suspended	Flange	Self Standing

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



SUBTLE STYLE
Rich in classic diamonds and coloured stones

A necklace with a diamond and colored stone pendant, displayed against a dark background with a large purple leaf. The necklace features a chain with a central pendant that includes a large oval-shaped colored stone flanked by diamonds. Above and below this central stone are smaller circular elements, also featuring diamonds and colored stones. The background is dark with a large, detailed purple leaf and some water droplets, creating a sophisticated and elegant atmosphere.

SIYA
JEWELS
DIAMONDS & JEWELLERY



FS71

FS71 is a 71mm depth heavy weight profile for making lit fabric frames. It has separate slot for sliding ACP backing sheet upto 5mm

Specification



Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5in / 1866.9mm / 1.865mtr

Print Media

Media Type	Fabric, Flex
Media Side	Single Side
Lighting	Back Lit

How to Assemble

- Cut profile in 45 degree angle.
- Assemble 4 cut profiles with the help of coner connectors (PW105C) & (FC007).
- This frame is directly screwed on the wall.



FS71

Accessories



Code: PW105C
Qty: 4
Corner connector



Code: FC007
Qty: 4
Corner Connector



Code: SCREW
Qty: 24
Corner Connector Screw



Code: PP015
Qty: As Per Profile
RFT
Plastic Edge Strip



Code: SS015
Qty: As Per Profile RFT
Silicon Edge Strip



Code: ASTAND
Qty: 2
A Shaped Stand



Code: WH
Qty: 2
Wire Hanging

Colour Options

Mill Finish (full length)	Silver (full length)	Black (only in cut sizes)	White (only in cut sizes)	Custom Coating (only in cut sizes)

Installation

Wall Fitting	Suspended	Flange	Self Standing

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



FS101

FS101 is a 101mm depth heavy weight profile for making lit fabric frames. It has separate slot for sliding ACP backing sheet upto 5mm.

Specification



Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5in / 1866.9mm / 1.865mtr

Print Media

Media Type	Fabric, Flex
Media Side	Single Side
Lighting	Back Lit

How to Assemble

- Cut profile in 45 degree angle.
- Assemble 4 cut profiles with the help of corner connectors (PW105C) & (FC007).
- This frame is directly screwed on the wall.



FS101

Accessories



Code: PW105C
Qty: 4
Corner connector



Code: FC007
Qty: 4
Corner Connector



Code: SCREW
Qty: 24
Corner Connector Screw



Code: PP015
Qty: As Per
Profile RFT
Plastic Edge Strip



Code: SS015
Qty: As Per
Profile RFT
Silicon Edge Strip



Code: ASTAND
Qty: 2
A Shaped Stand



Code: WH
Qty: 2
Wire Hanging

Colour Options

				
Mill Finish (full length)	Silver (full length)	Black (only in cut sizes)	White (only in cut sizes)	Custom Coating (only in cut sizes)

Installation

			
Wall Fitting	Suspended	Flange	Self Standing

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.

Hello Tomorrow
 Emirates

Meet the flavours of the world



Savour our menu of global tastes with old friends and new. Our regionally inspired meals are carefully crafted with fresh and locally sourced ingredients. Relax and enjoy the flavours that get people talking.

emirates.com/food

World-class service • Award-winning inflight entertainment • 24/7 lounge access

FE40

FE40 is a 40mm depth light weight profile for making lit fabric frames. It has separate slot for sliding acp backing sheet upto 5mm



FE60

Specification

Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5in / 1866.9mm / 1.865mtr


Print Media

Media Type	Fabric, Flex
Media Side	Single Side
Lighting	Back Lit

How to Assemble

- Cut profile in 45 degree angle.
- Assemble 4 cut profiles with the help of corner connectors (FC013) & (FC007).
- This frame is directly screwed on the wall.

Colour Options



Installation

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.

Accessories



Code: FC013
Qty: 4
Corner Connector



Code: FC007
Qty: 4
Corner Connector



Code: SCREW
Qty: 32
Corner Connector Screw



Code: PP015
Qty: As Per
Profile RFT
Plastic Edge Strip



Code: SS015
Qty: As Per
Profile RFT
Silicon Edge Strip



Code: A STAND
Qty: 2
A Shaped Stand





Code: WH
Qty: 2
Wire Hanging



FE60

FE60 is a 60mm depth light weight profile for making lit fabric frames. It has separate slot for sliding acp backing sheet upto 5mm.



FE60

Specification

Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5in / 1866.9mm / 1.865mtr

Print Media

Media Type	Fabric, Flex
Media Side	Single Side
Lighting	Back Lit

How to Assemble

- Cut profile in 45 degree angle.
- Assemble 4 cut profiles with the help of corner connectors (FC013) & (FC007).
- This frame is directly screwed on the wall.

Colour Options

Mill Finish (full length)	Silver (full length)	Black (only in cut sizes)	White (only in cut sizes)	Custom Coating (only in cut sizes)
Wall Fitting	Suspended	Flange	Self Standing	

Installation

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.

Accessories



Code: FC013
Qty: 4
Corner Connector



Code: FC007
Qty: 4
Corner Connector



Code: SCREW
Qty: 32
Corner Connector Screw



Code: PP015
Qty: As Per
Profile RFT
Plastic Edge Strip



Code: SS015
Qty: As Per
Profile RFT
Silicon Edge Strip



Code: ASTAND
Qty: 2
A Shaped Stand



Code: WH
Qty: 2
Wire Hanging

LOOM &
NEEDLES



RECLINE IN
Heaven



Soft comfort that's hard to beat.

FE80

FE80 is a 80mm depth light weight profile for making lit fabric frames. It has separate slot for sliding ACP backing sheet upto 5mm.



FE80

Specification

Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5in / 1866.9mm / 1.865mtr

Print Media

Media Type	Fabric, Flex
Media Side	Single Side
Lighting	Back Lit

How to Assemble

- Cut profile in 45 degree angle.
- Assemble 4 cut profiles with the help of corner connectors (FC013) & (FC007).
- This frame is directly screwed on the wall.

Colour Options

Mill Finish (full length)	Silver (full length)	Black (only in cut sizes)	White (only in cut sizes)	Custom Coating (only in cut sizes)
Wall Fitting	Suspended	Flange	Self Standing	

Installation

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.

Accessories



Code: FC013
Qty: 4
Corner Connector



Code: FC007
Qty: 4
Corner Connector



Code: SCREW
Qty: 32
Corner Connector Screw



Code: PP015
Qty: As Per
Profile RFT
Plastic Edge Strip





Code: SS015
Qty: As Per
Profile RFT
Silicon Edge Strip



Code: ASTAND
Qty: 2
A Shaped Stand




Code: WH
Qty: 2
Wire Hanging



FE100

FE100 is a 100mm depth light weight profile for making lit fabric frames. It has separate slot for sliding acp backing sheet upto 5mm.



Specification

Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5in / 1866.9mm / 1.865mtr

Print Media

Media Type	Fabric, Flex
Media Side	Single Side
Lighting	Back Lit

How to Assemble

- Cut profile in 45 degree angle.
- Assemble 4 cut profiles with the help of corner connectors (FC013) & (FC007).
- This frame is directly screwed on the wall.

Colour Options

Mill Finish (full length)	Silver (full length)	Black (only in cut sizes)	White (only in cut sizes)	Custom Coating (only in cut sizes)
Wall Fitting	Suspended	Flange	Self Standing	

Installation

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.

Accessories

FE100



Code: FC013
Qty: 4
Corner Connector



Code: FC007
Qty: 4
Corner Connector



Code: SCREW
Qty: 32
Corner Connector Screw



Code: PP015
Qty: As Per
Profile RFT
Plastic Edge Strip



Code: SS015
Qty: As Per
Profile RFT
Silicon Edge Strip



Code: ASTAND
Qty: 2
A Shaped Stand



Code: WH
Qty: 2
Wire Hanging

THE GLORY OF OUR LAND
FINDS ITS PERFECT ODE.

NOW OPEN.




ITC KOHENUR

MADHAPUR (HITEC CITY), HYDERABAD

THE

LUXURY

COLLECTION



ITC HOTELS
EXPERIENCE THE DIFFERENCE

www.itcohels.in/kohenur | 1800-102-2200 | 040-6740001 | reservations@itcohels.in
SPACIOUS ROOMS, SUITES AND SERVICES | AMENITIES | SIGNATURE RESTAURANTS
ELEGANT BANQUETING AND MEETING SPACES | F&B V&B - THE SOCIAL VENUE

SEG Frames / SEG Fabric Double Side

FB38DS

FB38DS is a 38mm depth light weight profile for making non lit double sided fabric frames.

Specification



Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5in / 1866.9mm / 1.865mtr

Print Media

Media Type	Fabric, Flex
Media Side	Double Side
Lighting	Non Lit

How to Assemble

- Cut profile in 45 degree angle.
- Assemble 4 cut profiles with the help of corner connector PW105C
- This frame is to be suspended from ceiling.



FB38DS

Accessories



Code: PW105C
Qty: 4
Corner connector



Code: SCREW
Qty: 8
Corner Connector Screw



Code: SS015
Qty: As Per
Profile RFT
Silicon Edge Strip



Code: PP015
Qty: As Per
Profile RFT
Plastic Edge Strip



Code: WH
Qty: 2
Wire Hanging

Colour Options



Mill Finish
(full length)



Silver
(full length)



Black
(only in cut sizes)




White
(only in cut sizes)



Custom Coating
(only in cut sizes)

Installation



Suspended



Flange

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



FB70DS

FB70DS is a 70mm depth heavy weight profile for making side lit double sided fabric frames.

Specification



Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5in / 1866.9mm / 1.865mtr

Print Media

Media Type	Fabric, Flex
Media Side	Double Side
Lighting	Side Lit

How to Assemble

- Cut profile in 45 degree angle.
- Assemble 4 cut profiles with the help of corner connectors (FC013) & (FC007).
- This frame is to be suspended from ceiling.



FB70DS

Accessories



Code: FC007
Qty: 4
Corner connector



Code: SS015
Qty: As Per
Profile RFT
Silicon Edge Strip



Code: SCREW
Qty: 16
Corner Connector Screw



Code: ASTAND
Qty: 2
A Shaped Stand



Code: PP015
Qty: As Per
Profile RFT
Plastic Edge Strip



Code: WH
Qty: 2
Wire Hanging

Colour Options


 Mill Finish
(full length)


 Silver
(full length)


 Black
(only in cut sizes)


 White
(only in cut sizes)


 Custom Coating
(only in cut sizes)

Installation


 Suspended


 Flange


 Self Standing

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.




Calienna

EST. 2020

NEUBAU GASSE 63
VIENNA 1070 AUSTRIA
@CALIENNA.COM

FB101DS

FB101DS is a 101mm depth heavy weight profile for making side lit double sided fabric frames. It has option to slide ACP sheet to make double sided back lit



FB101DS

Specification

Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5in / 1866.9mm / 1.865mtr

Print Media

Media Type	Fabric, Flex
Media Side	Double Side
Lighting	Side Lit / Back Lit

How to Assemble

- Cut profile in 45 degree angle.
- Assemble 4 cut profiles with the help of corner connector (code:PW105C).
- This frame is to be used as self standing.

Colour Options



Installation

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.

Accessories



Code: PW105C
Qty: 8
Corner connector



Code: SS015
Qty: As Per
Profile RFT
Silicon Edge Strip



Code: SCREW
Qty: 16
Corner Connector Screw



Code: ASTAND
Qty: 2
A Shaped Stand



Code: PP015
Qty: As Per
Profile RFT
Plastic Edge Strip



Code: WH
Qty: 2
Wire Hanging



HLP BOX

HLP BOX is a heavy profile for making large back lit snap frames. It has front cover profile of 33mm. Frame is heavy and has separate slots for diffuser sheets and foam sheets and also fabric mounting.

Specification


Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr

Print Media

Media Type	Translite, Fabric, Any Backlit Rigid Sheet
Media Side	Single Side
Lighting	Back Lit

How to Assemble

- HLP consists of base (code:HBOX) and cover (code:HC) arrangement
- Assembled together making flip profile system using click accessory (code:HLPC)
- Base profile has depth of 50 mm for accommodating back lit led
- The frame is fixed with corner accessory (code:FC007)
- This frame is directly screwed to the wall.



Accessories



Code: FC007
Qty: 4
Corner Connector



Code: PP015
Qty: As Per Profile RFT
Plastic Edge Strip



Code: HLPC
Qty: As Per Profile RFT
[Click for Profiles](#)



Code: SS015
Qty: As Per Profile RFT
Silicon Edge Strip



Code: SCREW
Qty: 16
Corner Connector Screw



Code: WH
Qty: 2
Wire Hanging



Code: HLPT
Qty: 3
Hanging Fitting



Code: ASTAND
Qty: 2
A Shaped Stand

Colour Options



Mill Finish



Silver



Black



White



Custom Coating

Installation



Wall Fitting



Suspended




Flange



Self Standing

Size Assortment


We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



HLP BOX



HC
33mm Face Cover Flat



HBOX
50mm Box

dyson supersonic

Технология Intelligent Heat Control для блеска волос

Стекланный терморезистор
измеряет температуру на
выходе 20 раз в секунду. Дан-
ные передаются в микропроцес-
сор, который выполняет
вычисления и передает коман-
ды нагревательному элементу.
Температура контролируется, что
помогает избежать перегрева,
защищая натуральный блеск
волос.

Мощный двигатель
с цифровым
управлением

13 областей интеллекта
двигателя Dyson V8 с
цифровым управлением враща-
ется со скоростью до 110 000
об/мин и имеет мощность
давления в 1.5 кВт.
Компактный, быстрый и легкий

dyson.ru/supersonic

PL48SQ

PL48SQ is a heavy profile for making large non-lit snap frames. It has front cover profile of 48mm. Frame is easy to handle as it is heavy and has open slot for MS pipe frame & silicon edge insert for fabric.

Specification


Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr

Print Media

Media Type	Flex, Fabric
Media Side	Single Side
Lighting	Non Lit

How to Assemble

- PL48SQ consists of base (code:PL48) and cover (code:SQ48) arrangement
- Assembled together making flip profile system using click accessory (code:FS048)
- Base profile having depth where flex MS frame of 1 inch x 1 inch can be mounted.
- The base profile also has arrangement where fabric can also be mounted using strip (code:PP015/SS015)
- The frame is fixed with corner accessory (code:FC007)
- This frame is directly screwed on the wall



Accessories



Code: FC007
Qty: 8
Corner Connector



Code: PP015
Qty: As Per
Profile RFT
Plastic Edge Strip



Code: FS048
Qty: As Per
Profile RFT
Click for Profiles



Code: SS015
Qty: As Per
Profile RFT
Silicon Edge Strip



Code: SCREW
Qty: 32
Corner Connector Screw



Code: WH
Qty: 2
Wire Hanging

Colour Options



Mill Finish



Silver



Black



White



Custom Coating



Wall Fitting




Suspended


Installation

Size Assortment


We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



PL48SQ



SQ48
48mm Face Cover Flat



PL48
48mm Base



PL75SQ

PL75SQ is a heavy profile for making large lit snap frame hoardings. It has front cover profile of 75mm. Frame has space to mount MS flex mounted frame in it.

Specification


Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr

Print Media

Media Type	Flex
Media Side	Single Side
Lighting	Back Lit

How to Assemble

- PL75SQ consists of base (code:PL75) and cover (code:SQ75) arrangement
- Assembled together making flip profile system using click accessory (code:FS075)
- Base profile has arrangement of mounting ms flex frame in it
- The frame is fixed with corner accessory (code:FC013)
- The frame is mounted on fabricated stand
- Can slide backing sheet upto 5mm



Accessories



Code: FC013
Qty: 8
Corner Connector



Code: FS075
Qty: As Per
Profile RFT
Click for Profiles



Code: SCREW
Qty: 16
Corner Connector Screw



Code: ASTAND
Qty: 2
A Shaped Stand




Code: WH
Qty: 2
Wire Hanging

Colour Options




Installation



Size Assortment


We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



PL75SQ



SQ75
75mm Face Cover Flat



PL75
75mm Base



Name Plates

Exit Sign

Flat Slider

Name Plate

Directory Curve Slider



ES1

ES1 is an exit sign holder profile for displaying indoor directional emergency lit signs.

Specification


Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	6mm Acrylic
Media Side	Single Side / Double Side
Lighting	Lit

How to Assemble

- Straight cut profiles as per required length
- Assemble led driver and batteries and close profile with end caps
- This frame is suspended from ceiling



ES1

Accessories



Code: ES1EC
Qty: 2
Exit sign endcap



Code: ES1MH
Qty: 2
Exit sign metal hanging slider



Code: SCREW
Qty: 4
Corner connector screw



Code: WH
Qty: 2
Wire Hanging



Code: ES1PH
Qty: 2
Exit sign plastic hanging

Colour Options



Mill Finish
(full length)



Silver
(full length)



Black
(only in cut sizes)



White
(only in cut sizes)



Custom Coating
(only in cut sizes)



Suspended

Installation

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



FSL40 / 60 / 80 / 150

FSL40 is a 40mm height slim flat profile for making name plates.

Specification

Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Paper Print
Media Side	Single Side
Lighting	Non lit

How to Assemble

- Straight cut profiles as per required length
- Screw / Paste profile to the wall
- Place media and close both ends with end caps

Accessories



Code: FSL40EC
Qty: 2
Plastic end cap



Code: FSL80EC
Qty: 2
Plastic end cap



Code: FSL60EC
Qty: 2
Plastic end cap



Code: FSL150EC
Qty: 2
Plastic end cap

Colour Options



Mill Finish
(full length)



Silver
(full length)



Black
(only in cut sizes)



White
(only in cut sizes)



Custom Coating
(only in cut sizes)


Installation




Wall Fitting

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



FSL40



FSL60



FSL80



FSL150



FSL100DS / 150DS

FSL100DS is a 100mm height slim flat profile for making non lit flange name plates.

Specification


Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media


Media Type	Paper Print
Media Side	Double Side
Lighting	Non lit

How to Assemble


- Straight cut profiles as per required length
- Screw flange profile with wall
- Place media in profile and tight fit with flange profile . Place plastic end cap on other end




FSL100DS



FSL100DS



FSL150DS



FSL150DS

Accessories



Code: WM100DS
Qty: 1
Flange profile



Code: WM150DS
Qty: 1
Flange profile



Code: FSL100DSEC
Qty: 1
Plastic end cap



Code: FSL150DSEC
Qty: 1
Plastic end cap

Colour Options



Mill Finish
(full length)



Silver
(full length)



Black
(only in cut sizes)



White
(only in cut sizes)



Custom Coating
(only in cut sizes)



Flange

Installation

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



PF9

PF9 is a 9mm depth light weight profile for making non lit sliding frames.

Specification



Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media


Media Type	Paper Print
Media Side	Single Side
Lighting	Non lit

How to Assemble

- Cut profile in 45 degree angle
- Assemble 4 cut profiles with the help of corner connector (FC007S)
- This frame is directly screwed on the wall.



PF9



PF09

Accessories



Code: FC007S
Qty: 4
Corner connector



Code: SCREW
Qty: 8
Corner connector screw

Colour Options



Mill Finish
(full length)



Silver
(full length)



Black
(only in cut sizes)



White
(only in cut sizes)



Custom Coating
(only in cut sizes)

Installation



Wall Fitting

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



TT70

TT70 is a 70mm height table top name plate . 5mm height paper can be slid into th profile

Specification

Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Paper Print, Rigid Sheet
Media Side	Single Side
Lighting	Non lit

How to Assemble

- Straight cut profile as per length
- Slid media and place on the table




Table Top

Colour Options



Mill Finish
(full length)



Silver
(full length)



Black
(only in cut sizes)



White
(only in cut sizes)



Custom Coating
(only in cut sizes)

Installation



Table Top

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



NP12

NP12 is a 12mm depth light weight profile for making single sided or flange non lit name plate frames.

Specification



Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Rigid Sheet
Media Side	Single Side / Double Side
Lighting	Non Lit

How to Assemble

- Cut profile in 45 degree angle.
- Assemble 4 cut profiles with the help of corner connector (FC007S).
- This frame is directly screwed on the wall.
- For making double sided flange, three sides of frame should be of NP 12H and one side should be NP 12.
- Two of such NP 12H frames should be stuck together with double sided tape. Then NP12F is used to rest on flange profile.



NP12



NP12F



NP12H

Accessories



Code: FC007S
Qty: 4
Corner connector



Code: SCREW
Qty: 8
Corner Connector Screw

Colour Options

 Mill Finish
(full length)

 Silver
(full length)

 Black
(only in cut sizes)

 White
(only in cut sizes)

 Custom Coating
(only in cut sizes)

Installation



Wall Fitting



Flange

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



NP28

NP28 is a 28mm depth light weight profile for making double sided non lit name plate frames.

Specification



Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Rigid Sheet
Media Side	Single Side / Double Side
Lighting	Non Lit

How to Assemble

- Cut profile in 45 degree angle.
- Assemble 4 cut profiles with the help of coner connector (FC007S).
- This frame is directly screwed on the wall.



NP28

Accessories



Code: FC007S
Qty: 4
Corner connector



Code: WH
Qty: 2
Wire Hanging



Code: SCREW
Qty: 8
Corner Connector Screw

Colour Options

				
Mill Finish (full length)	Silver (full length)	Black (only in cut sizes)	White (only in cut sizes)	Custom Coating (only in cut sizes)

Installation

		
Wall Fitting	Suspended	Flange

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



NP50

NP50 is a 50mm depth heavy weight profile for making double sided lit name plate frames.

Specification



Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Rigid Sheet
Media Side	Double Side
Lighting	Lit

How to Assemble

- Cut profile in 45 degree angle.
- Assemble 4 cut profiles with the help of corner connector (AP50 and MP50).
- This frame is suspended from ceiling.



MP50

Accessories



Code: AP50
Qty: 4
Corner connector



Code: WH
Qty: 2
Wire Hanging



Code: MP50
Qty: 8
For Corner Connector



Code: A STAND
Qty: 2
Triangle Sand

Colour Options

				
Mill Finish (full length)	Silver (full length)	Black (only in cut sizes)	White (only in cut sizes)	Custom Coating (only in cut sizes)

Installation

			
Wall Fitting	Suspended	Flange	Self Standing

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



**Ek naye ghar
ko apna kehne
ki himmat**

Partnering 5 lakh+ new homeowners



**6 YEARS OF
COURAGE**

2.35 crore customers | 5,574 banking outlets | 51,054 employees

NP70

NP70 is a 70mm depth heavy weight profile for making double sided lit name plate frames and totems.

Specification



Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Rigid Sheet
Media Side	Double Side
Lighting	Lit

How to Assemble

- Cut profile in 45 degree angle.
- Assemble 4 cut profiles with the help of corner connector (AP70 and MP50).
- This frame is suspended from ceiling.



NP28

Accessories



Code: AP70
Qty: 4
Corner connector



Code: WH
Qty: 2
Wire Hanging



Code: MP50
Qty: 8
For Corner Connector



Code: A STAND
Qty: 2
Triangle Sand

Colour Options

				
Mill Finish (full length)	Silver (full length)	Black (only in cut sizes)	White (only in cut sizes)	Custom Coating (only in cut sizes)

Installation

			
Wall Fitting	Suspended	Flange	Self Standing

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



DCS - 40 / 52 / 60 / 80

DCS single side profiles heavy curved profiles for making name plates of various sizes.

Specification

Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Paper Print
Media Side	Single Side
Lighting	Non Lit

How to Assemble

- Straight cut profiles as per required length
- Screw / paste profile to the wall.
- Place media and close both ends with end caps

Accessories



Code: DCS40EC
Qty: 2
Plastic End Cap



Code: DCS52EC
Qty: 2
Plastic End Cap



Code: DCS60EC
Qty: 2
Plastic End Cap



Code: DCS80EC
Qty: 2
Plastic End Cap



DCS40



DCS52

Colour Options



Mill Finish
(full length)



Silver
(full length)



Black
(only in cut sizes)



White
(only in cut sizes)



Custom Coating
(only in cut sizes)

Installation



Wall Fitting



Suspended
Double Side

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



DCS60



DCS80



DCS DSR



DCS - 100 / 120 / 150 / 225

DCS single side profiles heavy curved profiles for making name plates of various sizes.

Specification

Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Paper Print
Media Side	Single Side
Lighting	Non Lit

How to Assemble

- Straight cut profiles as per required length
- Screw / paste profile to the wall.
- Place media and close both ends with end caps

Accessories



Code: DCS40EC
Qty: 2
Plastic End Cap




Code: DCS52EC
Qty: 2
Plastic End Cap



Code: DCS60EC
Qty: 2
Plastic End Cap



Code: DCS80EC
Qty: 2
Plastic End Cap



DCS100



DCS120

Colour Options



Installation



Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



DCS150



DCS225



DCS DSR



DCS110DS

DCS double side profiles heavy curved profiles for making double sided name plates of various sizes.

Specification


Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Paper Print
Media Side	Single Side
Lighting	Non Lit

How to Assemble

- Straight cut profiles as per required length.
- Place media and close both ends with end caps.
- The profile is used as fange or suspended from ceiling.



DCS110DS



Accessories



Code: DCS110DS-SEC
Qty: 2
Plastic End Cap



Code: WH
Qty: 2
Wire Hanging



Code: DCS110DS-BEC
Qty: 2
Plastic End Cap

Colour Options


 Mill Finish
(full length)



 Silver
(full length)


 Black
(only in cut sizes)


 White
(only in cut sizes)


 Custom Coating
(only in cut sizes)

Installation



Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



O.P.D - 3

Directory

Flat Slider

Flat Paste



DFS31 / 45 / 62

DFS series is single side heavy profiles for making directory name plates of various sizes, in which media is slid into the profile.

Specification

Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Paper Print, Rigid Sheet
Media Side	Single Side
Lighting	Non Lit

How to Assemble

- Straight cut profiles as per required length
- Screw / paste profile to the wall
- Place media and close both ends with end caps
- For making firectory, screw tracks on the wall, place CT80EC in to tose tracks and snap-fit the profiles as per your requirement.

Accessories



Code: WH
Qty: 2
Wire Hanging




Code: CT80
Qty: As per profile RFT
Center Track



Code: ST42ECL
Qty: 2
Track End Cap




Code: ST42ECR
Qty: 2
Track End Cap



ST42



BT49



CT80EC

Colour Options



Mill Finish
(full length)



Silver
(full length)



Black
(only in cut sizes)



White
(only in cut sizes)



Custom Coating
(only in cut sizes)

Installation



Wall Fitting



Suspended
Double Side

Size Assortment


We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



DFS31



Code: DFS31EC
Qty: 2
Plastic End Cap



DFS45



Code: DFS45EC
Qty: 2
Plastic End Cap



DFS62



Code: DFS62EC
Qty: 2
Plastic End Cap



DFS93 / 124 / 155

DFS series is single side heavy profiles for making directory name plates of various sizes, in which media is slid into the profile.

Specification

Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Paper Print, Rigid Sheet
Media Side	Single Side
Lighting	Non Lit


How to Assemble

- Straight cut profiles as per required length
- Screw / paste profile to the wall
- Place media and close both ends with end caps
- For making firectory, screw tracks on the wall, place CT80EC in to tose tracks and snap-fit the profiles as per your requirement.

Colour Options

				
Mill Finish (full length)	Silver (full length)	Black (only in cut sizes)	White (only in cut sizes)	Custom Coating (only in cut sizes)

Installation



Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.

Accessories



Code: WH
Qty: 2
Wire Hanging




Code: CT80
Qty: As per profile RFT
Center Track



Code: ST42ECL
Qty: 2
Track End Cap




Code: ST42ECR
Qty: 2
Track End Cap




ST42



BT49




CT80EC



DFS93




Code: DFS93EC
Qty: 2
Plastic End Cap



DFS124



Code: DFS124EC
Qty: 2
Plastic End Cap



DFS155



Code: DFS155EC
Qty: 2
Plastic End Cap



DFP16 / 31 / 45 / 62

DFP series is single side heavy profiles for making directory name plates of various sizes, in which media is pasted on profile.

Specification

Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Paper Print, Rigid Sheet
Media Side	Single Side
Lighting	Non Lit

How to Assemble

- Straight cut profiles as per required length
- Screw / paste profile to the wall
- Place media and close both ends with end caps
- For making firectory, screw tracks on the wall, place CT80EC in to tose tracks and snap-fit the profiles as per your requirement.

Accessories



Code: WH
Qty: 2
Wire Hanging




Code: CT80
Qty: As per profile RFT
Center Track



Code: ST42ECL
Qty: 2
Track End Cap




Code: ST42ECR
Qty: 2
Track End Cap



ST42



BT49



CT80EC

Colour Options



Mill Finish
(full length)



Silver
(full length)



Black
(only in cut sizes)



White
(only in cut sizes)



Custom Coating
(only in cut sizes)

Installation



Wall Fitting



Suspended
Double Side

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



DFP16



Code: DFS16EC
Qty: 2
Plastic End Cap



DFP31



Code: DFS31EC
Qty: 2
Plastic End Cap



DFP45



Code: DFS45EC
Qty: 2
Plastic End Cap



DFP62



Code: DFS62EC
Qty: 2
Plastic End Cap



DFP93 / 124 / 155

DFP series is single side heavy profiles for making directory name plates of various sizes, in which media is pasted on profile.

Specification

Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Paper Print, Rigid Sheet
Media Side	Single Side
Lighting	Non Lit

How to Assemble

- Straight cut profiles as per required length
- Screw / paste profile to the wall
- Place media and close both ends with end caps
- For making firectory, screw tracks on the wall, place CT80EC in to tose tracks and snap-fit the profiles as per your requirement.

Accessories



Code: WH
Qty: 2
Wire Hanging




Code: CT80
Qty: As per profile RFT
Center Track



Code: ST42ECL
Qty: 2
Track End Cap



Code: ST42ECR
Qty: 2
Track End Cap



ST42



BT49



CT80EC

Colour Options



Mill Finish
(full length)



Silver
(full length)



Black
(only in cut sizes)



White
(only in cut sizes)



Custom Coating
(only in cut sizes)

Installation




Wall Fitting



Suspended
Double Side

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.





DFP93



Code: DFS93EC

Qty: 2

Plastic End Cap



DFP124



Code: DFS124EC

Qty: 2

Plastic End Cap



DFP155



Code: DFS155EC

Qty: 2

Plastic End Cap

MANAGING BOARD MEMBERS

SHRI. VINAYAK JAMBHULKAR
(founder president)

SHRI. GANI SHAIKH
(vice president)

SHRI. SUBHASH GUPTA
(vice president)

SHRI. ABDUL MAJID DARUWALA
(vice president)

SHRI. BAPU KELUSKAR
(secretary)

SMITA PARGAOKAR
(tresurer)

SHRI. YOGESH PAGEDAR
(member)

SNEHA NALKAR
(member)

Box Frames



Box Frames





BB110

BB110 is a 110mm box for making flex hoarding systems. It is made of 4 profiles.

Specification


Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Fabric
Media Side	Single Side
Lighting	Backlit

How to Assemble

- Cut profile in 45 degree angle
- Assemble 4 cut profiles with the help of Corner connectors - AP110
- Fix BL006 and bolt onto the holes made in SQ110 and fix the BL006 on the groove given in BA110
- Close the profile system with CR110
- This frame is fixed on outdoor fabrication



Colour Options

				
Mill Finish (full length)	Silver (full length)	Black (only in cut sizes)	White (only in cut sizes)	Custom Coating (only in cut sizes)

Installation




Size Assortment


We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



BA110
110mm Main Profile



CR110
Cover Profile



SQ110
Hook Profile



LB50DS

LB is a 50mm box system having doors both sides to place rigid sheets.

Specification


Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Rigid Sheets
Media Side	Double Side
Lighting	Side Lit

How to Assemble

- Cut profile in 45 degree angle
- Assemble 4 cut profiles with the help of Corner connectors
- Assemble door profile and fix it on box profile using hinge



Accessories




Code: LBC25
Qty: 4
Hinge



Code: AP100
Qty: 4
Corner connector



Code: BOLT
Qty: As per profile RFT
Bolt screw



LBM50
50mm Box Profile



LBD25
Door Profile

Colour Options

Mill Finish (full length)	Silver (full length)	Black (only in cut sizes)	White (only in cut sizes)	Custom Coating (only in cut sizes)

Installation



Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



HLP BOX

HLP BOX is a heavy profile for making large back lit snap frames. It has front cover profile of 33mm. Frame is heavy and has separate slots for diffuser sheets and foam sheets and also fabric mounting.

Specification


Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr

Print Media

Media Type	Translite, Fabric, Any Backlit Rigid Sheet
Media Side	Single Side
Lighting	Back Lit

How to Assemble

- HLP consists of base (code:HBOX) and cover (code:HC) arrangement
- Assembled together making flip profile system using click accessory (code:HLPC)
- Base profile has depth of 50 mm for accommodating back lit led
- The frame is fixed with corner accessory (code:FC007)
- This frame is directly screwed to the wall.



Accessories



Code: FC007
Qty: 4
Corner Connector



Code: PP015
Qty: As Per Profile RFT
Plastic Edge Strip



Code: HLPC
Qty: As Per Profile RFT
[Click for Profiles](#)



Code: SS015
Qty: As Per Profile RFT
Silicon Edge Strip



Code: SCREW
Qty: 16
Corner Connector Screw



Code: WH
Qty: 2
Wire Hanging



Code: HLPT
Qty: 3
Hanging Fitting



Code: ASTAND
Qty: 2
A Shaped Stand

Colour Options



Mill Finish



Silver



Black



White



Custom Coating

Installation



Wall Fitting



Suspended



Flange



Self Standing

Size Assortment


We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



HLP BOX
50mm Box



HC
33mm Face Cover Flat



H BOX



PL75SQ

PL75SQ is a heavy profile for making large lit snap frame hoardings. It has front cover profile of 75mm. Frame has space to mount MS flex mounted frame in it.

Specification


Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr

Print Media

Media Type	Flex
Media Side	Single Side
Lighting	Back Lit

How to Assemble

- PL75SQ consists of base (code:PL75) and cover (code:SQ75) arrangement
- Assembled together making flip profile system using click accessory (code:FS075)
- Base profile has arrangement of mounting ms flex frame in it
- The frame is fixed with corner accessory (code:FC013)
- The frame is mounted on fabricated stand
- Can slide backing sheet upto 5mm



Accessories



Code: FC013
Qty: 8
Corner Connector



Code: FS075
Qty: As Per Profile RFT
Click for Profiles



Code: SCREW
Qty: 16
Corner Connector Screw



Code: ASTAND
Qty: 2
A Shaped Stand



Code: WH
Qty: 2
Wire Hanging

Colour Options



Mill Finish



Silver



Black



White



Custom Coating

Installation



Wall Fitting




Suspended



Flange

Size Assortment


We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



PL75SQ



SQ75
75mm Face Cover Flat



PL75
75mm Base



NP50

NP50 is a 50mm depth heavy weight profile for making double sided lit name plate frames.

Specification



Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Rigid Sheet
Media Side	Double Side
Lighting	Lit

How to Assemble

- Cut profile in 45 degree angle.
- Assemble 4 cut profiles with the help of corner connector (AP50 and MP50).
- This frame is suspended from ceiling.



NP28

Accessories



Code: AP50
Qty: 4
Corner connector



Code: WH
Qty: 2
Wire Hanging



Code: MP50
Qty: 8
For Corner Connector



Code: A STAND
Qty: 2
Triangle Sand

Colour Options

				
Mill Finish (full length)	Silver (full length)	Black (only in cut sizes)	White (only in cut sizes)	Custom Coating (only in cut sizes)

Installation

		
Wall Fitting	Suspended	Flange

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



RESTAURANT NAME



Opening Hours

— TIMES —

MON
SUN 09 AM - 08 PM



Closed
Sundays



123 Street Name, City Name, State
+1 123 456 789



www.restaurantname.com

NP70

NP70 is a 70mm depth heavy weight profile for making double sided lit name plate frames and totems.

Specification



Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Rigid Sheet
Media Side	Double Side
Lighting	Lit

How to Assemble

- Cut profile in 45 degree angle.
- Assemble 4 cut profiles with the help of corner connector (AP70 and MP50).
- This frame is suspended from ceiling.



NP28

Accessories



Code: AP70
Qty: 4
Corner connector



Code: WH
Qty: 2
Wire Hanging



Code: MP50
Qty: 8
For Corner Connector



Code: A STAND
Qty: 2
Triangle Sand

Colour Options

				
Mill Finish (full length)	Silver (full length)	Black (only in cut sizes)	White (only in cut sizes)	Custom Coating (only in cut sizes)

Installation

			
Wall Fitting	Suspended	Flange	Self Standing

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



Totem

Pylon

Totem



SB20

SB20 is a curved totem used to make small pylon signage. This profile can also be used as smart signage applications.

Specification


Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media


Media Type	Rigid Sheets
Media Side	Double Side
Lighting	Side Lit

How to Assemble

- Straight cut profiles as per required length
- Screw / paste profile to the wall
- Place media and close both ends with end caps
- For making firectory, screw tracks on the wall, place CT80EC in to tose tracks and snap-fit the profiles as per your requirement.



SB20



Colour Options

				
Mill Finish (full length)	Silver (full length)	Black (only in cut sizes)	White (only in cut sizes)	Custom Coating (only in cut sizes)
				
Suspended	Flange	Self Standing		

Installation

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



SB40

SB40 is a curved totem used to make medium pylon signage. This profile can also be used as smart signage applications.

Specification


Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Rigid Sheets
Media Side	Double Side
Lighting	Side Lit

How to Assemble

- Straight cut profiles as per required length
- Screw / paste profile to the wall
- Place media and close both ends with end caps
- For making firectory, screw tracks on the wall, place CT80EC in to tose tracks and snap-fit the profiles as per your requirement.




SB40

Accessories



Code: SB40 Cover
Qty: As per RTF
To make half totems



Colour Options

				
Mill Finish (full length)	Silver (full length)	Black (only in cut sizes)	White (only in cut sizes)	Custom Coating (only in cut sizes)
				
Suspended	Flange	Self Standing		

Installation

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



**Café
Coffee
Day**

**LOGO
CAFFE PUB**

SB80

SB80 is a curved totem used to make large pylon signage.

Specification

Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media


Media Type	Rigid Sheets
Media Side	Double Side
Lighting	Side Lit

How to Assemble

- Straight cut profiles as per required length
- Screw / paste profile to the wall
- Place media and close both ends with end caps
- For making firectory, screw tracks on the wall, place CT80EC in to tose tracks and snap-fit the profiles as per your requirement.



SB80



Colour Options

				
Mill Finish (full length)	Silver (full length)	Black (only in cut sizes)	White (only in cut sizes)	Custom Coating (only in cut sizes)

Installation

		
Suspended	Flange	Self Standing

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



NP70

NP70 is a 70mm depth heavy weight profile for making double sided lit name plate frames and totems.

Specification



Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Rigid Sheet
Media Side	Double Side
Lighting	Lit

How to Assemble

- Cut profile in 45 degree angle.
- Assemble 4 cut profiles with the help of corner connector (AP70 and MP50).
- This frame is suspended from ceiling.



NP28

Accessories



Code: AP70
Qty: 4
Corner connector



Code: WH
Qty: 2
Wire Hanging



Code: MP50
Qty: 8
For Corner Connector



Code: A STAND
Qty: 2
Triangle Sand

Colour Options

 Mill Finish
(full length)

 Silver
(full length)

 Black
(only in cut sizes)

 White
(only in cut sizes)

 Custom Coating
(only in cut sizes)

Installation

 Wall Fitting

 Suspended

 Flange

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.

Trendy and Greater Vision

Rotating button, thin and light design
High-definition large screen,
Super long standby

- Black
- Silver
- Golden



ST

ST series is set of square modular totem signs with choice of various media options. This has aluminium flanges for vinyl pasting as well as hanging and sliding of any rigid sheets

Specification

Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Rigid Sheets, Vinyl
Media Side	Double Side
Lighting	Non Lit


How to Assemble

- Straight cut as per desired length.
- Assemble 2 profiles with FP accessories to make a pylon.
- Insert or paste media on FP flange.

Accessories



Code: FP46
Qty: Custom
Flange System



Code: FP60
Qty: Custom
Flange System



Code: FP100
Qty: Custom
Flange System



Code: Pole Spacer
Qty: Custom
To create space between 2 flanges



Code: ST80EC
Qty: 2
Totem End Cap



ST80T1
80mm square Totem with 1 track



ST80T4
80mm square Totem with 4 track

Colour Options



Mill Finish
(full length)



Silver
(full length)



Black
(only in cut sizes)



White
(only in cut sizes)



Custom Coating
(only in cut sizes)



Wall Fitting

Installation

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



LACA COSMETIC



IP GLOBAL NET



PHILIPS FAC MGT



TOBASCO

RT

RT series is set of round pole modular totem signs with choice of various media options. This has aluminium flanges for vinyl pasting as well as hanging and sliding of any rigid sheets.

Specification

Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Rigid Sheets, Vinyl
Media Side	Double Side
Lighting	Non Lit

How to Assemble

- Straight cut as per desired length.
- Assemble 2 profiles with FP accessories to make a pylon.
- Insert or paste media on FP flange.

Accessories



Code: FP46
Qty: Custom
 Flange System



Code: FP60
Qty: Custom
 Flange System




Code: FP100
Qty: Custom
 Flange System



Code: Pole Spacer
Qty: Custom
 To create space between 2 flanges





Code: RT90EC
Qty: 2
 Totem End Cap



RT90T1
 90mm Round Totem With 1 Track



RT90T2
 90mm round Totem with 2 track in 180 degree angle



RT90TL
 90mm round totem with 2 track in 90 degree angle



Colour Options



Installation



Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



Canteen

Parking For Employees

Shop Floor Entrance

Reception

Warehouse



Keder

Keder

Skyloop



KEDER

KEDER profile is a multi purpose system used to display variety of media. Innovative frame systems can be designed and made using this profile.

Specification


Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Rigid Sheets, Flex, Fabric
Media Side	Single Side
Lighting	Non Lit

How to Assemble

- Straight cut as per desired length.
- Wrap media onto round profile and slide inside the slit of KEDER.
- Can be hanged and also can be made as a frame.



KEDER

Accessories



Code: K12C
Qty: Custom
Round Corner



Code: KRP
Round Profile



Code: KEC
Plastic End Cap



Code: KFW
Wall Fitting



Code: KFH
Flange Holder



Code: WH
Qty: 2
Wire Hanging

Colour Options

 Mill Finish
(full length)

 Silver
(full length)

 Black
(only in cut sizes)

 White
(only in cut sizes)

 Custom Coating
(only in cut sizes)

Installation

 Wall Fitting

 Flange

 Hanging

Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



SKYLOOP

SKYLOOP profile is used in creating innovative and custom fabric hanging and framing system. This profile is best used in creating non-liner frame shapes.

Specification


Material	Aluminium Alloy - 6063 - T6
Anodising	15-20 Microns
Length	12.25ft / 147in / 3733.8mm / 3.73mtr / 6.125ft / 73.5inch / 1866.9mm / 1.865mtr

Print Media

Media Type	Flex, Fabric
Media Side	Single Side
Lighting	Non Lit

How to Assemble

- Straight cut as per desired length.
- Wrap media onto round profile and slide inside the slit of KEDER.
- Can be hanged and also can be made as a frame.



SKYLOOP

Accessories



Code: K12C
Qty: Custom
 Round Corner



Code: SS015
Qty: As Per Profile RFT
 Silicon Edge Strip



Code: PP015
Qty: As Per Profile RFT
 Plastic Edge Strip



Code: WH
Qty: 2
 Wire Hanging

Colour Options



Installation




Size Assortment

We offer a wide selection of pre-made frames for your convenience. We also offer custom-cut sizes based on your specific requirements. Please refer our list for pricing information.



ON YOUR WAY.
SO YOU CAN SLEEP
LONGER.

McCafé
Good Coffee. Simply.



IDEAS AND SOLUTIONS

6, Aman Warehouses,
B/h. Changodar City Center,
Nr. Susha Mechatronics,
Changodar - 382213,
Ahmedabad.

+91 95588 09753
info@lazloindia.com
www.lazloindia.com



Note: The images, text, and drawings in this catalog are the property of Lazlo and/or their affiliated project associates/partners. Using or reproducing any material without our written permission may result in legal action.