



Select a definition

default

# Hackathon Template 1.0

[ Base URL: localhost:8000/ ]  
<http://localhost:8000/v2/api-docs>

This is hackathon sample project

- Terms of service
- Hackathon Template - Website
- Send email to Hackathon Template
- Licenses of API

## auth-controller Auth Controller



POST

/hack/auth/{user-type}/login

userLogin

Parameters

Try it out

Name	Description
<b>user-type</b> * required string (path)	user-type <div>user-type - user-type</div>
<b>userLoginRequest</b> * required object (body)	userLoginRequest Example Value Model <pre>{  "password": "string",  "user": "string"}</pre> <div>Parameter content type application/json</div>

Responses

Response content type

\*/\*

Code	Description
200	OK
	<div>Example ValueModel</div> <div><pre>{  "data": {},  "message": "string",  "status": "ACCEPTED",  "statusCode": 0,  "timestamp": "dd-MM-yyyy hh:mm:ss"}</pre></div>
201	Created
401	Unauthorized
403	Forbidden
404	Not Found

POST

/hack/auth/{user-type}/refresh-token

refreshToken

Parameters

Try it out

Name	Description
<div>refreshTokenRequest * required</div> <div>object</div> <div>(body)</div>	<div>refreshTokenRequest</div> <div><div>Example ValueModel</div><div><pre>{  "refreshToken": "string"}</pre></div></div> <div><div>Parameter content type</div><div>application/json</div></div>
<div>user-type * required</div> <div>string</div> <div>(path)</div>	<div>user-type</div> <div>user-type - user-type</div>

Responses

Response content type

/\*\*

Code	Description
200	<div>OK</div> <div><div>Example Value</div><div>Model</div><div><pre>{  "data": {},  "message": "string",  "status": "ACCEPTED",  "statusCode": 0,  "timestamp": "dd-MM-yyyy hh:mm:ss"}</pre></div></div>
201	<div>Created</div>
401	<div>Unauthorized</div>
403	<div>Forbidden</div>
404	<div>Not Found</div>

POST

/hack/auth/{user-type}/register

registerUser

Parameters

Try it out

Name	Description
<div><div>user-type</div><div>string</div><div>(path)</div><div>required</div></div>	<div>user-type</div> <div>user-type - user-type</div>

Name

Description

userRegisterRequest \* required

object  
(body)

userRegisterRequest

Example Value

Model

```
{
  "email": "string",
  "password": "string",
  "phone": "string",
  "roles": [
    "string"
  ],
  "userName": "string"
}
```

Parameter content type

application/json

Responses

Response content type

\*/\*

Code

Description

200

OK

Example Value

Model

```
{
  "data": {},
  "message": "string",
  "status": "ACCEPTED",
  "statusCode": 0,
  "timestamp": "dd-MM-yyyy hh:mm:ss"
}
```

201

Created

401

Unauthorized

403

Forbidden

404

Not Found

employee-entity-controller

Employee Entity Controller

▼

POST /employee/create addSample

Parameters

Try it out

Name

Description

employeeEntityRequestVO \* required  
object  
(body)

employeeEntityRequestVO  
Example Value Model

```
{
  "contact": "string",
  "dob": "string",
  "email": "string",
  "firstName": "string",
  "gender": "string",
  "lastName": "string"
}
```

Parameter content type

application/json

Responses

Response content type

\*/\*

Code

Description

201

Created

Example Value Model

```
{
  "data": {},
  "message": "string",
  "status": "ACCEPTED",
  "statusCode": 0,
  "timestamp": "dd-MM-yyyy hh:mm:ss"
}
```

401

Unauthorized

Code	Description
403	Forbidden
404	Not Found

GET

/employee/getAllEmployees

getAllEmployees

Parameters

Try it out

Name	Description
firstName	firstName
string (query)	<div>firstName - firstName</div>
page	page
integer(\$int32) (query)	<div>page - page</div>
pageSize	pageSize
integer(\$int32) (query)	<div>pageSize - pageSize</div>
search	search
string (query)	<div>search - search</div>

Responses

Response content type

\*/\*

Code	Description
------	-------------

Code	Description
200	<div>OK</div> <div>Example Value    Model</div> <div><pre>{  "data": {},  "message": "string",  "paging": {    "hasMore": true,    "page": 0,    "pageSize": 0,    "totalCount": 0  },  "status": "ACCEPTED",  "statusCode": 0,  "timestamp": "dd-MM-yyyy hh:mm:ss"}</pre></div>
401	Unauthorized
403	Forbidden
404	Not Found

GET

/employee/getById/{id}    getById

Parameters

Try it out

Name	Description
<div>id * required</div> <div>string(\$uuid) id</div> <div>(path)</div>	<div>id - id</div>

Responses

Response content type    \*/\*

Code	Description
------	-------------

Code	Description
200	OK
	<div>Example ValueModel</div> <div><pre>{  "data": {},  "message": "string",  "status": "ACCEPTED",  "statusCode": 0,  "timestamp": "dd-MM-yyyy hh:mm:ss"}</pre></div>
401	Unauthorized
403	Forbidden
404	Not Found

PUT

/employee/update/{id}

updateEmployee

Parameters

Try it out

Name	Description
<div><div>employeeEntityRequestVO * required</div><div>object</div><div>(body)</div></div>	<div>employeeEntityRequestVO</div> <div>Example ValueModel</div> <div><pre>{  "contact": "string",  "dob": "string",  "email": "string",  "firstName": "string",  "gender": "string",  "lastName": "string"}</pre></div> <div>Parameter content type<div>application/json</div></div>
<div><div>id * required</div><div>string(\$uuid)</div><div>(path)</div></div>	<div>id</div> <div>id - id</div>



Responses

Response content type

\*/\*

Code	Description
200	<div>OK</div> <div><div>Example Value</div><div>Model</div><div><pre>{  "data": {},  "message": "string",  "status": "ACCEPTED",  "statusCode": 0,  "timestamp": "dd-MM-yyyy hh:mm:ss"}</pre></div></div>
201	<div>Created</div>
401	<div>Unauthorized</div>
403	<div>Forbidden</div>
404	<div>Not Found</div>

payment-controller

Payment Controller



POST

/payment/order

createPaymentOrder

Parameters

Try it out

Name	Description
------	-------------

Name

Description

orderRequest \* required

object  
(body)

orderRequest

Example Value    Model

```
{  
  "amount": "string",  
  "customerName": "string"  
}
```

Parameter content type

application/json

Responses

Response content type

\*/\*

Code

Description

200

OK

Example Value    Model

```
{  
  "data": {},  
  "message": "string",  
  "status": "ACCEPTED",  
  "statusCode": 0,  
  "timestamp": "dd-MM-yyyy hh:mm:ss"  
}
```

201

Created

401

Unauthorized

403

Forbidden

404

Not Found

PUT

/payment/update\_order

updatePaymentOrder

Parameters

Try it out

Name	Description
------	-------------

**request** \* required

**object**

request

**(body)**

Example Value	Model
---------------	-------

```
{
  "paymentStatus": "string",
  "razorpayOrderId": "string",
  "razorpayPaymentId": "string",
  "razorpaySignature": "string"
}
```

### Parameter content type

**application/json**

## Responses

### Response content type

**\*\***

Code	Description
------	-------------

200

OK

Example Value	Model
---------------	-------

```
{
  "data": {},
  "message": "string",
  "status": "ACCEPTED",
  "statusCode": 0,
  "timestamp": "dd-MM-yyyy hh:mm:ss"
}
```

201

Created

# professional-summary-controller

Unauthorized

Professional Summary Controller



GET

```
/professional/summary getAllProfessionalSummary
```

## Parameters

## Try it out

No parameters

## Responses

### Response content type

---

\*\*

Code	Description
200	<div>OK</div> <div><div>Example Value</div><div>Model</div><div><pre>[   {     "createdDate": {       "date": 0,       "day": 0,       "hours": 0,       "minutes": 0,       "month": 0,       "nanos": 0,       "seconds": 0,       "time": 0,       "timezoneOffset": 0,       "year": 0     },     "id": 0,     "professionalSummary": "string",     "profileType": "string",     "updatedAt": {       "date": 0,       "day": 0,       "hours": 0,       "minutes": 0,       "month": 0,       "nanos": 0,       "seconds": 0,       "time": 0,       "timezoneOffset": 0,       "year": 0     }   } ]</pre></div></div>
401	Unauthorized
403	Forbidden
404	Not Found

POST

/professional/summary

createProfessionalSummary

Parameters

Try it out

Name	Description

Name	Description
<b>professionalSummary</b> * required	
object	professionalSummary
(body)	
	Example Value    Model
	<pre>{  "createdDate": {    "date": 0,    "hours": 0,    "minutes": 0,    "month": 0,    "nanos": 0,    "seconds": 0,    "time": 0,    "year": 0  },  "id": 0,  "professionalSummary": "string",  "profileType": "string",  "updatedAt": {    "date": 0,    "hours": 0,    "minutes": 0,    "month": 0,    "nanos": 0,    "seconds": 0,    "time": 0,    "year": 0  },  },  "yearOfExperience": 0}</pre>
	Parameter content type
	<div>application/json</div>
Responses	Response content type <div>*/*</div>
Code	Description

Code	Description
200	<div>OK</div> <div><div>Example Value</div><div>Model</div><pre>"date": 0, "day": 0, "hours": 0, "minutes": 0, "month": 0, "nanos": 0, "seconds": 0, "time": 0, "timezoneOffset": 0, "year": 0 }, "id": 0, "professionalSummary": "string", "profileType": "string", "updatedAt": {   "date": 0,   "day": 0,   "hours": 0,   "minutes": 0,   "month": 0,   "nanos": 0,   "seconds": 0,   "time": 0,   "timezoneOffset": 0,   "year": 0 }, "yearOfExperience": 0 }</pre></div>
201	Created
401	Unauthorized
403	Forbidden
404	Not Found

GET

/professional/summary/{id}

getById

Parameters

Try it out

Name	Description

```
id * required
integer($int64) id
(path)
```

id - id

### Response content type

\*/\*

OK

```

    "date": 0,
    "day": 0,
    "hours": 0,
    "minutes": 0,
    "month": 0,
    "nanos": 0,
    "seconds": 0,
    "time": 0,
    "timezoneOffset": 0,
    "year": 0
  },
  "id": 0,
  "professionalSummary": "string",
  "profileType": "string",
  "updatedAt": {
    "date": 0,
    "day": 0,
    "hours": 0,
    "minutes": 0,
    "month": 0,
    "nanos": 0,
    "seconds": 0,
    "time": 0,
    "timezoneOffset": 0,
    "year": 0
  },
  "yearOfExperience": 0
}

```

Unauthorized

## Forbidden

Not Found

PUT /professional/summary/{id} updateProfessionalSummary

Parameters

Try it out

Name	Description
------	-------------

**id** \* required  
integer(\$int64)  
(path)

id

id - id

**professionalSummary** \* required  
object  
(body)

professionalSummary

Example Value    Model

```
{  "createdDate": {    "date": 0,    "hours": 0,    "minutes": 0,    "month": 0,    "nanos": 0,    "seconds": 0,    "time": 0,    "year": 0  },  "id": 0,  "professionalSummary": "string",  "profileType": "string",  "updatedAt": {    "date": 0,    "hours": 0,    "minutes": 0,    "month": 0,    "nanos": 0,    "seconds": 0,    "time": 0,    "year": 0  },  "yearOfExperience": 0}
```

Parameter content type

application/json

Responses

Response content type

\*/\*

Code	Description
------	-------------



Code	Description
200	<div>OK</div> <div>Example Value    Model</div> <div><pre>{  "createdDate": {    "date": 0,    "day": 0,    "hours": 0,    "minutes": 0,    "month": 0,    "nanos": 0,    "seconds": 0,    "time": 0,    "timezoneOffset": 0,    "year": 0  },  "id": 0,  "professionalSummary": "string",  "profileType": "string",  "updatedAt": {    "date": 0,    "day": 0,    "hours": 0,    "minutes": 0,    "month": 0,    "nanos": 0,    "seconds": 0,    "time": 0,    "timezoneOffset": 0,    "year": 0  },}</pre></div>
201	Created
401	Unauthorized
403	Forbidden
404	Not Found

DELETE    /professional/summary/{id}    deleteProfessionalSummary

Parameters

Try it out

Name	Description
------	-------------

Name

Description

id \* required

integer(\$int64)id

(path)

id - id

Responses

Response content type

/\*\*

Code

Description

200

OK

Example Value

Model

{

"additionalProp1": true,

"additionalProp2": true,

"additionalProp3": true

}

204

No Content

401

Unauthorized

403

Forbidden

project-controller

Project Controller

▼

POST

/hack/test/project-info

addProjectDetails

Parameters

Try it out

Name

Description

Name

Description

projectRequestVo \* required

object  
(body)

projectRequestVo

Example Value    Model

```
{
  "clientName": "string",
  "projectDescription": "string",
  "projectDomain": "string",
  "projectEnvironment": "string",
  "projectName": "string",
  "responsibilities": "string",
  "techStack": "BACKEND"
}
```

Parameter content type

application/json

Responses

Response content type

\*/\*

Code

Description

201

Created

Example Value    Model

```
{
  "data": {},
  "message": "string",
  "status": "ACCEPTED",
  "statusCode": 0,
  "timestamp": "dd-MM-yyyy hh:mm:ss"
}
```

401

Unauthorized

403

Forbidden

404

Not Found

GET    /hack/test/project-info/{id}    getProjectDetailsById

Parameters

Try it out

localhost:8000/swagger-ui/index.html#/test-controller/removeUserUsingDELETE

19/34

Name

Description

id \* required

string(\$uuid) id

(path)

id - id

Responses

Response content type

/\*\*

Code

Description

200

OK

Example Value

Model

{  
 "data": {},  
 "message": "string",  
 "status": "ACCEPTED",  
 "statusCode": 0,  
 "timestamp": "dd-MM-yyyy hh:mm:ss"  
}

401

Unauthorized

403

Forbidden

404

Not Found

DELETE

/hack/test/project-info/{id}

deleteProjectById

Parameters

Try it out

Name

Description

id \* required

string(\$uuid) id

(path)

id - id

Responses

Response content type

\*/\*

Code	Description
200	<div>OK</div> <div><div>Example Value</div><div>Model</div><div><pre>{  "data": {},  "message": "string",  "status": "ACCEPTED",  "statusCode": 0,  "timestamp": "dd-MM-yyyy hh:mm:ss"}</pre></div></div>
204	No Content
401	Unauthorized
403	Forbidden

GET

/hack/test/project-info/all-projects

getAllProjectDetails

Parameters

Try it out

No parameters

Responses

Response content type

\*/\*

Code	Description
------	-------------

Code	Description
200	<div>OK</div> <div>Example Value    Model</div> <div><pre>[   {     "clientName": "string",     "createdDate": "2023-02-09T08:34:15.810Z",     "projectDescription": "string",     "projectDomain": "string",     "projectEnvironment": "string",     "projectId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",     "projectName": "string",     "responsibilities": "string",     "techStack": "BACKEND",     "updatedAt": "2023-02-09T08:34:15.810Z"   } ]</pre></div>
401	Unauthorized
403	Forbidden
404	Not Found

PUT

/hack/test/update-project/{id}

updateProjectDetails

Parameters

Try it out

Name	Description
<div>id * required</div> <div>string(\$uuid)</div> <div>(path)</div>	<div>id</div> <div>id - id</div>

Name

projectRequestVo \* required

object

(body)

Description

projectRequestVo

Example Value    Model

```
{
  "clientName": "string",
  "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "projectDescription": "string",
  "projectDomain": "string",
  "projectEnvironment": "string",
  "projectName": "string",
  "responsibilities": "string",
  "techStack": "BACKEND"
}
```

Parameter content type

application/json

Responses

Response content type

/\*\*

Code	Description
200	<div>OK</div> <div>Example Value    Model</div> <div><pre>{   "data": {},   "message": "string",   "status": "ACCEPTED",   "statusCode": 0,   "timestamp": "dd-MM-yyyy hh:mm:ss" }</pre></div>
201	Created
401	Unauthorized
403	Forbidden
404	Not Found



POST /technicalSkills/create create

Parameters

Try it out

Name

Description

**technicalSkillsVo** ★ required  
object  
(body)

technicalSkillsVo

Example Value Model

```
{
  "databases": "string",
  "developmentTools": "string",
  "frameworks": "string",
  "languages": "string",
  "orm": "string",
  "scriptLanguages": "string",
  "technicalSkillsId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "technologies": "string",
  "webServices": "string"
}
```

Parameter content type

application/json

Responses

Response content type

\*/\*

Code

Description

200

OK

Example Value Model

```
{
  "data": {},
  "message": "string",
  "status": "ACCEPTED",
  "statusCode": 0,
  "timestamp": "dd-MM-yyyy hh:mm:ss"
}
```

201

Created



Code	Description
401	Unauthorized
403	Forbidden
404	Not Found

DELETE

/technicalSkills/delete/{technicalSkillId}

delete

Parameters

Try it out

Name	Description
<b>technicalSkillId</b> <span>★ required</span> string(\$uuid) (path)	technicalSkillId <div>technicalSkillId - technicalSkillId</div>

Responses

Response content type

\*/\*

Code	Description
200	OK <div><div>Example Value</div><div>Model</div><div><pre>{  "data": {},  "message": "string",  "status": "ACCEPTED",  "statusCode": 0,  "timestamp": "dd-MM-yyyy hh:mm:ss"}</pre></div></div>
204	No Content
401	Unauthorized

Code	Description
403	Forbidden

GET

/technicalSkills/get

getAll

Parameters

Try it out

No parameters

Responses

Response content type

\*/\*

Code	Description
200	OK
	<div><div>Example Value</div><div>Model</div></div> <div><pre>{  "data": {},  "message": "string",  "status": "ACCEPTED",  "statusCode": 0,  "timestamp": "dd-MM-yyyy hh:mm:ss"}</pre></div>
401	Unauthorized
403	Forbidden
404	Not Found

GET

/technicalSkills/get/{technicalSkillId}

get

Parameters

Try it out

Name	Description

Name

Description

technicalSkillId \* required

string(\$uuid)

(path)

technicalSkillId

technicalSkillId - technicalSkillId

Responses

Response content type

/\*\*

Code

Description

200

OK

Example Value

Model

```
{  "data": {},  "message": "string",  "status": "ACCEPTED",  "statusCode": 0,  "timestamp": "dd-MM-yyyy hh:mm:ss"}
```

401

Unauthorized

403

Forbidden

404

Not Found

PUT /technicalSkills/update/{technicalSkillId} update

Parameters

Try it out

Name

Description

technicalSkillId \* required

string(\$uuid)

(path)

technicalSkillId

technicalSkillId - technicalSkillId

Name		Description
<b>technicalSkillsVo</b> * required		
object		technicalSkillsVo
(body)		Example Value    Model
		<pre>{   "databases": "string",   "developmentTools": "string",   "frameworks": "string",   "languages": "string",   "orm": "string",   "scriptLanguages": "string",   "technicalSkillsId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",   "technologies": "string",   "webServices": "string" }</pre>
		Parameter content type
		<div>application/json</div>
Responses		Response content type    */*
Code	Description	
200	OK	
	Example Value	Model
	<pre>{   "data": {},   "message": "string",   "status": "ACCEPTED",   "statusCode": 0,   "timestamp": "dd-MM-yyyy hh:mm:ss" }</pre>	
201	Created	
401	Unauthorized	
403	Forbidden	
404	Not Found	

# test-controller

Test Controller



GET /hack/test/admins/{id} getAdminById

Parameters

Try it out

Name Description

Authorization \* required

string  
(header) Authorization

Authorization - Authorization

id \* required

string(\$uuid)  
(path) id

id - id

Responses

Response content type

\*/\*

Code Description

200  
OK

Example Value Model

```
{
  "data": {},
  "message": "string",
  "status": "ACCEPTED",
  "statusCode": 0,
  "timestamp": "dd-MM-yyyy hh:mm:ss"
}
```

401  
Unauthorized

403  
Forbidden

404  
Not Found

GET /hack/test/users getAllUsers

Parameters

Try it out

No parameters

Responses

Response content type

\*/\*

Code	Description
200	<div>OK</div> <div>Example Value    Model</div> <div>[   {     "createdAt": "2023-02-09T08:34:15.830Z",     "email": "string",     "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",     "isActive": true,     "isDisable": true,     "password": "string",     "phone": "string",     "roles": [       {         "description": "string",         "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",         "name": "string",         "roleGroup": "string"       }     ],     "updatedAt": "2023-02-09T08:34:15.830Z",     "userName": "string",     "userType": "string"   } ]</div>
401	Unauthorized
403	Forbidden
404	Not Found

GET    /hack/test/users/{id}    getUserById

Parameters

Try it out

Name	Description
------	-------------

Name	Description
<b>Authorization</b> * required string (header)	Authorization <div>Authorization - Authorization</div>
<b>id</b> * required string(\$uuid) (path)	id <div>id - id</div>

Responses

Response content type

\*/\*

Code	Description
200	OK <div>Example Value    Model</div> <div><pre>{  "data": {},  "message": "string",  "status": "ACCEPTED",  "statusCode": 0,  "timestamp": "dd-MM-yyyy hh:mm:ss"}</pre></div>
401	Unauthorized
403	Forbidden
404	Not Found

DELETE

/hack/test/users/{id}

removeUser

Parameters

Try it out

Name	Description
------	-------------

Name

Description

id \* required

string(\$uuid) id

(path)

id - id

Responses

Response content type

\*/\*

Code	Description
200	OK
204	No Content
401	Unauthorized
403	Forbidden

Models

▼

CustomResponseWithPage«object»

CustomResponse«object»

EmployeeEntityRequestVO

OrderRequest

Paging



**ProfessionalSummaryReq**

**ProfessionalSummaryRes**

**Project**

**ProjectRequestVo**

**RefreshTokenRequest**

**Role**

**SampleEntityRequestVo**

**TechnicalSkillsVo**

**TimestampReq**

**TimestampRes**

**UpdatePaymentRequest**

**UpdateProjectRequestVo**

**UpdateSampleEntityRequestVo**

**User**

UserLoginRequest

UserRegisterRequest