Tecnologias de Desenvolvimento de Interface Gráfica

Aula 1: Interfaces Baseadas em HTML/CSS

Agenda

- Composição de Páginas Web
- Elementos HTML
- Definições Gerais de CSS
- Guias e Tutoriais

Composição de Páginas Web

Composição de Páginas Web

- Elementos HTML (Linguagem de Marcação)
  - Estruturais
  - Formatação
  - Estilos
  - Scripts

Composição de Páginas Web

- Elementos HTML (Linguagem de Marcação)
  - Delimitações por tags
  - Comentários também devem estar entre tags

Figura 1:

Elementos HTML presentes em um site da Web

Elementos HTML

```html
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="author" content="John Dean">
<meta name="description" content="Kansas City weather conditions">
<title>K.C. Weather</title>
<style>
  h1 {text-align: center;}
  hr {width: 75%;}
</style>
</head>

<body>
<h1>Kansas City Weather</h1>
<hr>
<p>
  It should be pleasant today with a high of 95 degrees.<br>
  With a humidity reading of 30%, it should feel like 102 degrees.
</p>
<div>
  Tomorrow's temperatures:<br>
  high 96, low 65
</div>
</body>
</html>
```

```html
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="author" content="John Dean">
<meta name="description" content="Kansas City weather conditions">
<title>K.C. Weather</title>
<style>
  h1 {text-align: center;}
  hr {width: 75%;}
</style>
</head>
```

Estruturais

```html
<body>
<h1>Kansas City Weather</h1>
<hr>
<p>
  It should be pleasant today with a high of 95 degrees.<br>
  With a humidity reading of 30%, it should feel like 102 degrees.
</p>
<div>
  Tomorrow's temperatures:<br>
  high 96, low 65
</div>
</body>
</html>
```

```html
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="author" content="John Dean">
<meta name="description" content="Kansas City weather conditions">
<title>K.C. Weather</title>
<style>
  h1 {text-align: center;}
  hr {width: 75%;}
</style>
</head>

<body>
<h1>Kansas City Weather</h1>
<hr>
<p>
  It should be pleasant today with a high of 95 degrees.<br>
  With a humidity reading of 30%, it should feel like 102 degrees.
</p>
<div>
  Tomorrow's temperatures:<br>
  high 96, low 65
</div>
</body>
</html>
```

Estilos

```html
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="author" content="John Dean">
<meta name="description" content="Kansas City weather conditions">
<title>K.C. Weather</title>
<style>
  h1 {text-align: center;}
  hr {width: 75%;}
</style>
</head>

<body>
<h1>Kansas City Weather</h1>
<hr>
<p>
  It should be pleasant today with a high of 95 degrees.<br>
  With a humidity reading of 30%, it should feel like 102 degrees.
</p>
<div>
  Tomorrow's temperatures:<br>
  high 96, low 65
</div>
</body>
</html>
```

Formatação

Figura 2:

Classificação de Elementos HTML

Fonte



Elementos HTML

- Metadata (container head)
  - Fornece informações associadas a página
- Flow (blockquote, div, hr, p, pre, script, sup)
  - Formatação texto simples e todo o conteúdo de uma página

Elementos HTML

- Phrasing (abbr, b, br, cite, code, del, dfn, em, i, ins, kbd, mark, q, s, samp, small, span, strong, sub, sup, time, u, var, wbr)
  - Elementos intra-parágrafo

Elementos HTML

- Embedded (audio, canvas, iframe, img, video)
  - Recursos externos
- Interactive (a, button, input, select, textarea)
  - Formas de interação do usuário com a página

Elementos HTML

- Heading (h1, h2, h3, h4, h5 e h6)
  - Cabeçalho de um determinado conteúdo
- Sectioning (article, aside, nav, section)
  - Grupo de conteúdo relacionado

blockquote

```
blockquote {
  display: block;
  margin-before: 1em;
  margin-after: 1em;
  margin-start: 40px;
  margin-end: 40px;
}
```

"block" is not part of the HTML5 standard, but it is part of the W3C's CSS standard.

Top and bottom margins equal the height of a standard line of text.

Left and right margins equal 40 pixels each.

cite attribute

```
<blockquote cite="http://www.presidency.ucsb.edu/ws/?pid=15545">
  Democracy cannot succeed unless those who express their
  choice are prepared to choose wisely. The real safeguard
  of democracy, therefore, is education.
</blockquote>
<div><strong>Franklin D. Roosevelt</strong>, 1938</div>
```



1em top margin

40px left margin

pre


Haiku
Explore the World - a Haiku
Life is a journey. Cross the rivers, climb the peaks. But first check for texts.
Life is a journey.
Cross the rivers, climb the peaks.
But first check for texts.
haiku that uses plain text
haiku that uses a pre container

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="author" content="John Dean">
<title>Haiku</title>
</head>

<body>
<h2>Explore the World - a Haiku</h2>
        Life is a journey.
Cross the rivers, climb the peaks.
    But first check for texts.

<pre>
        Life is a journey.
Cross the rivers, climb the peaks.
    But first check for texts.
</pre>
</body>
</html>
```

haiku using plain text

haiku using a `pre` container

q, cite

q element

cite element

```
<p>
  In 1937, President Franklin Roosevelt stated
  <q>The test of our progress is not whether we add more
  to the abundance of those who have much it is whether
  we provide enough for those who have little.</q>
  <cite>Inaugural Addresses of the Presidents of the
  United States: from George Washington to Donald Trump</cite>
</p>
```

Inserted quote marks



Formatação

```
<p>
  Do you ever feel tired?<br>
  Don't let lack of sleep get you down. <strong>Fight back!</strong><br>
  Buzz Energy Drink* will get your heart racing and keep you
  <em>going strong</em>!
</p>
<small>* May cause diarrhea, acute bleeding, and/or sudden death.
  Ask your doctor if it's right for you.</small>
```

em element

strong element

small element



Formatação

```
<p>
  Homonymic advertising slogan for Mountain Dew:<br>
  <mark>Do</mark> the <mark>Dew</mark>!
</p>
```

mark element



CSS

Definições Gerais

- Cascading Style Sheets (Linguagem de Estilos)
- “How to load”:
  - Inline - style
  - Element style
  - Externo - link

Definições Gerais

- Prioridade para o mais recente
  - Last Definition

Sintaxe Geral

```
selector {
    property1: value;
    property2: value;
}
```

Seletores

- Element
- Id
- Class

Combinações

- Múltiplos concatenados (elemento + class)

```
.selector1.selector2 {

    ...

}
```

Combinações

- Múltiplos separados por espaço (hierarquia)

```
.selector1 .selector2 {

    ...

}
```

Combinações

- Múltiplos separados por vírgula (elementos iguais)

```
.selector1, .selector2 {
    ...
}
```

Combinações

- Geral

```
* {
    ...
}
```

Combinações

- Outras combinações neste link

Guias e Tutoriais

Guias e Tutoriais

- Guia de Referência - Mozilla Developers
- W3Schools (Seções HTML, HTML > CSS e CSS)
- Learn CSS in 20 Minutes

Obrigado!