	Logo	
i do	Etigas it. Murtech Keligas STUDENT REPORT 25 TEMP. Breen it. Character	
Biech		TEM
		6025
√DE	STAILS Vame White Hilling to the first the first transfer of the first transfer to the first transfer transfer to the first transfer transfer to the first transfer transfer transfer to the first transfer transfer transfer transfer to the first transfer tra	
925 DI	STAILS Vame Martine Coll Fift Data II. The Real Real Filters The Property of	EE
,	THIPPESWAMY B M	Jech
EF F	Pall Number 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
ech	TEMPBTech-EEE025	MPB
	edit 025 Bite left Mar Let Her och 0	2
EX	CPERIMENT COSO LIMPER CELLLER LEGIS LEMP MITHER CELL VILLE OF LEMPHER CELLER CELLER LEGIS CONTROL CELLER LEGIS CON	
Tit		EE02
E	ELECTIONS ELL STORM STOR	JI. H.
FEFFORD	Description The Control of the Contr	
I	Description Steel Hill State Hills The State Sta	oBlee
	You are the head of the election committee in your village. Each Political party is associated with a unique number	MI
MPBIec	and the votes are represented as an integer array A, where each element contains the party number voted for by the villagers, For a party to win, they must have a majority of votes, our task is to find and return an integer value	
MI	denoting the winning party's number. Return -1 if there is no party with a majority.	EE025
4	Note: If only one vote is there he is the winner.	EF
EE025 1	Input Format:	4
EF	input1: An integer value representing the number the number of voters	rech
4	input2: An integer array A representing the votes of the voters.	B
Blech	output Format:	.4
B	Return an integer value denoting the winning party's number,Return -1 there is no party with a majority	STEM
, 1	Example 1:	325
STEM	Input:	
0,1	6	ell EE
.4	112223	2
ech EE	Output:	o d
e	2	ERNER
o ^d	Explanation:	12
TEMPL	As 2 got the most number of votes i,e 3,	- ni
	Example 2:	EFE BAS
		200
	Input:	, de
	6	ABREE.
	121122	A
	Output:	. Á
	-1	321

Explanation:

8025

Source Code: n=int(input()) arr=list(map(int,input().split())) d={ } if n==1: print(arr[0]) else: for i in arr: if i not in d: d[i]=1 else: d[i]+=1 x=sorted(d.items(),key=lambda x:x[1], reverse =True)if x[0][1]==x[1][1]: print(-1) else: print(x[0][0]) RESULT 6 / 6 Test Cases Passed | 100 %