

NAAN MUDHALVAN PROJECT PORTFOLIO | PHASE 3 OF 8

Phase 3: Dependent Choice Fields & Taxonomy Implementation

Project: Auto Ticket Classification using Flow Designer | Focus: Relational Choice Hierarchy & Form Data Governance

1. Rationale for Choice Dependency

In unstructured ticketing setups, end-users frequently select contradictory classifications (e.g., Category: *Hardware* paired with Subcategory: *Wi-Fi*). This creates administrative chaos for routing and SLA tracking. Establishing a **Parent-Child Choice Dependency** directly within ServiceNow's Data Dictionary ensures that the Subcategory options exposed on the interface are strictly governed by the selected Category value.

2. Category-Subcategory Mapping Taxonomy

| Category<br>(Parent Value) | Category<br>Backend Value | Subcategory<br>(Dependent Child) | Subcategory<br>Backend Value | Operational Scope                                        |
|----------------------------|---------------------------|----------------------------------|------------------------------|----------------------------------------------------------|
| Network                    | network                   | Wi-Fi                            | wifi                         | Access points, signal drops, campus Wi-Fi authentication |
| Hardware                   | hardware                  | Projector                        | projector                    | HDMI issues, bulb failure, smart classroom podiums       |
| Access                     | access                    | Forgot Password                  | forgot_password              | SSO login lockout, portal credential reset requests      |
| Performance                | performance               | Slow Computer                    | slow_computer                | RAM consumption, freezing workstations, OS boot lag      |

3. Step-by-Step Configuration in ServiceNow Dictionary


Activity 3.1: Enabling Dependent Field Attributes

1. Open the **Incident Workflow** form record.
2. Right-click on the **Subcategory** field header → select **Configure Dictionary**.
3. Under *Related Links*, click on **Advanced view**.
4. Switch to the **Dependent Field** tab.
5. Check the box for **Use dependent field** = true.
6. In the **Dependent on field** picker, select Category (or u\_category).
7. Click **Update** to save the relational constraint.

### Activity 3.2: Assigning Dependent Values to Choices

1. In the Dictionary Entry for Subcategory, navigate to the **Choices** Related List.
2. Click **New** (or edit existing choice records).
3. Ensure the **Dependent value** column explicitly matches the exact choice value of the parent Category:
  - Choice *Wi-Fi* → Dependent Value: Network
  - Choice *Projector* → Dependent Value: Hardware
  - Choice *Forgot Password* → Dependent Value: Access
  - Choice *Slow Computer* → Dependent Value: Performance
4. Click **Save** and verify form behavior.

## 4. Visual Dynamic Behavior Flow



[ **Wi-Fi** ] Category == Hardware → Shows: [ **Projector** ]

Category == Access → Shows: [ **Forgot Password** ] Category == Performance → Shows: [ **Slow Computer** ]