


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
REPORTS	8 m 38.680 s	3	1	2	0	22	11	2	9	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	REPORTS	Reports:Piolt Roster
2		Reports:Piolt Roster

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@TC_01	1	1	0	0	1	0	1	0
@TC_02	1	0	1	0	1	0	1	0
@TC_03	1	0	1	0	1	0	1	0


FEATURES SUMMARY



-- 5 --

#	Feature Name	T	P	F	S	Duration	
1	<u>REPORTS</u>	3	1	2	0	8 m 38.680 s	

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	REPORTS	Reports Check	5	5	0	0	1 m 40.326 s
2		Reports:Piolt Roster	9	6	1	2	3 m 56.939 s
3		Reports:Piolt Roster	8	0	1	7	3 m 1.360 s

DETAILED SECTION -- 7 -

REPORTS

Scenarios		Steps	
Total - 3		Total - 22	
Pass - 1	3	Pass - 11	22
Fail - 2		Fail - 2	
Skip - 0		Skip - 9	
	Total - 3 Pass - 1 Fail - 2	Total - 3 Pass - 1 Fail - 2	Total - 3 Pass - 1 Fail - 2 Total - 22 Pass - 11 Fail - 2


Reports Check



#	Step / Hook Details	Status	Duration
1	Given To Check Reports User is navigating to JetEdge URL is "https://preprod.flyjetedge.aero/ownerV2/login.aspx"	PASSED	1 m 38.482 s
2	When To Check Reports User Enter Valid username and Valid password are "soundharya@sankarasoftware.com" and	PASSED	0.249 s
	"Soundharya@123"		
3	And click the login button To Check Reports	PASSED	0.119 s
4	Then Check Tail button Is Displayed Or Not To Check Reports	PASSED	1.185 s
5	And close the Reports Page	PASSED	0.258 s


Reports:Piolt Roster

DETAILED SECTION -- 8 --



#	Step / Hook Details	Status	Duration
1	Given To Check Reports User is navigating to JetEdge URL is "https://preprod.flyjetedge.aero/ownerV2/login.aspx"	PASSED	7.183 s
2	When To Check Reports User Enter Valid username and Valid password are "soundharya@sankarasoftware.com" and "Soundharya@123"	PASSED	0.255 s
3	And click the login button To Check Reports	PASSED	0.099 s
4	Then Select Valid Tail To Check Reports	PASSED	1.255 s
5	And Click Continue button To Check Reports	PASSED	0.124 s
6	Then Click Piolt Roster In Reports	PASSED	2 m 47.589 s
7	And Select Valid Month In Calendar In Piolt Roster	FAILED	1 m 0.426 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.id: calendar1_month_0_3 (tried for 60 second(s) with 500 milliseconds interval) Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptlnsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.74, chrome: {chromedriverVersion: 127.0.6533.72 (9755e24ca85a, userDataDir: C:\Users\THIRUM~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57126}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57126/devtoo, se:cdpVersion: 127.0.6533.74, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4c07ef62adcf10f7c2d92bba6e37ba80 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.WebDriverWait.until(FluentWait.java:228) at com.JetEdge.OwnerPortal.StepDefinition.JE_OP_4_Reports.Select_Valid_Month_In_Calendar_In_Piolt_Roster(JE_OP_4_Reports.java:110) at ?.Select Valid Month In Calendar In Piolt Roster(file:///C:/Users/thirumaran/eclipse-workspace/SampleProject/src/test/resources/FeatureFiles/JE_OP_4_Reports.feature:19) * Not displayable characters are replaced by '?'.		
8	Then Click Excel button In Piolt Roster	SKIPPED	0.001 s
9	And close the Reports Page	SKIPPED	0.000 s

DETAILED SECTION -- 9 --



#	Step / Hook Details	Status	Duration
1	Given To Check Reports User is navigating to JetEdge URL is "https://preprod.flyjetedge.aero/ownerV2/login.aspx"	FAILED	3 m 1.305 s
	·		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:382)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:187)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)		
	at com.JetEdge.OwnerPortal.StepDefinition.JE_OP_4_Reports.user_is_navigating_to_jet_edge_Signin_url_is(JE_OP_4_Reports.java:44)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	$at\ io. cucumber. core. runtime. Cucumber Execution Context. lambda \$run Test Case \$5 (Cucumber Execution Context. java: 136)$		
	$at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145)		
	at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:115)		
	at org.junit.vintage.engine.execution.RunnerExecutor.execute(RunnerExecutor.java:42)		
	at org.junit.vintage.engine.VintageTestEngine.executeAllChildren(VintageTestEngine.java:80)		
	at org.junit.vintage.engine.VintageTestEngine.execute(VintageTestEngine.java:72)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:198)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:169)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:93)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda\$execute\$0(EngineExecutionOrchestrator.java:58)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:141)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:57)		
	at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:103)		
	at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:94)		
	at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:52)		
	at org.junit.platform.launcher.core.SessionPerRequestLauncher.execute(SessionPerRequestLauncher.java:70)		
	at org.eclipse.jdt.internal.junit5.runner.JUnit5TestReference.run(JUnit5TestReference.java:100)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java.529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java.756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:432) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		
2	When To Check Reports User Enter Valid username and Valid password are "soundharya@sankarasoftware.com" and	SKIPPED	0.002 s
2		SKIPPED	0.002 5
	"Soundharya@123"		
3	And click the login button To Check Reports	SKIPPED	0.001 s
4	Then Select Valid Tail To Check Reports	SKIPPED	0.002 s
5	And Click Continue button To Check Reports	SKIPPED	0.001 s
6	Then Click Piolt Roster In Reports	SKIPPED	0.003 s
7	And Click Duty button In Piolt Roster	SKIPPED	0.001 s
8	And close the Reports Page	SKIPPED	0.002 s