



DBMS LAB ASSIGNMENT - 2

Thirumal
24MAB0A25

Q1



Q2



Q3

A(<u>A1</u> , A2, B1)
PK: A1
FK: B1 → B(B1)


B(<u>B1</u> , B2, C1)
PK: B1
FK: C1 → C(C1)

C(<u>C1</u> , C2, D1)
PK: C1
FK: D1 → D(D1)


D(<u>D1</u> , D2, D3, T_A1, S_A1, U_A1)
PK: D1
FK: T_A1, S_A1, U_A1 → A(A1)

Q4

1)



2)



Q5

E1(<u>A11</u>, A12, A13)
PK: (A11, A12)
All attributes: NOT NULL

E2(<u>A21</u>, A22, E1_A11, E1_A12)
PK: A21
FK: (E1_A11, E1_A12) → E1(A11, A12)
All attributes: NOT NULL

E3(<u>A31</u>, R4_A11, R4_A12, R5_A11, R5_A12, AR4)
PK: A31
FK: (R4_A11, R4_A12) → E1(A11, A12)
FK: (R5_A11, R5_A12) → E1(A11, A12)
A31, AR4: NOT NULL R4_A11, R4_A12, R5_A11, R5_A12: NULL allowed

E4(<u>A41</u>, E2_A21, E3_A31)
PK: A41
FK: E2_A21 → E2(A21)
FK: E3_A31 → E3(A31)
All attributes: NOT NULL

AR4(<u>AR4</u>)
PK: AR4
All attributes: NOT NULL