

1. Select the myapp project and run as Maven Build... Set Goals to site.


After you refresh the myapp project should look like this




2. Create a new Static Web Project and call it Site2. Set the server to HTTP Preview or J2EE Preview.



3. Select all files and folders in the myapp\taget\site folder and move them to Site2\WebContent.




4. Run the Site2 project on the HTTP Preview or J2EE Preview server.




5. In myapp\pom.xml, add the surefire report. Add the lines highlighted in blue below.

```
myapp - About
                  12
        project.build.sourceEncoding>UTF-8/project.build.sourceEncoding>
      </properties>
 15
 16
 17⊖ <dependencies>
       <dependency>
        <groupId>junit</groupId>
 19
         <artifactId>junit</artifactId>
 20
         <version>3.8.1
 21
 22
          <scope>test</scope>
 23
        </dependency>
 24
      </dependencies>
25⊜
26⊜
       <reporting>
  <plugins>
 27⊝
 28
           <groupId>org.apache.maven.plugins</groupId>
29
30
31
 32
 33
 34 K/project>
 35
Overview Dependencies Dependency Hierarchy Effective POM pom.xml
```

6. Select Run as... → Maven install... Put install and site in the Goals field. Hit Run.



 Move the files from myapp\target\site to Site2\WebContent. (Some files will need to be overwritten).



8. When you run **Site2** on **HTTP Preview** or **J2EE Preview** server it should look like this:

