



SAFETY DATA SHEET

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200) (OSHA HCS)

SECTION 1. IDENTIFICATION

Product name : 1,2-Phenylenediamine
Product code : P0168

Manufacturer or supplier's details

Company name of supplier : TCI America
Address : 9211 N. Harborage Street Portland, OR 97203 U.S.A.
Telephone : +1-800-4238616/+1-503-2831681
Telefax : +1-888-5201075/+1-503-2831987
E-mail address : sales-US@TCIchemicals.com

Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-2867624

Transportation Emergencies: Chemtrec 24-Hour +1-800-4249300 (U.S.A.)/+1-703-5273887 (International)

Recommended use of the chemical and restrictions on use

Recommended use : Use as laboratory reagent

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4
Acute toxicity (Inhalation) : Category 2
Acute toxicity (Dermal) : Category 4
Eye irritation : Category 2A
Skin sensitization : Category 1
Germ cell mutagenicity : Category 2
Carcinogenicity : Category 2
Specific target organ toxicity - single exposure : Category 1 (Blood)
Specific target organ toxicity - single exposure : Category 2 (Liver, Respiratory system, Nervous system, Kidney, muscle)
Specific target organ toxicity - repeated exposure : Category 2 (Respiratory system, Heart, Kidney)
Short-term (acute) aquatic hazard : Category 1
Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H302 + H312 Harmful if swallowed or in contact with skin.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H330 Fatal if inhaled.
H341 Suspected of causing genetic defects.
H351 Suspected of causing cancer.
H370 Causes damage to organs (Blood).
H371 May cause damage to organs (Liver, Respiratory system, Nervous system, Kidney, muscle).
H373 May cause damage to organs (Respiratory system, Heart, Kidney) through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing must not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P284 Wear respiratory protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/ doctor if you feel unwell.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P307 + P311 IF exposed: Call a POISON CENTER or doctor/ physician.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P363 Wash contaminated clothing before reuse.
P391 Collect spillage.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Components

Chemical name	CAS RN	Concentration (% w/w)
1,2-Phenylenediamine	95-54-5	>= 90 - <= 100

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled : Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.
In case of skin contact : Take off all contaminated clothing immediately. Wash off with soap and plenty of water. Call a POISON CENTER or doctor/ physician.
In case of eye contact : Rinse with plenty of water. If easy to do, remove contact lens, if worn. Call a POISON CENTER or doctor/ physician.
If swallowed : Call a POISON CENTER or doctor/ physician. Rinse mouth.
Most important symptoms and effects, both acute and delayed : Cyanosis

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry powder, Foam, Water spray, Carbon dioxide (CO₂)
- Specific hazards during fire : Take care as it may decompose upon combustion or in high temperatures to generate poisonous fume.
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Immediately evacuate personnel to safe areas. Remove undamaged containers from fire area if it is safe to do so.
- Special protective equipment for fire-fighters : Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Wear suitable protective equipment. Keep people away from and upwind of spill/leak. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc.
- Environmental precautions : Should not be released into the environment.
- Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.

SECTION 7. HANDLING AND STORAGE

- Technical measures : Prevent dispersion of dust.
- Local/Total ventilation : Ensure adequate ventilation. Handle product only in closed system or provide appropriate exhaust ventilation at machinery. Use a local exhaust ventilation.
- Advice on safe handling : Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Wash hands and face thoroughly after handling.
- Conditions for safe storage : Keep container tightly closed. Store in a refrigerator. Keep in a well-ventilated place. Keep under inert gas. Store locked up. Avoid exposure to light.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS RN	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1,2-Phenylenediamine	95-54-5	TWA	0.1 mg/m ³	ACGIH

- Engineering measures** : Install a closed system or local exhaust. Also install safety shower and eye bath.

Personal protective equipment

- Respiratory protection : Dustproof gas mask, Self-contained breathing apparatus
- Hand protection : Impervious gloves
- Eye protection : Safety glasses, Safety goggles, Face-shield
- Skin and body protection : Impervious protective clothing

*Use personal protective equipment (PPE) approved under appropriate government standards and follow local and national regulations.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : Solid form
- Color : white - orange
- Odor : No data available
- Odor Threshold : No data available
- pH : No data available
- Melting point/freezing point : 217 °F / 103 °C
- Boiling point/boiling range : 509 °F / 265 °C
- Flash point : No data available
- Flammability (solid, gas) : No data available
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : 1.5 %(V)

Vapor pressure	: 1.3 Pa (68 °F / 20 °C)
Relative vapor density	: 3.73
Relative density	: No data available
Solubility(ies)	
Water solubility	: 41 g/l soluble (95 °F / 35 °C)
Solubility in other solvents	:
soluble	: Benzene Acetone
Partition coefficient: n-octanol/water	: 0.15
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Molecular weight	: 108.14 g/mol

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No data available
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Dust may form explosive mixture in air.
Conditions to avoid	: Electrostatic discharge Exposure to air. Exposure to light.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon monoxide, Carbon dioxide (CO ₂), Nitrogen oxides (NO _x)

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Acute oral toxicity	: LD50 (Mouse): 366 mg/kg
	LD50 (Rat): 510 mg/kg

Acute dermal toxicity	: LDLo (Rabbit): 1,500 mg/kg
-----------------------	------------------------------

Skin corrosion/irritation

Result	: Mild skin irritation
--------	------------------------

Serious eye damage/eye irritation

Result	: Eye irritation
--------	------------------

Respiratory or skin sensitization

Assessment	: May cause sensitization by skin contact.
------------	--

Germ cell mutagenicity

Germ cell mutagenicity - Assessment	: Suspected of inducing heritable mutations in the germ cells of humans.
-------------------------------------	--

Carcinogenicity

Carcinogenicity - Assessment	: Suspected human carcinogens
------------------------------	-------------------------------

IARC	Group 2B: Possibly carcinogenic to humans	
	1,2-Phenylenediamine	95-54-5

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity : No information available.

STOT-single exposure

Target Organs	: Blood
Assessment	: Causes damage to organs.

Target Organs	: Liver, Respiratory system, Nervous system, Kidney, muscle
Assessment	: May cause damage to organs.

STOT-repeated exposure

Target Organs	: Respiratory system, Heart, Kidney
Assessment	: May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity	: No information available.
Aspiration toxicity	: No information available.
RTECS No.	: SS7875000 (1,2-Phenylenediamine)

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxicity to fish	: LC50 (<i>Oryzias latipes</i> (Japanese medaka)): 4.6 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (<i>Daphnia magna</i> (Water flea)): 1.4 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (<i>Selenastrum capricornutum</i> (green algae)): 1.1 mg/l Exposure time: 72 h

Ecotoxicology Assessment

Acute aquatic toxicity	: Very toxic to aquatic life.
Chronic aquatic toxicity	: Very toxic to aquatic life with long lasting effects.

Persistence and degradability

Biodegradability	: 0 % (by BOD), 4 % (by HPLC), 0 % (by TOC)
------------------	---

Bioaccumulative potential

Bioconcentration factor (BCF)	: 0.76
-------------------------------	--------

Mobility in soil

Distribution among environmental compartments	: Koc: 29
---	-----------

Other adverse effects

Product:

Ozone-Depletion Potential	: Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
---------------------------	--

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	: Disposal in accordance with local and national regulations. Entrust disposal to a licensed waste disposal company.
Contaminated packaging	: Disposal in accordance with local and national regulations. Before disposal of used container, remove contents completely.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No.	: UN 1673
Proper shipping name	: Phenylenediamines
Class	: 6.1
Packing group	: III

IMDG-Code

UN number	: UN 1673
Proper shipping name	: PHENYLENEDIAMINES (o-, m-, p-)
Class	: 6.1
Packing group	: III
EmS Code	: F-A, S-A

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**49 CFR**

UN/ID/NA number : UN 1673
Proper shipping name : Phenylenediamines
Class : 6.1
Packing group : III
ERG Code : 153
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:
1,2- 95-54-5 >= 90 - <= 100 %
Phenylenediamine

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

1,2-Phenylenediamine	95-54-5	>= 90 - <= 100 %
----------------------	---------	------------------

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations**Massachusetts Right To Know**

1,2-Phenylenediamine	95-54-5
----------------------	---------

Pennsylvania Right To Know

1,2-Phenylenediamine	95-54-5
----------------------	---------

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California Prop. 65

WARNING: This product can expose you to chemicals including 1,2-Phenylenediamine, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Revision Date : 10/30/2024

This SDS was prepared sincerely based on the information obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling operations, sufficient care should be taken, in addition to the safety measures suitable for the given situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.