Roll Forward Physical Standby Using RMAN Incremental Backup In Single Command

Starting with 18.1, we can use a single command to refresh the standby with changes made on primary. This command will internally keep track of standby file locations, refresh standby controlfile from primary, update the new standby controlfile with standby file names, perform incremental backup on primary, transfer the backup-pieces over network to standby and perform recovery on standby

STEP 1: To refresh the standby, ensure that managed recovery is stopped on standby:

```
SQL> recover managed standby database cancel;
Media recovery complete.
```

NOTE:

a) If you do not stop managed recovery, you will get RMAN-05150 error during execution:

b) If the standby is RAC with more than one instance, make sure only the instance from which recover standby command will be executed is mounted and all other instances are shutdown

c) Ensure that Oracle Net connectivity is established between the physical standby database and the primary database by adding an entry corresponding to the primary database in the tnsnames.ora file of the physical standby database. In below example, mydb_prim is the connect identifier for primary.

STEP 2: Connect RMAN to standby as target and run "RECOVER STANDBY DATABASE FROM SERVICE" command.

--Output is truncated.

Created By Dodul Paul

Created By: Dodul Paul | Oracle DBA Trainer
YouTube: https://www.youtube.com/@The_Database_Tech
Mobile / WhatsApp: +91-9630977533

```
RMAN> RECOVER STANDBY DATABASE FROM SERVICE mydb_prim ;

Starting recover at 22-SEP-26
using target database control file instead of recovery catalog
Oracle instance started

Total System Global Area    2348808824 bytes

Fixed Size                     8899192 bytes
Variable Size                587202560 bytes
Database Buffers            1744830464 bytes
Redo Buffers                   7876608 bytes

contents of Memory Script:
{
   restore standby controlfile from service  'mydb_prim';
   alter database mount standby database;
}
executing Memory Script

Starting restore at 22-SEP-26
allocated channel: ORA_DISK_1

starting media recovery

media recovery complete, elapsed time: 00:00:00
Finished recover at 22-SEP-26
Executing: alter system set standby_file_management=auto
Finished recover at 22-SEP-26

RMAN> exit
```

STEP 3: Clear the online / standby redo logs on standby database .

```
SQL> begin
for log_cur in ( select group# group_no from v$log )
loop
execute immediate 'alter database clear logfile group '||log_cur.group_no;
end loop;
end;
/
SQL> begin
for log_cur in ( select group# group_no from v$standby_log )
loop
execute immediate 'alter database clear logfile group '||log_cur.group_no;
```

```
end loop;
end;
/
```

```
SQL> begin
for log_cur in ( select group# group_no from v$log )
loop
execute immediate 'alter database clear logfile group '||log_cur.group_no;
end loop;
end;
/  2    3    4    5    6    7

PL/SQL procedure successfully completed.
```

```
SQL> begin
for log_cur in ( select group# group_no from v$standby_log )
loop
execute immediate 'alter database clear logfile group '||log_cur.group_no;
end loop;
end;
/  2    3    4    5    6    7

PL/SQL procedure successfully completed.
```

STEP 4: Start MRP process

```
SQL> recover managed standby database using current logfile disconnect;
Media recovery complete.
```

Created By : D

##################################END#####################################