Heterogeneous GoldenGate Replication (Oracle to MySQL)

Oracle GoldenGate enables **heterogeneous replication**, allowing real-time data movement between different database platforms. In this environment, the source is an **Oracle 19c database** (`ORAGGSRC` on `ol9orapgprd03.lab.com`), and the target is a **MySQL 8.0.45 database** (`GGTESTDB` on `ol9orapgprd04.lab.com`). Replication is orchestrated through a centralized **GoldenGate 23ai hub server** (`ol9monprd01.lab.com`), which manages capture, trail, and delivery processes.

This setup demonstrates how GoldenGate abstracts database changes into **trail files** and applies them across heterogeneous systems. In particular, we will be implementing replication using the **Softlink Trail–based approach**, where trail files generated from the Oracle source are linked and consumed by the MySQL Replicat process.

My environment:

Source : **ol9orapgprd03 | Oracle 19c | ORAGGSRC (DB)| GGADMIN(gg super user)| GGTST(Replication schema)**

Target : ol9orapgprd04.lab.com | MySQL 8.0.45 |GGADMIN(gg super user)| GGDB (gg super user Metadata DB)| GGTESTDB(Replication schema)

GG HUB Server : ol9monprd01.lab.com | oggadmin | OGG 23ai

GG Web Console: http://ol9monprd01.lab.com:6125

Deployment Details :

Below 2 deployments are created using the `oggca.sh` from below gg home.


/opt/apps/oracle/goldengate/mysql_gg23ai/mysql_gghome

ora2mysql (Oracle)	oracle2mysql(MySQL)
Service Manager : 6125	Service Manager : 6125
Administration Service :5126	Administration Service :6126
Distribution Service:5127	Distribution Service:6127
Performance Metrics Service:5128	Performance Metrics Service:6128
Receiver Service :5129	Receiver Service :6129

Directory Structure:

GG Home => /opt/apps/oracle/goldengate/mysql_gg23ai/mysql_gghome
ServiceManager Home=> /opt/apps/oracle/goldengate/oracle2mysql/sm_oracle2mysql(**MySQL**)
Deployment Home=>/opt/apps/oracle/goldengate/oracle2mysql/deploy_oracle2mysql **(MySQL)**
ServiceManager Home=>/opt/apps/oracle/goldengate/ora2mysql/sm_ora2mysql**(Oracle)**
Deployment Home=>/opt/apps/oracle/goldengate/ora2mysql/deploy_ora2mysql**(Oracle)**

Heterogeneous GoldenGate Replication Design:




In the following sections, I will walk through the **step-by-step implementation** of this Oracle-to-MySQL heterogeneous replication, covering configuration, privileges, trail management, and validation.

Step 1: Create Deployment's (ora2mysql & oracle2mysql) using **oggca.sh** and to avoid confusion you can name Source deployment as OraGG and Target as MySQLGG.

MySQL(oracle2mysql) Deployment Creation:

```
oggadmin@ol9monprd01:/home/oggadmin:>cd
/opt/apps/oracle/goldengate/mysql_gg23ai/mysql_gghome/bin
oggadmin@ol9monprd01:/opt/apps/oracle/goldengate/mysql_gg23ai/mysql_gghome/bin:>ls -ltr
total 157296
-rwxr-x---. 1 oggadmin oinstall     5242 Jul 27  2022 orapki
-rwxr-x---. 1 oggadmin oinstall     9501 Apr  4  2024 oggca.sh
-rwxr-x---. 1 oggadmin oinstall    10312 Jan 23  2025 XAGTask
-rwxr-x---. 1 oggadmin oinstall 19940360 Mar 24  2025 adminsrvr
-rwxr-x---. 1 oggadmin oinstall  6164952 Mar 24  2025 adminclient
-rwxr-x---. 1 oggadmin oinstall  3026480 Mar 24  2025 pluginsrvr
-rwxr-x---. 1 oggadmin oinstall 14248824 Mar 24  2025 distsrvr
-rwxr-x---. 1 oggadmin oinstall 10031784 Mar 24  2025 ServiceManager
-rwxr-x---. 1 oggadmin oinstall 11092392 Mar 24  2025 recvsrvr
-rwxr-x---. 1 oggadmin oinstall  1305672 Mar 24  2025 convprm
-rwxr-x---. 1 oggadmin oinstall  4473136 Mar 24  2025 convchk
-rwxr-x---. 1 oggadmin oinstall  4551064 Mar 24  2025 chkptdump
-rwxr-x---. 1 oggadmin oinstall  1231696 Mar 24  2025 cachefiledump
```

```
-rwxr-x---. 1 oggadmin oinstall  5164776 Mar 24  2025 emsclnt
-rwxr-x---. 1 oggadmin oinstall 13343144 Mar 24  2025 defgen
-rwxr-x---. 1 oggadmin oinstall 20874184 Mar 24  2025 extract
-rwxr-x---. 1 oggadmin oinstall  5483824 Mar 24  2025 trailscan
-rwxr-x---. 1 oggadmin oinstall 20194408 Mar 24  2025 replicat
-rwxr-x---. 1 oggadmin oinstall  9723440 Mar 24  2025 pmsrvr
-rwxr-x---. 1 oggadmin oinstall  1276744 Mar 24  2025 retrace
-rwxr-x---. 1 oggadmin oinstall  1280840 Mar 24  2025 oggerr
-rwxr-x---. 1 oggadmin oinstall  6138576 Mar 24  2025 logdump
-rwxr-x---. 1 oggadmin oinstall    96104 Mar 24  2025 keygen
-rwxr-x---. 1 oggadmin oinstall    81376 Mar 24  2025 ConfigService
-rwxr-x---. 1 oggadmin oinstall  1272656 Mar 24  2025 checkprm
oggadmin@ol9monprd01:/opt/apps/oracle/goldengate/mysql_gg23ai/mysql_gghome/bin:>./oggca.sh
```




Oracle(ora2mysql) Deployment Creation:

Go to Oracle goldengate core binaries and initiate oggca.sh.

```
oggadmin@ol9monprd01:/home/oggadmin:>cd /opt/apps/oracle/goldengate/ogg23ai_home/bin
oggadmin@ol9monprd01:/opt/apps/oracle/goldengate/ogg23ai_home/bin:>ls -ltr
total 148356
-rwxr-x---. 1 oggadmin oinstall     5242 Jul 27  2022 orapki
-rwxr-x---. 1 oggadmin oinstall 16444200 Jan 18 20:34 adminsrvr
-rwxr-x---. 1 oggadmin oinstall 11602768 Jan 18 20:34 extract
-rwxr-x---. 1 oggadmin oinstall  1248080 Jan 18 20:34 checkprm
-rwxr-x---. 1 oggadmin oinstall 10952240 Jan 18 20:34 pmsrvr
-rwxr-x---. 1 oggadmin oinstall    11403 Jan 18 20:34 oggca.sh
-rwxr-x---. 1 oggadmin oinstall  5757648 Jan 18 20:34 logdump
-rwxr-x---. 1 oggadmin oinstall  4301104 Jan 18 20:34 convchk
```


```
-rwxr-x---. 1 oggadmin oinstall  6259736 Jan 18 20:34 adminclient
-rwxr-x---. 1 oggadmin oinstall  1252168 Jan 18 20:34 oggerr
-rwxr-x---. 1 oggadmin oinstall   104296 Jan 18 20:34 keygen
-rwxr-x---. 1 oggadmin oinstall 16341912 Jan 18 20:34 distsrvr
-rwxr-x---. 1 oggadmin oinstall  3966688 Jan 18 20:34 diagnostics
-rwxr-x---. 1 oggadmin oinstall    85472 Jan 18 20:34 ConfigService
-rwxr-x---. 1 oggadmin oinstall 10334784 Jan 18 20:34 AIService
-rwxr-x---. 1 oggadmin oinstall 11962056 Jan 18 20:34 ServiceManager
-rwxr-x---. 1 oggadmin oinstall 12833192 Jan 18 20:34 recvsrvr
-rwxr-x---. 1 oggadmin oinstall  5020976 Jan 18 20:34 trailscan
-rwxr-x---. 1 oggadmin oinstall  1248072 Jan 18 20:34 retrace
-rwxr-x---. 1 oggadmin oinstall 12071176 Jan 18 20:34 replicat
-rwxr-x---. 1 oggadmin oinstall  4816616 Jan 18 20:34 emsclnt
-rwxr-x---. 1 oggadmin oinstall  1198928 Jan 18 20:34 cachefiledump
-rwxr-x---. 1 oggadmin oinstall    11953 Jan 18 20:34 XAGTask
-rwxr-x---. 1 oggadmin oinstall  3059248 Jan 18 20:34 pluginsrvr
-rwxr-x---. 1 oggadmin oinstall  5320816 Jan 18 20:34 defgen
-rwxr-x---. 1 oggadmin oinstall  1272904 Jan 18 20:34 convprm
-rwxr-x---. 1 oggadmin oinstall  4383128 Jan 18 20:34 chkptdump
oggadmin@ol9monprd01:/opt/apps/oracle/goldengate/ogg23ai_home/bin:>./oggca.sh
```

Note: when you initiate the oggca.sh from oracle home , Use below highlighted options. Here I choosed the Existing Service Manager which we created during MySQL deployment creation.




Note: I didn't add all the screenshot , if you need help reach me or refer my previous GoldenGate Replication setup docs.

Step 2: Validate the GoldenGate Console Access and Created Deployments.




Step 3: Create Oracle DB Connections in respective administration service URL.

Oracle : http://192.168.29.99:5126/services/v2/content/#/login



MySQL : http://192.168.29.99:6126/?ojr=account



Step 4: Create Source and target tables, also grant required permission in MySQL to avoid permission issue.

Oracle DB:

```
SQL> CREATE TABLE ggtst.emp_rep (
    emp_id     NUMBER(10) PRIMARY KEY,
    emp_name   VARCHAR2(100),
    emp_salary NUMBER(10,2),
    hire_date  DATE
);  2    3    4    5    6

Table created.
```

MySQL Table Creation:

```
mysql> use ggtestdb;
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A

Database changed

mysql> show tables;
+--------------------+
| Tables_in_ggtestdb |
+--------------------+
| departments        |
| employees          |
+--------------------+
2 rows in set (0.00 sec)

mysql> CREATE TABLE emp_rep (
    ->     emp_id     INT PRIMARY KEY,
    ->     emp_name   VARCHAR(100),
    ->     emp_salary DECIMAL(10,2),
    ->     hire_date  DATE
    -> );
Query OK, 0 rows affected (0.06 sec)

mysql>
mysql> GRANT SELECT, INSERT, UPDATE, DELETE, CREATE, DROP, ALTER ON
    -> ggtestdb.* TO 'ggadmin'@'%';
Query OK, 0 rows affected (0.01 sec)
```

Step 5: Create Softlink from Oracle deployment to MySQL deployment for Replicat to access the trailfile which will generate by Extract from Oracle Deployment.

```
Source : Oracle Deployment Trail Path
oggadmin@ol9monprd01:/opt/apps/oracle/goldengate/ora2mysql/deploy_ora2mysql/var/lib/data/
dirdat:>ls -ltr
total 1176
```

```
-rw-r-----. 1 oggadmin oinstall 153764 Mar 17 06:36 aa000000000
-rw-r-----. 1 oggadmin oinstall 547173 Mar 17 10:55 aa000000001
Softlink creation to Target Deployment dirdat path:
oggadmin@ol9monprd01:/home/oggadmin:>ln -s
/opt/apps/oracle/goldengate/ora2mysql/deploy_ora2mysql/var/lib/data/dirdat
/opt/apps/oracle/goldengate/oracle2mysql/deploy_oracle2mysql/var/lib/data/dirdat

Validation:

Target: MySQL Deployment Trail Path
oggadmin@ol9monprd01:/opt/apps/oracle/goldengate/oracle2mysql/deploy_oracle2mysql/var/lib/
data/dirdat:>ls -ltr
total 408
-rw-r-----. 1 oggadmin oinstall 153764 Mar 17 06:36 aa000000000
-rw-r-----. 1 oggadmin oinstall 201775 Mar 17 06:42 aa000000001
```

Step 6: Extract Creation in Oracle Deployments

```
oggadmin@ol9monprd01:/opt/apps/oracle/goldengate/mysql_gg23ai/mysql_gghome/bin:>./adminclient
Oracle GoldenGate Administration Client for MySQL
Version 23.7.2.25.03 OGGCORE_23.7.0.0.0OGGRU_LINUX.X64_250324.1817

Copyright (C) 1995, 2025, Oracle and/or its affiliates. All rights reserved.

Linux, x64, 64bit (optimized) on Mar 24 2025 23:15:32
Operating system character set identified as UTF-8.

OGG (not connected) 2> CONNECT http://ol9monprd01.lab.com:6125 USER oggsmadmin PASSWORD
*********** DEPLOYMENT ora2mysql

OGG (http://ol9monprd01.lab.com:6125 ora2mysql) 3> info all
Program     Status      Group       Type                     Lag at Chkpt       Time Since Chkpt

ADMINSRVR   RUNNING
DISTSRVR    RUNNING
PMSRVR      RUNNING
RECVSRVR    RUNNING

OGG (http://ol9monprd01.lab.com:6125 ora2mysql) 4> info credentialstore

Default domain: OracleGoldenGate

  Alias: orasrc
  Userid: ggadmin@(DESCRIPTION = (ADDRESS = (PROTOCOL = TCP)(HOST = ol9orapgprd03.lab.com)(PORT
= 1521)) (CONNECT_DATA = (SERVER = DEDICATED) (SERVICE_NAME = ORAGGSRC)))

OGG (http://ol9monprd01.lab.com:6125 ora2mysql) 5> dblogin useridalias orasrc
Successfully logged into database.

OGG (http://ol9monprd01.lab.com:6125 ora2mysql as orasrc@ORAGGSRC) 6> ADD EXTRACT extora,
TRANLOG, BEGIN NOW
2026-03-16T11:55:43Z  INFO    OGG-08100  Integrated Extract added.

OGG (http://ol9monprd01.lab.com:6125 ora2mysql as orasrc@ORAGGSRC) 7> ADD EXTTRAIL ./dirdat/aa,
EXTRACT extora
2026-03-16T11:55:54Z  INFO    OGG-12029  The item type file with name 'EXTORA.prm' does not
exist.
2026-03-16T11:55:54Z  INFO    OGG-08100  EXTTRAIL added.

OGG (http://ol9monprd01.lab.com:6125 ora2mysql as orasrc@ORAGGSRC) 9> REGISTER EXTRACT extora
DATABASE
2026-03-16T11:57:29Z  INFO    OGG-02003  Extract group EXTORA successfully registered with
database at SCN 3709258.

OGG (http://ol9monprd01.lab.com:6125 ora2mysql as orasrc@ORAGGSRC) 10> edit params extora
2026-03-16T11:58:38Z  INFO    OGG-10183  Parameter file extora.prm passed validity check.

OGG (http://ol9monprd01.lab.com:6125 ora2mysql as orasrc@ORAGGSRC) 11> view params extora
EXTRACT extora
```

```
USERIDALIAS orasrc DOMAIN OracleGoldenGate
EXTTRAIL ./dirdat/aa

TABLE ggtst.emp_rep;

OGG (http://ol9monprd01.lab.com:6125 ora2mysql as orasrc@ORAGGSRC) 15> info all
Program     Status      Group       Type                    Lag at Chkpt       Time Since Chkpt

ADMINSRVR   RUNNING
DISTSRVR    RUNNING
PMSRVR      RUNNING
RECVSRVR    RUNNING
EXTRACT     STOPPED     EXTORA      INTEGRATED                 00:00:00           00:14:28
OGG (http://ol9monprd01.lab.com:6125 ora2mysql as orasrc@ORAGGSRC) 16> start extract EXTORA
2026-03-16T12:14:26Z  INFO    OGG-00975  Extract group EXTORA starting.
2026-03-16T12:14:26Z  INFO    OGG-15426  Extract group EXTORA started.

OGG (http://ol9monprd01.lab.com:6125 ora2mysql as orasrc@ORAGGSRC) 17> info all
Program     Status      Group       Type                    Lag at Chkpt       Time Since Chkpt

ADMINSRVR   RUNNING
DISTSRVR    RUNNING
PMSRVR      RUNNING
RECVSRVR    RUNNING
EXTRACT     RUNNING     EXTORA      INTEGRATED                 00:18:47           00:00:01
```

Step 7: Replicat Creation in MySQL Deployments

```
oggadmin@ol9monprd01:/opt/apps/oracle/goldengate/mysql_gg23ai/mysql_gghome/bin:>./
adminclient

Oracle GoldenGate Administration Client for MySQL
Version 23.7.2.25.03 OGGCORE_23.7.0.0.0OGGRU_LINUX.X64_250324.1817

Copyright (C) 1995, 2025, Oracle and/or its affiliates. All rights reserved.

Linux, x64, 64bit (optimized) on Mar 24 2025 23:15:32
Operating system character set identified as UTF-8.

OGG (not connected) 2> CONNECT http://ol9monprd01.lab.com:6125 USER oggsmadmin
PASSWORD *********** deployment oracle2mysql

OGG (http://ol9monprd01.lab.com:6125 oracle2mysql) 3> info all
Program     Status      Group       Type                    Lag at Chkpt       Time
Since Chkpt

ADMINSRVR   RUNNING
DISTSRVR    RUNNING
PMSRVR      RUNNING
RECVSRVR    RUNNING

OGG (http://ol9monprd01.lab.com:6125 oracle2mysql) 4> info credentialstore

Default domain: OracleGoldenGate

  Alias: mysqltrg
  Userid: ggadmin@ol9orapgprd04.lab.com:3306/ggdb

OGG (http://ol9monprd01.lab.com:6125 oracle2mysql) 5> ADD REPLICAT
mysqlrep EXTTRAIL ./dirdat/aa CHECKPOINTTABLE ggdb.checkpoint

2026-03-17T10:47:56Z  INFO    OGG-08100  Replicat added.

OGG (http://ol9monprd01.lab.com:6125 oracle2mysql) 6> info all
```

```
Program     Status      Group       Type                    Lag at Chkpt       Time
Since Chkpt

ADMINSRVR   RUNNING
DISTSRVR    RUNNING
PMSRVR      RUNNING
RECVSRVR    RUNNING
REPLICAT    STOPPED     MYSQLREP    NONINTEGRATED          00:00:00           00:00:08

OGG (http://ol9monprd01.lab.com:6125 oracle2mysql) 30> START REPLICAT MYSQLREP
2026-03-17T11:10:30Z  INFO    OGG-00975  Replicat group MYSQLREP starting.
2026-03-17T11:10:30Z  INFO    OGG-15445  Replicat group MYSQLREP started.

OGG (http://ol9monprd01.lab.com:6125 oracle2mysql) 31> info all
Program     Status      Group       Type                    Lag at Chkpt       Time
Since Chkpt

ADMINSRVR   RUNNING
DISTSRVR    RUNNING
PMSRVR      RUNNING
RECVSRVR    RUNNING
REPLICAT    RUNNING     MYSQLREP    NONINTEGRATED          00:00:00           00:00:01

OGG (http://ol9monprd01.lab.com:6125 oracle2mysql) 32> dblogin useridalias mysqltrg
Successfully logged into database.
```

Step 8: GG Replication Validation (Verify the RBA value)

```
Source : Oracle Deployment

OGG (http://ol9monprd01.lab.com:6125 ora2mysql) 10> info EXTRACT EXTORA, detail

Extract    EXTORA    Last Started 2026-03-17 06:36   Status RUNNING
Checkpoint Lag       00:00:03 (updated 00:00:06 ago)
Process ID           2561
Log Read Checkpoint  Oracle Integrated Redo Logs
                     2026-03-17 11:28:52
                     SCN 0.4046573 (4046573)
Encryption Profile   LocalWallet

  Target Extract Trails:

  Trail Name                                    Seqno        RBA     Max MB Trail
Type

  ./dirdat/aa                                       1     592078       2000
EXTTRAIL


Integrated Extract outbound server first scn: 0.3709258 (3709258)

Integrated Extract outbound server filtering start scn: 0.3709258 (3709258)

  Extract Source                          Begin             End

  Not Available                           2026-03-16 07:55  2026-03-17 11:28:52.00
  Not Available                           2026-03-16 07:55  2026-03-16 09:45:40.00
  Not Available                           2026-03-16 07:55  2026-03-16 09:45:40.00
  Not Available                           2026-03-16 07:55  2026-03-16 09:45:40.00
```

```
  Not Available                          * Initialized *   2026-03-16 07:55:43.00
  Not Available                          * Initialized *   2026-03-16 07:55:43.00
  Not Available                          * Initialized *   2026-03-16 07:55:43.00


Current directory    /home/oggadmin

Report file
/opt/apps/oracle/goldengate/ora2mysql/deploy_ora2mysql/var/lib/report/EXTORA.rpt
Parameter file
/opt/apps/oracle/goldengate/ora2mysql/deploy_ora2mysql/etc/conf/ogg/extora.prm
Checkpoint file
/opt/apps/oracle/goldengate/ora2mysql/deploy_ora2mysql/var/lib/checkpt/EXTORA.cpe
Process file
/opt/apps/oracle/goldengate/ora2mysql/deploy_ora2mysql/var/run/EXTORA.pce
Error log /opt/apps/oracle/goldengate/ora2mysql/deploy_ora2mysql/var/log/ggserr.log

Target : MySQL Deployment

OGG (http://ol9monprd01.lab.com:6125 oracle2mysql as mysqltrg@ggdb) 6> info REPLICAT
MYSQLREP, detail

Replicat   MYSQLREP  Last Started 2026-03-17 07:15   Status RUNNING
Checkpoint Lag       00:00:00 (updated 00:00:01 ago)
Process ID           2943
Log Read Checkpoint  File ./dirdat/aa000000001
                     2026-03-17 11:28:26.000000  RBA 592078
Encryption Profile   LocalWallet

Current Log BSN value: 4046387

Last Committed Transaction CSN value: 4046511

  Extract Source                         Begin             End


  ./dirdat/aa000000001                   2026-03-17 06:56  2026-03-17 11:28:26.00
  ./dirdat/aa000000001                   2026-03-17 06:56  2026-03-17 06:56:59.03
  ./dirdat/aa000000000                   2026-03-17 06:56  First Record
  ./dirdat/aa000000001                   2026-03-17 06:56  2026-03-17 06:56:59.03
  ./dirdat/aa000000000                   2026-03-17 06:56  First Record
  ./dirdat/aa000000001                   2026-03-17 06:56  2026-03-17 06:56:59.03
  ./dirdat/aa000000000                   * Initialized *   2026-03-17 06:56:59.03
  ./dirdat/aa000000000                   * Initialized *   First Record


Current directory    /home/oggadmin

Report file
/opt/apps/oracle/goldengate/oracle2mysql/deploy_oracle2mysql/var/lib/report/
MYSQLREP.rpt
Parameter file
/opt/apps/oracle/goldengate/oracle2mysql/deploy_oracle2mysql/etc/conf/ogg/
MYSQLREP.prm
Checkpoint file
/opt/apps/oracle/goldengate/oracle2mysql/deploy_oracle2mysql/var/lib/checkpt/
MYSQLREP.cpr
Checkpoint table     ggdb.checkpoint
Process file
/opt/apps/oracle/goldengate/oracle2mysql/deploy_oracle2mysql/var/run/MYSQLREP.pcr
Error log
/opt/apps/oracle/goldengate/oracle2mysql/deploy_oracle2mysql/var/log/ggserr.log

OGG (http://ol9monprd01.lab.com:6125 oracle2mysql as mysqltrg@ggdb) 7>
```

Step 9: Data Validation in Oracle and MySQL database level



```
oracle@ol9orapgprd03:~
SQL>  select count(*) from ggtst.emp_rep;

  COUNT(*)
----------
         0

SQL> INSERT INTO ggtst.emp_rep VALUES (1, 'Balaji', 75000.00, SYSDATE);

1 row created.

SQL> commit;

Commit complete.

SQL> INSERT INTO ggtst.emp_rep VALUES (2, 'Ravi', 65000.00, SYSDATE);

1 row created.

SQL>
SQL>
SQL>  commit;

Commit complete.

SQL>
SQL>
SQL>
SQL>
SQL>
SQL>
SQL>  select count(*) from ggtst.emp_rep;

  COUNT(*)
----------
         2
```

```
mysql@ol9orapgprd04:~
mysql> select count(*) from ggtestdb.emp_rep;
+----------+
| count(*) |
+----------+
|        0 |
+----------+
1 row in set (0.00 sec)

mysql>  select count(*) from ggtestdb.emp_rep;
+----------+
| count(*) |
+----------+
|        1 |
+----------+
1 row in set (0.00 sec)

mysql> select * from ggtestdb.emp_rep;
+--------+----------+------------+------------+
| emp_id | emp_name | emp_salary | hire_date  |
+--------+----------+------------+------------+
|      1 | Balaji   |   75000.00 | 2026-03-17 |
+--------+----------+------------+------------+
1 row in set (0.00 sec)

mysql> select * from ggtestdb.emp_rep;
+--------+----------+------------+------------+
| emp_id | emp_name | emp_salary | hire_date  |
+--------+----------+------------+------------+
|      1 | Balaji   |   75000.00 | 2026-03-17 |
+--------+----------+------------+------------+
1 row in set (0.00 sec)

mysql> select * from ggtestdb.emp_rep;
+--------+----------+------------+------------+
| emp_id | emp_name | emp_salary | hire_date  |
+--------+----------+------------+------------+
|      1 | Balaji   |   75000.00 | 2026-03-17 |
|      2 | Ravi     |   65000.00 | 2026-03-17 |
+--------+----------+------------+------------+
2 rows in set (0.00 sec)

mysql>
mysql>
```

****Happy Learning & Happy Sharing****