


TRANSPORT Simulation Environment

Course simulations

Thomas Kempka
GFZ German Research Centre for Geosciences
University of Potsdam








Course schedule focusses on simulations with increasing complexity and process integration

01 Groundwater flow
02 Groundwater flow with advective, conductive and dispersive transport of **heat**
03 Groundwater flow with advective, conductive and dispersive transport of **heat** as well as advective, diffusive and dispersive transport of a **passive tracer**
04 Density-driven groundwater flow based on **chemical species** concentrations and transport of heat using **fluid equations of state**
05 Groundwater flow with transport of **heat** and **chemical species** considering **chemical reactions** by a coupling to a **surrogate model**
06 Groundwater flow with transport of **heat** and **chemical species** considering **chemical reactions** by a coupling to **PHREEQC**

2D geothermal reservoir model used as base case



- Model extent 51 m x 51 m x 30 m with 1 m x 1 m x 30 m grid discretisation
- Initial reservoir pressure is 15 MPa
- Injection well located at model centre with 50 m^3 h^{-1} source term
- Lateral model boundaries are open (Dirichlet-type conditions)
- Top and bottom boundaries are closed (Neumann 'no-flow' type)
- Refer to specific config.py for parametrisation of each example
- Fluid EOS and chemical equlibria (later examples) derived from PHREEQC

Kühn, M. and Schneider, W. (2003) in Clauser, C. (ed.)
Numerical Simulation of Reactive Flow in Hot Aquifers. pp 253-262