🔍⊕

[< assertions3](#)   **Main Page** → **Problems** → **Solve a Problem**   [gcd >](#)

👁 Show Header

◯ BJP4 Exercise 5.1: showTwos

Language/Type: ☕ Java [while loops](#) [method basics](#) [mod](#)
Author: Leslie Ferguson (on 2016/09/08)

Write a method named showTwos that shows the factors of 2 in a given integer. For example, the following calls:

```
showTwos(7);
showTwos(18);
showTwos(68);
showTwos(120);
```

should produce this output:

```
7 = 7
18 = 2 * 9
68 = 2 * 2 * 17
120 = 2 * 2 * 2 * 15
```

Type your solution here:

```java
 1 public static void showTwos(int n) {
 2     String s = "";
 3     int i = n;
 4     while (i % 2 == 0) {
 5         s += "2 * ";
 6     i /= 2;
 7     }
 8     s += i;
 9     System.out.println(n + " = " + s);
10 }
```

This is a **method problem.** Write a Java method as described. Do not write a complete program or class; just the method(s) above.

☰ | 4 | Indent

🚀 **Submit**

☑ Sound F/X
☑ Highlighting

⊘ You passed 6 of 6 tests.

Go to the next problem: gcd

---

test #1: `showTwos(7);`

console output: `7 = 7`

result: ⊘ pass

---

test #2: `showTwos(18);`

console output: `18 = 2 * 9`

result: ⊘ pass

---

test #3: `showTwos(68);`

console output: `68 = 2 * 2 * 17`

result: ⊘ pass

---

test #4: `showTwos(120);`

console output: `120 = 2 * 2 * 2 * 15`

result: ⊘ pass

---

test #5: `showTwos(-10);`

console output: `-10 = 2 * -5`

result: ⊘ pass

---

test #6: `showTwos(-32);`

console output: `-32 = 2 * 2 * 2 * 2 * 2 * -1`

result: ⊘ pass

If you do not understand how to solve a problem or why your solution doesn't work, please contact your TA or instructor.
If something seems wrong with the site (errors, slow performance, incorrect problems/tests, etc.), please contact us.

Is there a problem? [Contact a site administrator](#).