



Nguyễn Phú Thọ

CNPM2 – 1150080158


Tạo project




Khởi tạo project



Sau khi tạo



Add controller




Tạo homeController


```
HomeController.cs  FilterConfig.cs  RouteConfig.cs
ProjectWeek1
ProjectWeek1.Controllers.HomeController  Index()

using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.Mvc;

namespace ProjectWeek1.Controllers
{
    0 references
    public class HomeController : Controller
    {
        // GET: Home
        0 references
        public ActionResult Index()
        {
            return View();
        }
    }
}
```

Add View cho controller






The 'Add View' dialog box is shown with the following settings:

- View name: Index
- Template: Empty (without model)
- Model class: (empty)
- Options:
 - ☐ Create as a partial view
 - ☒ Reference script libraries
 - ☒ Use a layout page:
 - (Leave empty if it is set in a Razor _viewstart file)

Buttons: Add, Cancel


Khi add view xong sẽ hiện ra view này




```
@{
    ViewBag.Title = "Index";
}

<h2>Index</h2>
```

Sau khi chạy thử project ban đầu




Thêm ảnh MVC.jpg



Chạy lên

Tiếp theo copy các thư mục vào ADMIN






Sau khi thay index.cshtml bằng

```
@{  
    Layout = "~/Views/Shared/_Layout.cshtml";  
    ViewBag.Title = "Dashboard";  
}
```

```
@Html.Partial("DashboardContent")
```




Tạo TableController:

```
TableContent.cshtml | Index.cshtml | TableController.cs | DashboardContent.cshtml
ProjectWeek01 | ProjectWeek01.Controllers.TableController | Index()

using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.Mvc;

namespace ProjectWeek01.Controllers
{
    0 references
    public class TableController : Controller
    {
        // GET: Table
        0 references
        public ActionResult Index()
        {
            return View();
        }
    }
}
```


Trong TableController tạo view index



```
@{
    ViewBag.Title = "Index";
    Layout = "~/Views/Shared/_Layout.cshtml";
}

<h2>Index</h2>
```

Tạo Partial View cho phần nội dung Table:



Add View

View name:

Template:

Model class:

Options:


☒ Create as a partial view

☐ Reference script libraries

☒ Use a layout page:

(Leave empty if it is set in a Razor _viewstart file)

Gắn TableContent vào Views/Table/Index.cshtml:



```
@{
    ViewBag.Title = "Tables";
    Layout = "~/Views/Shared/_Layout.cshtml";
}

@Html.Partial("TableContent")
```


Sửa menu “Tables” trong _Layout.cshtml

```

    <!-- /.nav-second-level -->
  </li>
  <li>
    <a href="@Url.Action("Index", "Table")">
      <i class="fa fa-table fa-fw"></i> Tables
    </a>
  </li>

```

Kết quả khi chạy

