Git & GitHub Crash Course for Beginners [2026]

1

WORKING DIRECTORY

The folder where you're working on your project

2

STAGE

My changes are ready they can move to the next step

3

LOCAL REPOSITORY

Temporary area where files sit between working directory and repository save.


COMMIT




Local Git's Workflow

logicBase

7:23 / 1:21:19 Git Architecture: Local vs. Remote


➜ git-journey ✗ git add --all
➜ git-journey ✗ git add -A
Stage every single change across the entire project
➜ git-journey ✗ git add .
Dot
Stage the changes within the current directory you're in
logicBase

Stages all visible changes
except for deleted files



```
➜  git-journey ✗ git add *
```


✅ NEW OR MODIFIED


❌ NOT DELETED ONES

logicBase

```
➜  git-journey ✗ git add *
➜  git-journey ✗ git add --all
➜  git-journey ✗ git add -A
➜  git-journey ✗ git add .
```

logicBase



Git & GitHub Crash Course for Beginners [2026]
git-journey — rafe@Rafes-MacBook-Pro — ..p/git-journey — -zsh — 68×19
Unstaged changes after reset:
D	four.txt
D	one.txt
➜ git-journey git:(main) ✗ git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
(use "git push" to publish your local commits)
Changes not staged for commit:
(use "git add/rm <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directo
ry)
deleted: four.txt
deleted: one.txt
no changes added to commit (use "git add" and/or "git commit -a")
➜ git-journey git:(main) ✗ git reset --hard
HEAD is now at 572d0f1 I have made some changes to files
➜ git-journey git:(main)
git-one
git-journey
LogicBase
37:02 / 1:21:19
git rm --cached: Stop Tracking Files
Finder



Git & GitHub Crash Course for Beginners [2026]
git-journey — rafe@Rafes-MacBook-Pro — ..p/git-journey — -zsh — 68×19
➜ git-journey git:(main) ✗ git rm four.txt
error: the following file has local modifications:
four.txt
(use --cached to keep the file, or -f to force removal)
➜ git-journey git:(main) ✗ git rm -f four.txt
rm 'four.txt'
➜ git-journey git:(main) ✗ git reset --hard
HEAD is now at 572d0f1 I have made some changes to files
➜ git-journey git:(main) git rm --cached four.txt
rm 'four.txt'
➜ git-journey git:(main) ✗
git-one
git-journey
LogicBase
38:19 / 1:21:19
git rm --cached: Stop Tracking Files


➜ `--force` Completely deletes the file

➜ `--cached` Only removes it from staging

Git & GitHub Crash Course for Beginners [2026]





Git & GitHub Crash Course for Beginners [2026]
Branch 1
Branch 2
Combined Branch
MERGED
Combining the changes
from two branches into one
COMMIT 2
logicBase
42:46 / 1:21:19
Git Branching Explained



Git & GitHub Crash Course for Beginners [2026]
→ PUSH
Sending local changes to the remote
← FETCH
Bringing remote changes into your local repository, but not merging them yet.
← PULL
Fetching plus merging—so your working directory immediately reflects the remote changes
logicBase
57:08 / 1:21:19
Understanding Push, Fetch, and Pull



logicBase


www.youtube.com – to exit full screen, press Esc
➜ git-journey git:(main) git push
➜ git-journey git:(main) git fetch
➜ git-journey git:(main) git pull
logicBase


Git & GitHub Crash Course for Beginners [2026]
Screenshot Just now
Screenshot captured
You can paste the image from the clipboard.
ENTIRE REPOSITORY
Discord Agent Builder
src
controller
services
payment.service.js
quiz.service.js
database.service.js
models
quiz.model.js
user.model.js
payment.model.js
config
validation.js
data
.env
main.js
index.js
const mongoose = require('mongoose');
const socket = require('socket.io');
const app = require('./app');
// server
let server;
mongoose.connect(config.mongoose.url, conf
logger.info('Connected to MongoDB');
});
process.on('uncaughtException', unex
process.on('unhandledRejection', un
git-journey git:(main) git restore .
logicBase
Terminal
Output
1:02:42 / 1:21:19
git restore: Discarding Local Changes


Git & GitHub Crash Course for Beginners [2026]
RESTORE STAGED
git-journey git:(main) git restore --staged fileName
git-journey git:(main) git restore --staged .
logicBase
1:02:48 / 1:21:19
git restore: Discarding Local Changes
Discord Agent Builder
src
controller
services
payment.service.js
quiz.service.js
database.service.js
models
quiz.model.js
user.model.js
payment.model.js
config
validation.js
data
.env
main.js
index.js
const mongoose = require('mongoose');
const socket = require('socket.io');
const app = require('./app');
// server
let server;
mongoose.connect(config.mongoose.url, conf
logger.info('Connected to MongoDB');
});
process.on('uncaughtException', unex
process.on('unhandledRejection', ur
Terminal
Output

Git & GitHub Crash Course for Beginners [2026]

Stash List





```
➜  git-journey git:(main) git stash apply
```


logicBase

```
➜  git-journey git:(main) git stash pop stash@{0}
➜  git-journey git:(main) git stash apply stash@{0}
```

➜ git-journey x git revert

Used to undo the changes made in a previous commit, but instead of deleting that old commit, it creates a new one that reverses those changes


Git & GitHub Crash Course for Beginners [2026]
RESET
MAIN
COMMIT_1
COMMIT_2
COMMIT_3
COMMIT_4
REVERT
MAIN
COMMIT_1
COMMIT_2
COMMIT_3
COMMIT_4
REVERTED
LogicBase
1:11:57 / 1:21:19
git revert: Undoing Commits Safely


REBASE
main_commit_1
main_commit_2
MAIN
main_commit_1
main_commit_2
feature_commit
feature
LOCAL
PERSONAL
logicBase

PULL REQUEST

I've made some changes in my branch; please review them, and if everything looks good, merge them into the main branch.

logicBase