Counter

;	#	Name	Datatype		
<i>></i>	1	C_KEY	BIGINT		
	2	IS_HO	BIT		
	3	NAME	VARCHAR		

Sales

	#	Name	Datatype
P	1	ID	BIGINT
	2	BILL_DATE	VARCHAR
	3	BILL_NO	VARCHAR
	4	DISCOUNT	VARCHAR
	5	DISCOUNT_PERCENT	VARCHAR
	6	REMARKS	VARCHAR
	7	TERMS	VARCHAR
	8	TOTAL	VARCHAR
	9	TOTAL_EXCL_TAX	VARCHAR
<i>></i> 🖟	10	accountMaster_ID	BIGINT
p [/	11	counter_C_KEY	BIGINT
<i>></i> [/	12	financialYear_id	BIGINT

Account_master

#	Name	Datatype
1	ID	BIGINT
2	ADDRESS	VARCHAR
3	CREDIT_LIMIT_AMT	INT
4	CREDIT_LIMIT_DAYS	INT
5	EMAIL	VARCHAR
6	FAX	VARCHAR
7	MOBILE_NUM	VARCHAR
8	NAME	VARCHAR
9	PHONE_NUM	VARCHAR
10	REG_NUM	VARCHAR
11	SUB_LOCATION	VARCHAR
12	$accountSubGroup_ID$	BIGINT
13	accountType_ID	BIGINT
	1 2 3 4 5 6 7 8 9 10 11	1 ID 2 ADDRESS 3 CREDIT_LIMIT_AMT 4 CREDIT_LIMIT_DAYS 5 EMAIL 6 FAX 7 MOBILE_NUM 8 NAME 9 PHONE_NUM 10 REG_NUM 11 SUB_LOCATION 12 accountSubGroup_ID

Account_type

#	Name	Datatype
<i>></i> 1	ID	BIGINT
2	DESCRIPTION	VARCHAR
3	NAME	VARCHAR

Item_Sales

Item_master

	#	Name	Datatype
۵	1	ID	BIGINT
	2	DISCOUNT_AMT	VARCHAR
	3	DISCOUNT_PERCENT	VARCHAR
	4	QTY	VARCHAR
	5	TOTAL_AMT	VARCHAR
	6	UNIT_PRICE	VARCHAR
» [4]	7	itemMaster_ID	BIGINT
<i>»</i> [4]	8	sales_ID	BIGINT
» [A]	9	unitMaster_ID	BIGINT

	#	Name	Datatype
<i>></i>	1	ID	BIGINT
	2	NAME	VARCHAR
	3	NAME_ARABIC	VARCHAR
	4	PRE_ORDER_QTY	INT
	5	PRCHASE_ORDER_QTY	INT
<i>></i> 1	6	company_ID	BIGINT
<i>></i>	7	itemGroup_ID	BIGINT
<i>></i>	8	itemSubGroup_ID	BIGINT
<i>></i> 1/4	9	madeIn_ID	BIGINT

Item_Unit

unit_master

	#	Name	Datatype
۵	1	ID	BIGINT
	2	COST	VARCHAR
	3	DESCRIPTION	VARCHAR
	4	NAME	VARCHAR
	5	PRIMARY_UNIT	BIGINT
	6	SALE_RATE	VARCHAR
P [4]	7	currency_ID	BIGINT
P	8	item_master	BIGINT
p [/	9	unitMaster_ID	BIGINT

	# Name		Datatype		
P	1	ID	BIGINT		
	2	DESCRIPTION	VARCHAR		
	3	NAME	VARCHAR		

Sales_return

item_sales_return

	#	Name	Datatype
<i>></i>	1	ID	BIGINT
	2	DISCOUNT	VARCHAR
	3	DISCOUNT_PERCENT	VARCHAR
	4	REMARKS	VARCHAR
	5	TERMS	VARCHAR
	6	TOTAL	VARCHAR
	7	VOUCHER_DATE	VARCHAR
	8	VOUCHER_NO	VARCHAR
<i>></i> 1/1	9	accountMaster_ID	BIGINT
<i>></i> 1/1	10	counter_C_KEY	BIGINT
<i>></i> 1/1	11	financialYear_id	BIGINT

	#	Name	Datatype
۵	1	ID	BIGINT
	2	DISCOUNT_AMT	VARCHAR
	3	DISCOUNT_PERCENT	VARCHAR
	4	QTY	VARCHAR
	5	TOTAL_AMT	VARCHAR
	6	UNIT_PRICE	VARCHAR
»	7	itemMaster_ID	BIGINT
» [/	8	salesReturn_ID	BIGINT
<u> </u>	9	unitMaster_ID	BIGINT

Company made_in

	#	Name	Datatype		#	Name	Datatype
۵	1	ID	BIGINT	<i>></i>	1	ID	BIGINT
	2	NAME	VARCHAR		2	NAME	VARCHAR

 ${\tt HTTP~URL:https://happycod@bitbucket.org/basicpos/basic-pos.git}$

SSH URL: git@bitbucket.org:basicpos/basic-pos.git