

KONFIGURASI REPOSITORY DEBIAN 10

1. Langkah awal ketik di debianmu dengan command : **nano /etc/apt/sources.list** lalu tekan **enter**.

```
root@debian:~# nano /etc/apt/sources.list
```

2. Setelah tekan enter maka muncul halaman Repository Debian 10 seperti berikut:

```
#
# deb cdrom:[Debian GNU/Linux 10.7.0 _Buster_ - Official i386 DVD Binary-1 20201205-12:47]/ buster $
deb cdrom:[Debian GNU/Linux 10.7.0 _Buster_ - Official i386 DVD Binary-1 20201205-12:47]/ buster co$
# Line commented out by installer because it failed to verify:
#deb http://security.debian.org/debian-security buster/updates main contrib
# Line commented out by installer because it failed to verify:
#deb-src http://security.debian.org/debian-security buster/updates main contrib
#
# buster-updates, previously known as 'volatile'
# A network mirror was not selected during install. The following entries
# are provided as examples, but you should amend them as appropriate
# for your mirror of choice.
#
# deb http://deb.debian.org/debian/ buster-updates main contrib
# deb-src http://deb.debian.org/debian/ buster-updates main contrib
```

3. Kemudian setting Repository Debian-mu seperti gambar dibawah ini:

```
#
# deb cdrom:[Debian GNU/Linux 10.7.0 _Buster_ - Official i386 DVD Binary-1 20201205-12:47]/ buster $
#deb cdrom:[Debian GNU/Linux 10.7.0 _Buster_ - Official i386 DVD Binary-1 20201205-12:47]/ buster c$
# Line commented out by installer because it failed to verify:
deb http://security.debian.org/debian-security buster/updates main contrib
# Line commented out by installer because it failed to verify:
#deb-src http://security.debian.org/debian-security buster/updates main contrib
#
# buster-updates, previously known as 'volatile'
# A network mirror was not selected during install. The following entries
# are provided as examples, but you should amend them as appropriate
# for your mirror of choice.
#
deb http://deb.debian.org/debian/ buster-updates main contrib
deb http://deb.debian.org/debian/ buster_main contrib
# deb-src http://deb.debian.org/debian/ buster-updates main contrib
```

Setelah konfigurasi seperti diatas,tekan **ctrl + x + y enter** untuk menyimpan perubahan konfigurasi tadi.

4. Setelah disimpan, ketikkan command: **apt update** untuk melihat berhasil atau tidak

```
root@debian:~# apt update
Get:1 http://security.debian.org/debian-security buster/updates InRelease [34.8 kB]
Get:2 http://deb.debian.org/debian buster-updates InRelease [56.6 kB]
Get:3 http://deb.debian.org/debian buster InRelease [122 kB]
Get:4 http://security.debian.org/debian-security buster/updates/main i386 Packages [609 kB]
Get:5 http://security.debian.org/debian-security buster/updates/main Translation-en [330 kB]
Get:6 http://security.debian.org/debian-security buster/updates/contrib i386 Packages [3,460 B]
Get:7 http://security.debian.org/debian-security buster/updates/contrib Translation-en [1,488 B]
Get:8 http://deb.debian.org/debian buster-updates/main i386 Packages [8,816 B]
Get:9 http://deb.debian.org/debian buster-updates/main Translation-en [6,915 B]
Get:10 http://deb.debian.org/debian buster/main i386 Packages [7,866 kB]
Get:11 http://deb.debian.org/debian buster/main Translation-en [5,969 kB]
Get:12 http://deb.debian.org/debian buster/contrib i386 Packages [46.0 kB]
Get:13 http://deb.debian.org/debian buster/contrib Translation-en [44.2 kB]
Fetched 15.1 MB in 9s (1,775 kB/s)
Reading package lists... Done
Building dependency tree
Reading state information... Done
85 packages can be upgraded. Run 'apt list --upgradable' to see them.
```

Jika hasilnya sudah seperti gambar diatas, maka sudah berhasil.