

Create an executable (.exe) file with Launch4j
Follow steps below to create an ***.exe*** file from java code.
The application can run on another (remote) desktop if jre is installed there.

1. Create a .jar file.
    1. Create .jar via cli.
        1. Create the ***class*** file.
            1. From the same folder as the java code, run command “javac <filename>”.
        2. Create the ***jar*** file from the *class* file.
            1. From the same folder as the class file / code, run “jar cvfe <jar-file-name> <class-files-and-dependencies>”.
        3. Sample.
            1. 

    2. Create .jar in IDE.
        1. Create .jar in IntelliJ.
            1. Select ***File*** -> ***Project Structure*** -> ***Artifacts*** -> “+” -> ***JAR*** -> ***From module with dependencies…***
            2. Choose the ***Main Class*** from the dropdown list (class containing main method).
            3. Choose ***OK***
            4. Select output directory for JAR file.
            5. Select ***Apply*** -> ***OK***.
            6. From top window of Intellij, select ***Build*** -> ***Build Artifacts*** -> ***Build***.
        2. Create .jar in Eclipse.
            1. Right click on ***Java project***.
                1. Choose project with GUI.
            2. **Export**
            3. Choose ***Java*** -> ***Runnable Jar file***.
            4. At launch configuration, Select ***project***.
            5. At export destination, Select *export destination* for ***jar*** file.
2. Download and install Launch4j.
    1. http://launch4j.sourceforge.net/
3. Start ***Launch4j*** after installation.
    1. From the Basic tab, define the *Output file* and *Jar* file. Optionally, include an icon file.
        1. ***Output file***: Destination of .exe, including application name.
        2. ***Jar***: Full file path of the ***.jar*** file created in Step 1.
        3. Icon: Use https://icoconvert.com to convert an image to ***.ico***.
        4. 

    2. Select the ***JRE*** tab.
        1. Define the JRE path.

1. 

    2. If the jre path is defined as an environmental variable, enter the variable.
3. Select the gear icon from the menu bar. There is a prompt for saving the config file.
    1. After saving the config file, the ***.exe*** file is created at the output file location.
4. Sign the executable. Optional.
    1. Confirm "sign4j.exe" & "jsign-2.0.jar" files are added in launch4j installation folder (C:\Program Files (x86)\Launch4j\"
    2. Open command line interface at the location of the "sign4j.exe" file.
    3. Generate a keystore with command "**keytool -genkey -alias <Some Alias> -keyalg RSA -keystore <Name for Keystore>.jks**".
        1. Set the password for the .jks.
    4. execute sign4j with "**sign4j.exe java -jar jsign-2.0.jar --alias <Some Alias> --keystore <Name for Keystore> --storepass <jks password> <executable file>**".