CIQ Digitalization

Requirements document - business flow, configuration logic and CIQ structure

Field	Entry
Document type	Requirements specification (business level)
Version	2
Status	Business process (MVP phase)
Date	16 September 2026
Owner	Alexander Pevzner (Technical Product Owner)

1 Purpose and context

Beiersdorf uses the Cosmetic Ingredient Questionnaire (CIQ) to collect all quality, safety and regulatory information on purchased raw materials. In its 2026 edition the questionnaire consists of eight main chapters and 14 annexes and is exchanged as a document between Beiersdorf and the supplier.

The process is largely manual today. Raw Material Management (RMM) acts as the intermediary and manages the flow of information between the Beiersdorf departments and the supplier. Every question, every reminder and every document passes through this single point.

The aim of the CIQ project is to digitalise this process on a configurable low-code/no-code platform. In future the CIQ will no longer be a static questionnaire that always contains the full set of possible questions, regardless of the specific raw material: its scope will be derived dynamically from the information the supplier provides, so that suppliers only need to complete the sections that are actually relevant to their raw material.

The end-to-end CIQ process is governed by a clear two-part structure. Part 1 collects the required data and supporting documents from the supplier through the CIQ questionnaire. The supplier enters the requested information, uploads the relevant evidence and, once this collection is complete, gives Supplier Approval. Supplier Approval confirms that the supplier has submitted the data and documents for Beiersdorf review; it does not constitute a Beiersdorf technical or business approval of the raw material.

Part 2 begins only after Supplier Approval. The responsible Beiersdorf departments then perform the technical review of the submitted information. Questions, clarifications and requests for additional documents are exchanged directly between the responsible department and the supplier. The results of the technical review are documented in the internal questionnaire (e.g. RMES). Results may also be documented in other Beiersdorf systems; those additional system-specific documentation activities are outside the core process described in this document.

This two-part structure is the organising principle for the process overview, detailed process description, task and status model, review requirements and approval gates in this document.

This document describes the process and the business requirements along the two-part process flow and serves as the entry point to the project. Part 1 covers supplier data and document collection up to Supplier Approval. Part 2 covers the subsequent technical review by Beiersdorf departments, the clarification loops and the documentation of review results. Detailed requirements are maintained separately in the CIQ requirements matrix.

1.1 Scope

Aspect	Description
In scope (project goal 2026)	Select and validate a suitable low-code/no-code solution; design and build an MVP for the CIQ process
In scope (business)	End-to-end process from case creation to the approved final document, including collaboration with the supplier (IRMA process)
In scope (business)	Automatic configuration of the questionnaire through a business-maintained configuration table
In scope (business)	Requests for additional documents during the process, based on a business decision
In scope (business)	Task and status transparency for all parties through a dashboard
Out of scope (2026)	Integration with Teamcenter, B-Flow, SAP MDG and other relevant systems - the scope per target system is still open (OP-13)
Delimitation	This document specifies requirements, not the solution architecture of a particular vendor

2 Process overview aligned with the target process flow

The target process is structured in two consecutive and clearly separated parts. Supplier Approval is the formal transition gate from Part 1 to Part 2:

1. Part 1 — Collect supplier data and documents: RMM starts the CIQ case; the supplier enters the required metadata; the system configures the case-specific CIQ scope; the supplier completes the configured CIQ, uploads the required documents and gives Supplier Approval to confirm submission for Beiersdorf review.
2. Part 2 — Perform technical review and document results: after Supplier Approval, the applicable Beiersdorf review subprocesses are activated dynamically and executed in parallel. The responsible departments review the submitted information, conduct question-and-answer and additional-document loops with the supplier where required, and document their review results. RMES is the internal review record where RMES applies; documentation in other Beiersdorf systems is outside the core process described here.

The process diagram is authoritative for the structure and sequence in this document. Existing verified business statements remain applicable. Items not decided in the process discussion are identified explicitly as open decisions and are not resolved by assumption.

2.1 Process-step overview

ID	Process step	Responsible role	Trigger	Result
PS-01	Start CIQ	RMM	Business decision to initiate an IRMA CIQ case	CIQ case started
PS-02	Enter metadata	Supplier	CIQ case made available to the supplier	Required metadata and structural data entered
PS-03	Configure CIQ	System, using the configuration rules	Required metadata submitted	Case-specific CIQ scope and required documents determined
PS-04	Complete CIQ and upload documents	Supplier	Configured CIQ released to the supplier	Required structured answers and evidence entered

ID	Process step	Responsible role	Trigger	Result
PS-05	Supplier Approval and submission to Beiersdorf	Supplier	Configured CIQ data and required supporting documents are complete and formal mandatory checks are passed	Supplier confirms submission; Part 1 completed; submitted version fixed for internal review; Part 2 triggered
PS-06	Activate applicable review subprocesses	System	Supplier Approval recorded	Applicable Beiersdorf technical-review subprocesses activated dynamically; Part 2 started
PS-07	Perform technical review in subprocess	Responsible Beiersdorf department	Review task assigned	Technical findings and preliminary review result documented
PS-08	Clarification and additional-document loop, if required	Responsible Beiersdorf department and supplier	Reviewer identifies an open question, inconsistency or missing document	Supplier response or additional document reviewed; loop repeated until no further query is required
PS-09	Document technical-review results	Responsible Beiersdorf department	No further query is required	Review result documented in RMES where applicable; other system-specific documentation is outside the core process
PS-10	Decide whether subprocess review is complete	Responsible Beiersdorf department	Review results documented	Subprocess ready for approval or rejection
PS-11	Approve or reject subprocess	Authorised Beiersdorf role	Subprocess review complete	Final subprocess result recorded
PS-12	Overall CIQ approval	Responsible role to be decided	Required subprocess results available	Overall approval or rejection recorded
PS-13	Generate final documents, file records and provide status feedback	System / responsible role according to the final operating model	Overall CIQ decision recorded	Final package generated and filed; status reported; case closed

3 Detailed process description

Tasks, status transparency, notifications and the dashboard apply throughout the process. Every action that a person has to perform is represented as an assigned task and is visible to the authorised role. Internal review comments and assessments are not visible to supplier users.

3.1 Part 1 — Collect supplier data and documents

3.1.1 Start CIQ (PS-01)

The process starts with a business decision by RMM to initiate an IRMA CIQ case. The trigger is currently outside the target system.

3.1.2 Enter metadata (PS-02)

The supplier first enters the required metadata and structural data for the raw material, including the configuration answers needed to determine the applicable CIQ scope. This phase is deliberately limited to the information needed for configuration. Missing mandatory entries block submission of the metadata.

3.1.3 Configure CIQ (PS-03)

The system evaluates the submitted metadata against the controlled configuration rules and derives which CIQ chapters, annexes and evidence documents are mandatory, optional or not applicable for the concrete case. The configuration logic and its open business decisions are described in chapter 5. The supplier is not expected to complete sections that are not applicable to the case.

3.1.4 Complete CIQ and upload documents (PS-04)

The supplier completes the released sections and uploads evidence at the relevant question or section. Answers are captured as structured data, not solely as attachments. Mandatory fields and mandatory evidence are validated. Where the controlled rule requires a justification for a not-applicable response, submission is blocked until that justification is provided.

There are a number of suppliers who upload their own documents instead of completing the CIQ questionnaire. A separate process will be specified and implemented for these suppliers.

3.1.5 Submit CIQ to Beiersdorf (PS-05)

Supplier Approval is the supplier's formal confirmation that the configured CIQ data and required supporting documents have been submitted to Beiersdorf. It completes Part 1 and triggers Part 2. Supplier Approval confirms submission and responsibility for the provided information; it is not a Beiersdorf technical review result or approval of the raw material. On Supplier Approval, the submitted supplier data and document versions are fixed for that review cycle. A later resubmission creates a new review version and does not silently overwrite the version previously assessed.

3.2 Part 2 — Perform technical review and document results

3.2.1 Activate applicable review subprocesses (PS-06)

Following Supplier Approval, Part 2 begins and the system activates the Beiersdorf review subprocesses applicable to the case. Activation is dynamic and is based on the case scope and controlled assignment rules. Activated subprocesses may run in parallel. The synchronisation point waits only for subprocesses activated for the concrete case.

3.2.2 Common pattern for every activated review subprocess (PS-07 to PS-11)

Each responsible department reviews the data and evidence assigned to its subprocess and documents the review result. If the reviewer identifies a missing, inconsistent or implausible item, the reviewer raises a contextual query or requests an additional document. The supplier answers the query or uploads the requested document. The responsible department then reviews that response or document again. This loop repeats until the department determines that no further query is required.

Queries and document requests remain linked to the affected question, document, criterion or finding. The supplier receives each request as a task. The requesting department retains responsibility while waiting for the supplier and decides whether the response is accepted or rejected. Open blocking requests prevent completion of the affected subprocess.

When no further query is required, the department documents the results, confirms whether the review is complete and records approval or rejection through an authorised Beiersdorf role. Person, timestamp, result and required rationale are audit-trailed.

3.2.3 RMES / Regulatory & Safety subprocess

Safety and Regulatory perform their respective technical reviews as part of the Beiersdorf review phase. Their assessments draw partly on structured data captured in the CIQ and also include the review of supporting documents provided by the supplier. The Raw Material Evaluation Sheet (RMES) is the internal document in

which Safety and Regulatory record the scope, evidence, findings, conclusions and decisions resulting from these reviews. RMES is therefore not a separate review process and not a supplier questionnaire; it is the structured internal documentation instrument for the work performed by the two departments and is not visible to the supplier. The RMES-related part of the review will also be digitalised. The target is to reuse relevant CIQ data directly in RMES and to automate manual data transfers from CIQ to RMES as far as technically and functionally feasible, while preserving source traceability, versioning and reviewer accountability. In addition, AI-supported document review is a desired capability to assist Safety and Regulatory in analysing supplier-provided evidence and identifying relevant information, inconsistencies or missing content. Any AI-generated output must remain reviewable and must not replace the accountable assessment and decision by the authorised Beiersdorf reviewer. Technical review results may additionally be documented in other Beiersdorf systems, but those system-specific documentation activities are outside the core CIQ process described in this document.

3.2.4 QM subprocess

QM reviews the sections assigned to QM under the approved responsibility model. The detailed subprocess boundary, entry criteria, decision model and ownership are open and require business confirmation.

3.2.5 RMM subprocess

In the current state, RMM documents the results of the technical review in Teamcenter. The target-state process and system split between the digital CIQ solution and Teamcenter is still open and must be developed jointly. This section therefore does not prescribe a target solution.

3.2.6 Sustainability subprocess

Sustainability reviews the sections assigned to Sustainability under the approved responsibility model. The findings from the review are documented in a separate questionnaire. Further details and requirements will follow here.

3.3 Synchronisation, overall decision and closure

3.3.2 Overall CIQ approval (PS-12)

The final approval gate must use the final subprocess results and all blocking open items. The effect of a rejected subprocess on the overall CIQ case also remains open and must be decided before the approval workflow is configured. Sustainability department documents its review steps and results in a separate questionnaire.

3.3.3 Final document, filing, status feedback and end (PS-13)

After the overall CIQ decision, the system generates the defined final document package, versions it in an unchangeable form, files it against the case in the designated Beiersdorf repository (B-Flow) and provides the required status feedback to the preceding system. The exact target systems and integration scope remain subject to the open integration decisions. The case is then closed in the dashboards with its final status.

A process can be cancelled if the associated raw material is no longer relevant for the project. A cancelled process can be reactivated within a defined period (assumption: 1 year, to be confirmed).

3.4 Overall process requirements

Requirements across all phases and subprocesses:

- role-based access and separation of supplier and internal content;
- named task ownership, due dates, reminders and escalation;
- section-level and overall status transparency;

- versioning of submitted answers and documents;
- traceability from review result to source answer or document version;
- audit trail for submission, review, query, response, approval, rejection and reopening;

4 CIQ structure and assignment to the business departments

The overview below records all chapters and annexes of the CIQ 2026 with their business meaning and the responsible department. It is the basis for the review and approval logic and for the assignment of tasks and dashboard items.

4.1 Main chapters (draft, review)

ID	Chapter	Business meaning	Department	Particularity
K1	Mandatory documents	Checklist of all required evidence documents (SDS, CoA, specification, statements)	QM (lead), Regulatory, RMM, Safety	Frames all other chapters: the scope of this list follows from the configuration table and is therefore specific to each case.
K2.1	Components and additives	Full composition per component: INCI, CAS, EC, function, additive, origin, concentration	Regulatory	Data basis for almost all subsequent reviews. Table with any number of components.
K2.2	Byproducts and contaminations	Byproducts and contaminations, evidence from at least two batches	Safety (lead), QM	Limits checked against the Beiersdorf values in Annex 14; deviations require a justification.
K2.3	Source or type of starting materials	Origin type per component	RMM (lead), Safety, Sustainability, Regulatory	Central configuration question SF-01. Drives most of the mandatory annexes.
K3	Storage conditions and handling	Storage conditions, shelf life, temperature effects	QM	Operationally relevant for goods receipt, warehousing and handling in production
K4.1	Toxicity data	Toxicological endpoints with study protocol and annex status	Safety	Assessment authority sits exclusively with Safety.
K4.2	Environmental	Biodegradability,	Safety, Regulatory Environmental	
K4.3	Synthetic polymer microparticles	REACH polymer definition and SPM restriction scope	Safety (lead), Regulatory	Regulatory area subject to change; Annex 6 goes into more detail.
K5.1	Microbiological test	Microbiological test of the raw material	Microbiology	May be waived, but a justification is required.
K5.2	Total microbial count	Total aerobic count, yeast and moulds, specific microorganisms	Microbiology, Safety (to be informed)	Mandatory in the CIQ; the challenge test sits between 5.2 and 5.3 without its own chapter number.

ID	Chapter	Business meaning	Department	Particularity
K5.3	Antimicrobial treatment	Type and maximum dose of the antimicrobial treatment	Safety	Irradiation, heat and ethylene oxide treatment.
K6.1	EU REACH	Registration status, Annex XIV and XVII, SVHC	Regulatory	Detailed in Annex 10.
K6.2	UK REACH	Registration status UK including only representative	Regulatory	Detailed in Annex 11; also relevant for indirect imports.
K6.3	Turkey REACH (KKDIK)	Registration status Turkey	Regulatory	Detailed in Annex 12.
K6.4	Chemical inventory listings	Listing in national chemical inventories	Regulatory	Detailed in Annex 13.
K6.5	Regulation 1223/2009 Annexes III-VI	Cosmetics regulation annexes	Regulatory, Safety	Core provision for cosmetic usability.
K6.6	Ingredients Art. 19(g) / Annex III	Ingredients relevant for labelling	Regulatory, Safety	Basis for later product labelling.
K6.7	Animal testing (Art. 11(2)(e))	Animal testing status	Regulatory	Evidence required; high reputational relevance.and legal requirement
K6.8	Halal status	Halal and kosher information	Regulatory	Market-specific.
K6.9	Nanomaterials	Nanomaterial status including justification and evidence	Safety (lead), Regulatory	A negative answer also requires a justification.
K6.10	Listing in pharmacopeia	Pharmacopeia monograph	QM	Workshop note: QA.
K6.11	Listing as food additive	Food grade status	Safety	Workshop note: Safety.
K6.12	GMP compliance and ISO certification	GMP standards and ISO certificates of the manufacturer	QM	Related to the supplier, not to the raw material - reuse across cases to be examined (OP-17).
K6.13	China IECIC / NMPA	Listing in the China inventory, NMPA code	Regulatory	Workshop note: Regulatory.
K6.14	California Proposition 65	Prop 65 listing including contaminations	Regulatory and Safety jointly	Workshop note: Regulatory / Safety - shared responsibility.
K6.15	Canada Hot List	Listing on the Canada Hot List	Regulatory	Workshop note: Regulatory.
K6.16	Biodiversity laws	Access and benefit sharing under national biodiversity law	Regulatory	Framing chapter; the case distinctions sit in 6.16.1.
K6.16.1	Brazilian Biodiversity Law	SisGen registration and exemptions	Regulatory	Extensive case distinctions with several exemptions; trigger SF-10.

ID	Chapter	Business meaning	Department	Particularity
K6.17	EUDR	Scope and	Regulatory and Sustainability (lead)	
K7	Customs & foreign trade	HS code, country of origin, export control, CITES	Customs / Trade Compliance	The only section owned outside Regulatory, Safety, QM and Sustainability.
K8, K8.1	Patent	Patents and licence	Legal / IP	Read only for Legal.
K8.1	Additional patent information	Supplementary patent and licence details	Legal / IP	Follow-up chapter to 8; same owner.

4.2 Annexes

ID	Annex	Business meaning	Triggered by	Department	Particularity
A1	Vegetable origin	Feedstock, origin,	Vegetable origin	Safety and Sustainability	d traceability.
A2	Manufacturing	Manufacturing process,	Vegetable origin and is not stated in the CIQ (OP-19)	Regulatory, Safety (lead)	(OP-03).
A3	GMO	Genetically modified organisms, safety level, separation	Fermentation or GMO (SF-06)	QM / Microbiology	Workshop notes: QM (micro), evidence.
A4	Hydrocarbons	MOAH, physico-chemical data for mineral oils and waxes	Mineral-oil-based (SF-07)	Safety	Workshop notes: MVP, show and hide separately, either/or/both (OP-02).
A5	UV filters	Approval status inside and outside the EU	UV filter (SF-04)	Regulatory	Workshop note: dependency?
A6	Synthetic polymers / biopolymers	Cross-linkers, monomers, molecular weight, residual monomer content	Polymer (SF-03)	Safety, Regulatory	Direct extension of chapter 4.3.
A7	Colorants	Colorant-specific information	Colorant (SF-05)	Regulatory	Substance-class specific.
A8	Preservatives	Preservative-specific information	Preservative (SF-05)	Regulatory, Safety	Substance-class specific.
A9	Polyaromatic hydrocarbons (PAH)	Limits and analysis for PAH	Vegetable or petrochemical origin (SF-01, SF-07)	Safety	Contains binding Beiersdorf limits and a reference method.
A10	EU REACH	Substance-related REACH registration data	Always	Regulatory	Per substance, not per raw material.
A11	UK REACH	Substance-related UK REACH data including only representative	UK market (SF-11)	Regulatory	Contains a signed declaration by the supplier.

ID	Annex	Business meaning	Triggered by	Department	Particularity
A12	Turkey REACH	Substance-related KKDIK data	Turkey market (SF-11)	Regulatory	Same structure as Annexes 10 and 11.
A13	Chemical inventories	Listing status per country and inventory (Y/N/E)	Target markets (SF-11)	Regulatory	Workshop notes: Regulatory, dependency?
A14	Moved into the main document	-	-	-	Content is covered by chapter K2.

4.3 Summary by department (draft, review)

Department	Sections owned	Assessment
Regulatory	K2.1, K2.3, K6.1-K6.8, K6.13, K6.15, K6.16, K6.16.1, A2, A5, A7, A8, A10, A11, A12, A13	Largest review scope. Leads on composition, registration and market authorisation.
Safety	K2.2, K4.1, K4.2, K4.3, K6.9, K6.11, A4, A6, A9	Sole assessment authority for toxicology, environment and limits.
QM / Microbiology	K1, K3, K5.1, K5.2, K5.3, K6.10, K6.12, A3	Leads on quality, hygiene, storage and manufacturer certification.
Sustainability	K6.17, A1	Small in volume but with high external impact (EUDR, RSPO).
Customs / Trade Compliance	K7	Single section; easily overlooked today.
Legal / IP	K8, K8.1	Single section, read only
Shared responsibility	K6.14 (Regulatory and Safety), K6.17 (Regulatory and Sustainability), K2.2 (Safety and QM)	Requires a rule on whether both roles approve or one takes the lead (OP-18).

5 Configuration table: automatic configuration of the questionnaire

5.1 Business principle

The CIQ is not a form with a fixed structure. Which chapters and annexes a supplier has to complete follows from a small number of basic answers given at the start - above all the origin type of the components. A vegetable raw material triggers different mandatory annexes than a mineral-oil-based material or a polymer.

This is precisely the decision the target system should take over, rule-based and traceable.

Core business rule: the questionnaire is not selected, it is generated from the supplier answers (meta data). The configuration table is the rule set behind this generation.

5.2 How the scope is derived

- The supplier initially receives the basic data section with the configuration questions only.
- Once it is submitted, the system evaluates the answers against the configuration table.

- From this the system determines the mandatory sections, the optional sections, the sections that are not applicable and the required evidence documents.
- The department sees the derived scope and can extend or reduce it during the IRMA process where necessary.
- Only then is the full questionnaire released to the supplier.
- If the supplier later changes a configuration answer, the scope is derived again; data already entered is handled according to the rules and is not discarded silently.

5.3 Identified configuration questions (draft)

The following configuration questions were derived from the CIQ source document. The list is a draft and has to be completed and confirmed by the business departments (OP-19).

ID	Configuration question	Source in the CIQ	Effect	Sections triggered
SF-01	Origin type of the components (vegetable, animal, mineral, petrochemical, waste or side stream, CCU, polymer, chemical recycling)	Chapter 2.3	Determines the majority of the mandatory annexes	A1, A2, A3, A4, A6, A7, A9, A10, A11, A12 and BSE/TSE evidence; no annexes for waste / side stream, CCU and chemical recycling
SF-02	Are there additional production sites?	Basic data	Additional site information	Site data, no annex
SF-03	Does the raw material contain polymer components or meet the REACH polymer definition?	Chapter 4.3	Activates polymer and SPM review	K4.3, A6
SF-04	Is the material a UV filter?	Chapter 6.5 (Annex VI)	Activates the UV filter section	A5
SF-05	Is the material a colorant or a preservative?	Chapter 6.5 (Annex IV and V)	Activates substance-class annexes	A7, A8
SF-06	Is fermentation involved or are GMOs involved?	Annex 2	Activates the GMO section	A3
SF-07	Is the material mineral-oil-based or a hydrocarbon?	Chapter 2.3	Activates MOAH and PAH review	A4, A9
SF-08	Is the feedstock palm-based?	Annex 1	Activates mandatory RSPO information	A1 section 5, RSPO evidence
SF-09	Does the raw material fall within the scope of the EUDR?	Chapter 6.17	Activates EUDR traceability	K6.17
SF-10	Is Brazilian genetic heritage affected?	Chapter 6.16	Activates SisGen information	K6.16.1

ID	Configuration question	Source in the CIQ	Effect	Sections triggered
SF-11	Target markets of the raw material (China, USA, Canada, UK, Turkey and others)	Basic data	Activates market-specific compliance sections	K6.2, K6.3, K6.13, K6.14, K6.15, A11, A12, A13
SF-12	Is microbiological testing required?	Chapter 5.1	Deactivates the microbiological test (5.1) and the challenge test with a justification; the total microbial count (5.2) stays mandatory	K5.1, K5.3

5.4 Structure of the configuration table (draft)

The configuration table maps every valid combination of answers to the resulting scope. The example below illustrates the structure using the origin type. It is a structural illustration, not a complete or business-approved rule set.

Origin type (SF-01)	Annex 2 mandatory	RSPO relevant	Mandatory annexes	Additional mandatory evidence	Reviewing department
Vegetable	Yes	No	A1, A2, A3, A9, A10, A11, A12	Pesticide and mycotoxin analysis, sustainability certificates	Sustainability, Regulatory
Vegetable and palm-based	Yes	Yes	Additionally A1 section 5	RSPO certificate with supply chain model, RSPO number on the CoA	Sustainability
Animal	No	No	A10, A11, A12	BSE/TSE certificate, conformity with Annex II entry 419	Regulatory, QM
Mineral	No	No	A1, A7, A10, A11, A12	Origin and specification of the mineral source	Regulatory, Safety
Petrochemical	No	No	A1, A4, A9, A10, A11, A12	MOAH value, PAH analysis against Beiersdorf limits	Safety
Polymer	No	No	A1, A6, A10, A11, A12	Residual monomer content, SPM scope statement	Safety, Regulatory
Waste / side stream	No	No	None derived from the origin type	To be defined with the business departments (OP-19)	To be defined (OP-19)
Carbon capture utilisation (CCU)	No	No	None derived from the origin type	To be defined with the business departments (OP-19)	To be defined (OP-19)

Origin type (SF-01)	Annex 2 mandatory	RSPO relevant	Mandatory annexes	Additional mandatory evidence	Reviewing department
Chemical recycling of post-consumer plastic	No	No	None derived from the origin type	To be defined with the business departments (OP-19)	To be defined (OP-19)

Structural illustration based on the CIQ source document. The binding configuration table has to be collected with the business departments.

6 Requests for additional documents by the business departments

6.1 Business principle

Even when the questionnaire scope has been derived correctly, a department may need additional documents or information during the review - for example a further batch analysis, an updated certificate or a supplementary justification. Such a request is not a gap in the rule set but a deliberate business decision in an individual case.

Delimitation from the configuration table: the configuration table governs the predictable scope that can be derived from the answers. A request covers the unpredictable individual case. The system must keep the two clearly distinguishable.

6.2 Process

- An authorised department raises a request within the running case and assigns it to the section that triggered it. A request may also activate an additional questionnaire section for the supplier to complete.
- Every request must contain a business justification, a responsible person and a due date.
- The supplier receives the request as a separate task with a clear reference to the place concerned, visible in the supplier dashboard.
- The supplier provides the document or explains why it cannot be provided.
- The department accepts or rejects the response; the decision is recorded. A short explanation in case of rejection is provided by the department.
- Open requests prevent overall approval and are shown as blocking in the case dashboard.

7 RMES review requirements (draft)

This chapter translates the RMES template into business requirements for Part 2 of the digital process. RMES documents the internal Safety and Regulatory assessment results based on the supplier data and documents collected and confirmed through Supplier Approval in Part 1. It is not a supplier questionnaire. All requirements below are Must requirements for an end-to-end Safety and Regulatory review unless the MVP decision explicitly records a deferral. Documentation in other Beiersdorf systems is outside the scope of these RMES requirements.

7.1 Review initiation, data and assignment

REQ-RMES-001 — Controlled start. The system must create one RMES review for the submitted CIQ version only after the formal entry criteria have been met. Acceptance: Given a CIQ with missing mandatory evidence, when submission is attempted, then no RMES review is released; given a complete submission, then the review is created with the CIQ version and timestamp.

REQ-RMES-002 — Structured template. The system must represent RMES Parts A, B, C and D as configurable structured review criteria, not solely as an attached document. Acceptance: An authorised business administrator can add, deactivate, reorder and version a criterion without changing historical evaluations.

REQ-RMES-003 — Role-based assignment. The system must assign Safety criteria and approval to authorised Safety reviewers and Regulatory criteria and approval to authorised Regulatory reviewers. Acceptance: A Regulatory reviewer cannot issue the Safety approval and a supplier cannot view or edit any RMES criterion.

REQ-RMES-004 — Applicable scope. The system must derive applicable RMES criteria from the raw-material characteristics, supplied composition, target markets and configuration rules, while allowing an authorised reviewer to override applicability with a mandatory reason. Acceptance: Non-applicable criteria remain visible in the internal record with the rule or override reason.

REQ-RMES-005 — Source traceability. Every assessment must reference the evaluated document or structured answer and its version. Acceptance: From a criterion, the reviewer can open the assessed source; from the source, the system can identify related criteria and findings.

7.2 Evaluation, findings and clarifications

REQ-RMES-006 — Criterion result. For every applicable criterion, the system must capture availability, plausibility or listed status as appropriate, reviewer comment, reviewer and timestamp. Acceptance: The department approval is blocked while any applicable criterion has no final result.

REQ-RMES-007 — Mandatory rationale. The system must require a comment for a negative, implausible or not-applicable result and for every manual applicability override. Acceptance: Saving or completing such a result without a rationale is rejected with a clear validation message.

REQ-RMES-008 — Quantitative checks. Where the current controlled BDF rule set defines substance or impurity limits, the system must capture reported values, units, applicable limit and evaluation result. Acceptance: The limit and rule-set version used for the decision remain reproducible after the rule set changes.

REQ-RMES-009 — Finding management. The system must create findings linked to the criterion, source and responsible department and classify them at least as blocking or non-blocking. Acceptance: A blocking finding prevents the respective department approval and the overall approval.

REQ-RMES-010 — Supplier query from finding. An authorised reviewer must be able to create a supplier query or additional-document request directly from a finding without duplicating context. Acceptance: The request contains the affected criterion, question/document reference, responsible supplier contact, due date and complete conversation history.

REQ-RMES-011 — Response review. Only the department responsible for a finding may accept or reject the supplier response, unless formally reassigned. Acceptance: Closure records the decision, decision maker, timestamp and accepted evidence version; rejection returns the item to the supplier with a reason.

REQ-RMES-012 — Reopening logic. A supplier change to data or evidence used by a completed criterion must flag the criterion as impacted and reopen the related review or require an explicit no-impact confirmation. Acceptance: Previously approved results are never silently retained after their source version changes.

7.3 Decisions, output and monitoring

REQ-RMES-013 — Separate department approvals. The system must provide independent Final Safety approval and Final Regulatory approval, each with Approved/Rejected, decision maker, timestamp and mandatory rejection reason. Acceptance: Neither role can approve on behalf of the other without an auditable delegation.

REQ-RMES-014 — Approval gate. Overall case approval must be possible only when both required RMES approvals are Approved and no blocking finding or supplier request remains open. Acceptance: The system identifies every blocking item when approval is attempted.

REQ-RMES-015 — Internal confidentiality. RMES criteria, internal comments, findings before publication and approval rationales must be hidden from supplier users. Acceptance: Supplier-role testing confirms that only explicitly issued questions, requests and permitted attachments are accessible.

REQ-RMES-016 — Versioned evaluation record. The system must retain every RMES version, criterion result, source reference, finding, query, response and decision in an immutable audit trail. Acceptance: An auditor can reconstruct who assessed what, against which source and rule-set version, and when.

REQ-RMES-017 — Reference register. The final internal record must list the original title and version of every evaluated source document and may additionally store the technical storage title. Acceptance: A title mismatch does not break traceability and both values remain searchable.

REQ-RMES-018 — Dashboard transparency. Dashboards must show RMES progress separately for Safety and Regulatory, including unassigned, open, waiting for supplier, overdue, reopened, approved and rejected states. Acceptance: RMM can identify the department, criterion and blocking reason without opening each task.

REQ-RMES-019 — Notifications and escalation. The system must notify the assigned reviewer when an RMES task or resubmission arrives and notify the responsible supplier contact when a query is issued. Due-date reminders and escalation recipients must be configurable. Acceptance: Each notification event is logged against the case.

REQ-RMES-020 — Export and filing. After completion, the system must generate a readable, versioned internal RMES evaluation record and make it available for filing with the case. Acceptance: The export contains Parts A-D, applicability decisions, results, comments, references, findings and approvals, while respecting the defined supplier/internal visibility split.