CIQ FINAL DOCUMENT

ZZT-0099

LIPOFLUID ÖLPHASE 7 – Pflegeöl für Gesichtscremes (Qualität „Süd“)

✓ Document seal: unchanged

Caprylic/Capric Triglyceride (and) Helianthus Annuus (Sunflower) Seed Oil (and) Tocopherol

BDF material no.
RM-500127

Supplier
Brückner & Söhne Oléochimie GmbH · DUNS 390117245

Manufacturer
Brückner & Söhne Oléochimie GmbH, Hafenstraße 12, 20457 Hamburg, Deutschland

Production site
Werk Süd, Industriestraße 4, 68159 Mannheim; Lohnabfüllung: Société Lefèvre & Fils, Lyon

Target markets
European Union, United Kingdom, Turkey, China, USA

Questionnaire · rule set
CIQ-2026 v1 · RS-2026.1

Case owner (RMM)
Katrin Vogel

Case started · released
18 Oct 2026, 19:00 CEST · 20 Oct 2026, 14:00 CEST

Created automatically at the supplier's final release (Jürgen Weiß, 20 Oct 2026, 14:00 CEST). It cannot be changed. The document seal confirms it is unchanged since the final release.

1. Released answers by section

General information Mandatory

Trade name of the raw material	CETYL 16
Supplier (name)	Solvaro Oleochemicals S.A.
Contact person e-mail	elena.marquez@solvaro.example
Contact person e-mail 2	ravi.menon@solvaro.example
Supplier's DUNS number	471203958
Manufacturer (name and address)	Brückner & Söhne Oléochimie GmbH Hafenstraße 12 20457 Hamburg, Deutschland The raw material is produced in a closed batch process under GMP conditions. Each batch is filtered, deodorised and tested against the specification before release. Stabilisation uses natural tocopherols only; no synthetic antioxidant is added. Jürgen Weiß · 18 Oct 2026, 21:00 CEST
Production site (name and address)	Stabilisation uses natural tocopherols only; no synthetic antioxidant is added. Die Ölphase wird bei höchstens 60 °C gemischt, danach unter Stickstoff abgefüllt. Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première. Residual solvents are below the limits of ICH Q3C; heavy metals are below 1 mg/kg in total. Justification: Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première. Residual solvents are below the limits of ICH Q3C; heavy metals are below 1 mg/kg in total. Elena Márquez · 18 Oct 2026, 22:00 CEST

Metadata answers SF-01 to SF-12 · they set the scope

SF-01 What is the origin of the components?	Vegetable (bio mass) Elena Márquez · 18 Oct 2026, 20:00 CEST

SF-03 Does the raw material contain polymers or meet the REACH polymer definition?	No Elena Márquez · 18 Oct 2026, 20:00 CEST
SF-04 Is the material a UV filter?	No Elena Márquez · 18 Oct 2026, 20:00 CEST
SF-05 Is the material a colorant or a preservative?	None Elena Márquez · 18 Oct 2026, 20:00 CEST
SF-06 Is fermentation involved, or are GMOs involved?	No Elena Márquez · 18 Oct 2026, 20:00 CEST
SF-07 Is the material mineral-oil based or a hydrocarbon?	No Elena Márquez · 18 Oct 2026, 20:00 CEST
SF-09 Is the raw material in scope of the EU Deforestation Regulation (EUDR)?	No Elena Márquez · 18 Oct 2026, 20:00 CEST
SF-10 Is Brazilian genetic heritage involved?	No Elena Márquez · 18 Oct 2026, 20:00 CEST
SF-12 Is microbiological testing of the raw material required?	Yes Elena Márquez · 18 Oct 2026, 20:00 CEST
SF-11 Target markets of the raw material	European Union Set by Beiersdorf at case start

K1 Mandatory documents Mandatory

Safety data sheet (SDS)	FLD-K1-001_statement.pdf Ravi Menon · 18 Oct 2026, 23:00 CEST
Certificate of analysis (CoA)	FLD-K1-002_statement.pdf Elena Márquez · 19 Oct 2026, 00:00 CEST
Raw material specification	FLD-K1-003_statement.pdf Elena Márquez · 19 Oct 2026, 01:00 CEST
Statements	FLD-K1-004_statement.pdf Ravi Menon · 19 Oct 2026, 02:00 CEST
Sustainability certificates	FLD-K1-005_statement.pdf Elena Márquez · 19 Oct 2026, 03:00 CEST

K2.1 Components and additives Mandatory

Natural origin index	0.5 Elena Márquez · 19 Oct 2026, 04:00 CEST

K2.2 Byproducts and contaminations Mandatory

Analytical evidence from at least two batches	FLD-2.2-001_statement.pdf Elena Márquez · 19 Oct 2026, 06:00 CEST
Arsenic (As) content	1 mg/kg Elena Márquez · 19 Oct 2026, 07:00 CEST
Cadmium (Cd) content	1 mg/kg Ravi Menon · 19 Oct 2026, 08:00 CEST
Chromium (Cr) content	1 mg/kg Elena Márquez · 19 Oct 2026, 09:00 CEST

Justification for values above the BDF limit	Described in the attached statement. Elena Márquez · 19 Oct 2026, 19:00 CEST
Description of the manufacturing process, step by step (all steps, with temperatures and controls)	Step 1: The raw material is produced in a closed batch process under GMP conditions. Each batch is filtered, deodorised and tested against the specification before release. Stabilisation uses natural tocopherols only; no synthetic antioxidant is added. Die Ölphase wird bei höchstens 60 °C gemischt, danach unter Stickstoff abgefüllt. Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première. Residual solvents are below the limits of ICH Q3C; heavy metals are below 1 mg/kg in total. Step 2: Each batch is filtered, deodorised and tested against the specification before release. Stabilisation uses natural tocopherols only; no synthetic antioxidant is added. Die Ölphase wird bei höchstens 60 °C gemischt, danach unter Stickstoff abgefüllt. Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première. Residual solvents are below the limits of ICH Q3C; heavy metals are below 1 mg/kg in total. Storage: 15–25 °C, protected from light, in the closed original drum (<= 24 months). Step 3: Stabilisation uses natural tocopherols only; no synthetic antioxidant is added. Die Ölphase wird bei höchstens 60 °C gemischt, danach unter Stickstoff abgefüllt. Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première. Residual solvents are below the limits of ICH Q3C; heavy metals are below 1 mg/kg in total. Storage: 15–25 °C, protected from light, in the closed original drum (<= 24 months). The raw material is produced in a closed batch process under GMP conditions. Step 4: Die Ölphase wird bei höchstens 60 °C gemischt, danach unter Stickstoff abgefüllt. Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première. Residual solvents are below the limits of ICH Q3C; heavy metals are below 1 mg/kg in total. Storage: 15–25 °C, protected from light, in the closed original drum (<= 24 months). The raw material is produced in a closed batch process under GMP conditions. Each batch is filtered, deodorised and tested against the specification before release. Step 5: Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première. Residual solvents are below the limits of ICH Q3C; heavy metals are below 1 mg/kg in total. Storage: 15–25 °C, protected from light, in the closed original drum (<= 24 months). The raw material is produced in a closed batch process under GMP conditions. Each batch is filtered, deodorised and tested against the specification before release. Stabilisation uses natural tocopherols only; no synthetic antioxidant is added. Step 6: Residual solvents are below the limits of ICH Q3C; heavy metals are below 1 mg/kg in total. Storage: 15–25 °C, protected from light, in the closed original drum (<= 24 months). The raw material is produced in a closed batch process under GMP conditions. Each batch is filtered, deodorised and tested against the specification before release. Stabilisation uses natural tocopherols only; no synthetic antioxidant is added. Die Ölphase wird bei höchstens 60 °C gemischt, danach unter Stickstoff abgefüllt. Step 7: Storage: 15–25 °C, protected from light, in the closed original drum (<= 24 months). The raw material is produced in a closed batch process under GMP conditions. Each batch is filtered, deodorised and tested

against the specification before release. Stabilisation uses natural tocopherols only; no synthetic antioxidant is added. Die Ölphase wird bei höchstens 60 °C gemischt, danach unter Stickstoff abgefüllt. Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première.

Step 8: The raw material is produced in a closed batch process under GMP conditions. Each batch is filtered, deodorised and tested against the specification before release. Stabilisation uses natural tocopherols only; no synthetic antioxidant is added. Die Ölphase wird bei höchstens 60 °C gemischt, danach unter Stickstoff abgefüllt. Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première. Residual solvents are below the limits of ICH Q3C; heavy metals are below 1 mg/kg in total.

Step 9: Each batch is filtered, deodorised and tested against the specification before release. Stabilisation uses natural tocopherols only; no synthetic antioxidant is added. Die Ölphase wird bei höchstens 60 °C gemischt, danach unter Stickstoff abgefüllt. Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première. Residual solvents are below the limits of ICH Q3C; heavy metals are below 1 mg/kg in total. Storage: 15–25 °C, protected from light, in the closed original drum (<= 24 months).

Søren Ødegård · 19 Oct 2026, 11:15 CEST

K2.3 Source or type of starting materials Mandatory

Part(s) used	Bark Elena Márquez · 19 Oct 2026, 10:00 CEST
Country of origin	Test value Ravi Menon · 19 Oct 2026, 11:00 CEST
Feedstock (e.g. sunflower, palm, soy)	Test value Elena Márquez · 19 Oct 2026, 12:00 CEST
Content [%] in INCI	1 % Elena Márquez · 19 Oct 2026, 13:00 CEST
Content [%] in raw material	1 % Ravi Menon · 19 Oct 2026, 14:00 CEST

K5.1 Microbiological test Mandatory

Microbiological test report	FLD-5.1-001_statement.pdf Elena Márquez · 19 Oct 2026, 15:00 CEST

K6.8 Halal and kosher status Not applicable, justified

Justification: Not applicable for this grade. Each batch is filtered, deodorised and tested against the specification before release. Stabilisation uses natural tocopherols only; no synthetic antioxidant is added.

No field-level answers.

Annex 1 Vegetable origin Mandatory

Country of origin	Test value Ravi Menon · 19 Oct 2026, 11:00 CEST
Pesticides analysis available?	No Elena Márquez · 19 Oct 2026, 16:00 CEST

Reason the pesticides analysis is not available	Described in the attached statement. Elena Márquez · 19 Oct 2026, 20:00 CEST
Is palm (kernel) oil used as feedstock?	No Ravi Menon · 19 Oct 2026, 17:00 CEST

Annex 2 Manufacturing process Mandatory

INCI (European) / IUPAC	Cetyl Alcohol Elena Márquez · 18 Oct 2026, 20:00 CEST
Manufacturing process	Chemical Elena Márquez · 19 Oct 2026, 18:00 CEST

Further sections in scope

Answered with documents only (the CIQ template document, statements or certificates); the upload is optional. Each section shows the files uploaded to it, which are also listed under Evidence (part 3).

K3 Storage conditions and handling Mandatory	No document provided	K4.1 Toxicity data Mandatory	No document provided
K4.2 Environmental effects Mandatory	No document provided	K5.2 Total microbial count Mandatory	No document provided
K5.3 Antimicrobial treatment Mandatory	No document provided	K6.1 EU REACH Mandatory	No document provided
K6.5 Reg. 1223/2009 Annexes III–VI Mandatory	No document provided	K6.6 Ingredients Art. 19(g) / Annex III Mandatory	No document provided
K6.7 Animal testing (Art. 11(2)(e)) Mandatory	No document provided	K6.9 Nanomaterials Mandatory	No document provided
K6.10 Listing in pharmacopeia Mandatory	No document provided	K6.11 Listing as food additive Mandatory	No document provided
K6.12 GMP compliance and ISO certification Mandatory	No document provided	K6.16 Biodiversity laws Mandatory	No document provided · added later
K7 Customs and foreign trade Mandatory	No document provided	K8 Patent Mandatory	No document provided
K8.1 Additional patent information Optional	No document provided	Annex 9 Polyaromatic hydrocarbons (PAH) Mandatory	No document provided
Annex 10 EU REACH (per substance) Mandatory	No document provided		

2. Composition (K2.1)

#	INCI / IUPAC	CAS	EC / REACH no.	Function	Origin	Additive	Concentration
1	**Caprylic/Capric Triglyceride**	73398-61-5	277-452-2	emollient	Vegetable	No	0–3 %
2	**Helianthus Annuus (Sunflower) Seed Oil**	8001-21-6	232-273-9	skin conditioning	Vegetable	No	2–5 %
3	**Tocopherol**	59-02-9	200-412-2	antioxidant	Vegetable	Yes	4–7 %
4	**Butyrospermum Parkii (Shea) Butter**	194043-92-0	—	emollient	Vegetable	No	6–9 %
5	**Simmondsia Chinensis (Jojoba) Seed Oil**	61789-91-1	612-171-5	emollient	Vegetable	No	8–11 %
6	**Squalane**	111-01-3	203-825-6	emollient	Vegetable	No	0–3 %
7	**Hydrogenated Vegetable Oil (and) Rosmarinus Officinalis (Rosemary) Leaf Extract (and) Ascorbyl Palmitate**	—	—	antioxidant blend	Vegetable	Yes	2–5 %
8	**Glyceryl Stearate**	31566-31-1	250-705-4	emulsifying	Vegetable	No	4–7 %

#	INCI / IUPAC	CAS	EC / REACH no.	Function	Origin	Additive	Concentration
9	**Lecithin**	8002-43-5	232-307-2	emulsifying	Vegetable	No	6–9 %
10	**Olea Europaea (Olive) Fruit Oil**	8001-25-0	232-277-0	emollient	Vegetable	No	8–11 %
11	**Caprylic/Capric Triglyceride (Charge K)**	73398-61-5	277-452-2	emollient	Vegetable	Yes	0–3 %
12	**Helianthus Annuus (Sunflower) Seed Oil (Charge L)**	8001-21-6	232-273-9	skin conditioning	Vegetable	No	2–5 %
13	**Tocopherol (Charge M)**	59-02-9	200-412-2	antioxidant	Vegetable	No	4–7 %
14	**Butyrospermum Parkii (Shea) Butter (Charge N)**	194043-92-0	—	emollient	Vegetable	No	6–9 %
15	**Simmondsia Chinensis (Jojoba) Seed Oil (Charge O)**	61789-91-1	612-171-5	emollient	Vegetable	Yes	8–11 %
16	**Squalane (Charge P)**	111-01-3	203-825-6	emollient	Vegetable	No	0–3 %
17	**Hydrogenated Vegetable Oil (and) Rosmarinus Officinalis (Rosemary) Leaf Extract (and) Ascorbyl Palmitate (Charge Q)**	—	—	antioxidant blend	Vegetable	No	2–5 %
18	**Glyceryl Stearate (Charge R)**	31566-31-1	250-705-4	emulsifying	Vegetable	No	4–7 %
19	**Lecithin (Charge S)**	8002-43-5	232-307-2	emulsifying	Vegetable	Yes	6–9 %
20	**Olea Europaea (Olive) Fruit Oil (Charge T)**	8001-25-0	232-277-0	emollient	Vegetable	No	8–11 %
21	**Caprylic/Capric Triglyceride (Charge U)**	73398-61-5	277-452-2	emollient	Vegetable	No	0–3 %
22	**Helianthus Annuus (Sunflower) Seed Oil (Charge V)**	8001-21-6	232-273-9	skin conditioning	Vegetable	No	2–5 %
23	**Tocopherol (Charge W)**	59-02-9	200-412-2	antioxidant	Vegetable	Yes	4–7 %
24	**Butyrospermum Parkii (Shea) Butter (Charge X)**	194043-92-0	—	emollient	Vegetable	No	6–9 %
25	**Simmondsia Chinensis (Jojoba) Seed Oil (Charge Y)**	61789-91-1	612-171-5	emollient	Vegetable	No	8–11 %
26	**Squalane (Charge Z)**	111-01-3	203-825-6	emollient	Vegetable	No	0–3 %

3. Evidence

Document	Section / question	Uploaded by	Upload date
FLD-K1-001_statement.pdf	K1 Safety data sheet (SDS)	Ravi Menon	18 Oct 2026, 23:00 CEST
FLD-K1-002_statement.pdf	K1 Certificate of analysis (CoA)	Elena Márquez	19 Oct 2026, 00:00 CEST
FLD-K1-003_statement.pdf	K1 Raw material specification	Elena Márquez	19 Oct 2026, 01:00 CEST
FLD-K1-004_statement.pdf	K1 Statements	Ravi Menon	19 Oct 2026, 02:00 CEST

Document	Section / question	Uploaded by	Upload date
FLD-K1-005_statement.pdf	K1 Sustainability certificates	Elena Márquez	19 Oct 2026, 03:00 CEST
FLD-2.2-001_statement.pdf	K2.2 Analytical evidence from at least two batches	Elena Márquez	19 Oct 2026, 06:00 CEST
FLD-5.1-001_statement.pdf	K5.1 Microbiological test report	Elena Márquez	19 Oct 2026, 15:00 CEST
ZZT-0099_K6.12_GMP-Zertifikat_ISO-22716_Werk-Süd_2026-2029_unterschrieben_und_beglaubigt.pdf	K1 Certificate of analysis (CoA)	Elena Márquez	19 Oct 2026, 08:00 CEST
Analysenzertifikat Charge 2401 (Prüfbericht Nr. 7013).pdf	K2.2 Analytical evidence from at least two batches	Ravi Menon	19 Oct 2026, 09:03 CEST
Analysenzertifikat Charge 2402 (Prüfbericht Nr. 7026).pdf	K1 Certificate of analysis (CoA)	Jürgen Weiß	19 Oct 2026, 10:06 CEST
ZZT-0099_K6.12_GMP-Zertifikat_ISO-22716_Werk-Süd_2029-2032_unterschrieben_und_beglaubigt.pdf	K2.2 Analytical evidence from at least two batches	Zoë Švec	19 Oct 2026, 11:09 CEST
Analysenzertifikat Charge 2404 (Prüfbericht Nr. 7052).pdf	K1 Certificate of analysis (CoA)	François Lefèvre	19 Oct 2026, 12:12 CEST
Analysenzertifikat Charge 2405 (Prüfbericht Nr. 7065).pdf	K2.2 Analytical evidence from at least two batches	Elena Márquez	19 Oct 2026, 13:15 CEST
ZZT-0099_K6.12_GMP-Zertifikat_ISO-22716_Werk-Süd_2032-2035_unterschrieben_und_beglaubigt.pdf	K1 Certificate of analysis (CoA)	Ravi Menon	19 Oct 2026, 14:18 CEST
Analysenzertifikat Charge 2407 (Prüfbericht Nr. 7091).pdf	K2.2 Analytical evidence from at least two batches	Jürgen Weiß	19 Oct 2026, 15:21 CEST
Analysenzertifikat Charge 2408 (Prüfbericht Nr. 7104).pdf	K1 Certificate of analysis (CoA)	Zoë Švec	19 Oct 2026, 16:24 CEST
ZZT-0099_K6.12_GMP-Zertifikat_ISO-22716_Werk-Süd_2035-2038_unterschrieben_und_beglaubigt.pdf	K2.2 Analytical evidence from at least two batches	François Lefèvre	19 Oct 2026, 17:27 CEST
Analysenzertifikat Charge 2410 (Prüfbericht Nr. 7130).pdf	K1 Certificate of analysis (CoA)	Elena Márquez	19 Oct 2026, 18:30 CEST
Analysenzertifikat Charge 2411 (Prüfbericht Nr. 7143).pdf	K2.2 Analytical evidence from at least two batches	Ravi Menon	19 Oct 2026, 19:33 CEST
ZZT-0099_K6.12_GMP-Zertifikat_ISO-22716_Werk-Süd_2038-2041_unterschrieben_und_beglaubigt.pdf	K1 Certificate of analysis (CoA)	Jürgen Weiß	19 Oct 2026, 08:36 CEST
Analysenzertifikat Charge 2413 (Prüfbericht Nr. 7169).pdf	K2.2 Analytical evidence from at least two batches	Zoë Švec	19 Oct 2026, 09:39 CEST
Analysenzertifikat Charge 2414 (Prüfbericht Nr. 7182).pdf	K1 Certificate of analysis (CoA)	François Lefèvre	19 Oct 2026, 10:42 CEST
ZZT-0099_K6.12_GMP-Zertifikat_ISO-22716_Werk-Süd_2041-2044_unterschrieben_und_beglaubigt.pdf	K2.2 Analytical evidence from at least two batches	Elena Márquez	19 Oct 2026, 11:45 CEST

Document	Section / question	Uploaded by	Upload date
Analysenzertifikat Charge 2416 (Prüfbericht Nr. 7208).pdf	K1 Certificate of analysis (CoA)	Ravi Menon	19 Oct 2026, 12:48 CEST
Analysenzertifikat Charge 2417 (Prüfbericht Nr. 7221).pdf	K2.2 Analytical evidence from at least two batches	Jürgen Weiß	19 Oct 2026, 13:51 CEST
Not provided Justification: No allergen of Annex III is used on the line. Residual solvents are below the limits of ICH Q3C; heavy metals are below 1 mg/kg in total. Storage: 15–25 °C, protected from light, in the closed original drum (<= 24 months).	K1 Requested document: Allergen statement	Zoë Švec justified	19 Oct 2026, 20:00 CEST

4. Open points, round by round

OP-0005-01 · Query · K1 › specification — Raised by Katrin Vogel, 20 Oct 2026, 10:00 CEST · **Accepted**

ROUND 1

Katrin Vogel (Beiersdorf) · Raised · 20 Oct 2026, 10:00 CEST
Please confirm the shelf life stated on the specification.

Elena Márquez (supplier) · Answered · 20 Oct 2026, 11:00 CEST
See the attached statement.
Attachment: FLD-K1-003_statement.pdf

ROUND 2

Katrin Vogel (Beiersdorf) · Returned to supplier · 20 Oct 2026, 12:00 CEST
The statement gives no shelf life. Please state it.

Katrin Vogel (Beiersdorf) · Changed by the raiser · 20 Oct 2026, 12:05 CEST
Due date changed to 27 Oct 2026.

Ravi Menon (supplier) · Answered · 20 Oct 2026, 13:00 CEST
24 months from production.

Katrin Vogel (Beiersdorf) · Accepted · 20 Oct 2026, 14:00 CEST
Accepted.

OP-0005-02 · Document request · K4.1 › toxicity data — Raised by Dr. Mira Hansen, 20 Oct 2026, 10:30 CEST · **Not accepted**

ROUND 1

Dr. Mira Hansen (Beiersdorf) · Raised · 20 Oct 2026, 10:30 CEST
Please send the full toxicological dossier.

Elena Márquez (supplier) · Cannot provide (justified) · 20 Oct 2026, 11:30 CEST
No dossier exists for this grade.

Dr. Mira Hansen (Beiersdorf) · Closed as not accepted · 20 Oct 2026, 13:30 CEST
Closed as not accepted.

OP-0099-03 · Query · K2.2 › Arsenic (As) content — Raised by Katrin Vogel, 20 Oct 2026, 08:00 CEST · **Accepted**

ROUND 1

Katrin Vogel (Beiersdorf) · Raised · 20 Oct 2026, 08:00 CEST
Question 1: The raw material is produced in a closed batch process under GMP conditions. Each batch is filtered, deodorised and tested against the specification before release.

OP-0099-03 · Query · K2.2 › Arsenic (As) content (continued)

Elena Márquez (supplier) · Answered · 20 Oct 2026, 08:30 CEST

The raw material is produced in a closed batch process under GMP conditions. Each batch is filtered, deodorised and tested against the specification before release.

Regards,
Elena Márquez

Attachment: ZZT-0099_Antwort_OP-3_Runde-1_Prüfbericht.pdf

Katrin Vogel (Beiersdorf) · Accepted · 20 Oct 2026, 14:00 CEST

Accepted.

OP-0099-04 · Document request · K6.12 › GMP certificate — Raised by Dr. Mira Hansen, 20 Oct 2026, 08:05 CEST · **Accepted**

ROUND 1

Dr. Mira Hansen (Beiersdorf) · Raised · 20 Oct 2026, 08:05 CEST

Question 2: Each batch is filtered, deodorised and tested against the specification before release. Stabilisation uses natural tocopherols only; no synthetic antioxidant is added. Die Ölphase wird bei höchstens 60 °C gemischt, danach unter Stickstoff abgefüllt.

Ravi Menon (supplier) · Answered · 20 Oct 2026, 08:35 CEST

Each batch is filtered, deodorised and tested against the specification before release. Stabilisation uses natural tocopherols only; no synthetic antioxidant is added. Die Ölphase wird bei höchstens 60 °C gemischt, danach unter Stickstoff abgefüllt.

Regards,
Ravi Menon

Attachment: ZZT-0099_Antwort_OP-4_Runde-1_Prüfbericht.pdf

ROUND 2

Dr. Mira Hansen (Beiersdorf) · Returned to supplier · 20 Oct 2026, 09:05 CEST

Please complete the answer. Stabilisation uses natural tocopherols only; no synthetic antioxidant is added. Die Ölphase wird bei höchstens 60 °C gemischt, danach unter Stickstoff abgefüllt.

Jürgen Weiß (supplier) · Answered · 20 Oct 2026, 09:35 CEST

Stabilisation uses natural tocopherols only; no synthetic antioxidant is added. Die Ölphase wird bei höchstens 60 °C gemischt, danach unter Stickstoff abgefüllt. Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première. Residual solvents are below the limits of ICH Q3C; heavy metals are below 1 mg/kg in total.

Regards,
Jürgen Weiß

Dr. Mira Hansen (Beiersdorf) · Accepted · 20 Oct 2026, 14:05 CEST

Accepted.

OP-0099-05 · Query · Annex 2 › Manufacturing process — Raised by Dr. Jonas Albrecht, 20 Oct 2026, 08:10 CEST · **Not accepted**

ROUND 1

Dr. Jonas Albrecht (Beiersdorf) · Raised · 20 Oct 2026, 08:10 CEST

Question 3: Stabilisation uses natural tocopherols only; no synthetic antioxidant is added. Die Ölphase wird bei höchstens 60 °C gemischt, danach unter Stickstoff abgefüllt. Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première. Residual solvents are below the limits of ICH Q3C; heavy metals are below 1 mg/kg in total.

Jürgen Weiß (supplier) · Answered · 20 Oct 2026, 08:40 CEST

Stabilisation uses natural tocopherols only; no synthetic antioxidant is added. Die Ölphase wird bei höchstens 60 °C gemischt, danach unter Stickstoff abgefüllt. Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première. Residual solvents are below the limits of ICH Q3C; heavy metals are below 1 mg/kg in total.

Regards,
Jürgen Weiß

Attachment: ZZT-0099_Antwort_OP-5_Runde-1_Prüfbericht.pdf

OP-0099-05 · Query · Annex 2 › Manufacturing process (continued)

ROUND 2

Dr. Jonas Albrecht (Beiersdorf) · Returned to supplier · 20 Oct 2026, 09:10 CEST

Please complete the answer. Die Ölphase wird bei höchstens 60 °C gemischt, danach unter Stickstoff abgefüllt. Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première. Residual solvents are below the limits of ICH Q3C; heavy metals are below 1 mg/kg in total.

Zoë Švec (supplier) · Answered · 20 Oct 2026, 09:40 CEST

Die Ölphase wird bei höchstens 60 °C gemischt, danach unter Stickstoff abgefüllt. Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première. Residual solvents are below the limits of ICH Q3C; heavy metals are below 1 mg/kg in total. Storage: 15–25 °C, protected from light, in the closed original drum (<= 24 months). The raw material is produced in a closed batch process under GMP conditions.

Regards,
Zoë Švec

ROUND 3

Dr. Jonas Albrecht (Beiersdorf) · Returned to supplier · 20 Oct 2026, 10:10 CEST

Please complete the answer. Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première. Residual solvents are below the limits of ICH Q3C; heavy metals are below 1 mg/kg in total. Storage: 15–25 °C, protected from light, in the closed original drum (<= 24 months).

François Lefèvre (supplier) · Cannot provide (justified) · 20 Oct 2026, 10:40 CEST

Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première. Residual solvents are below the limits of ICH Q3C; heavy metals are below 1 mg/kg in total.

Regards,
François Lefèvre

Attachment: ZZT-0099_Antwort_OP-5_Runde-3_Prüfbericht.pdf

Dr. Jonas Albrecht (Beiersdorf) · Closed as not accepted · 20 Oct 2026, 14:10 CEST

Closed as not accepted.

OP-0099-06 · Additional section · K1 › specification Raised by Lena Krause, 20 Oct 2026, 08:15 CEST · **Closed, no answer needed**

ROUND 1

Lena Krause (Beiersdorf) · Raised · 20 Oct 2026, 08:15 CEST

Question 4: Die Ölphase wird bei höchstens 60 °C gemischt, danach unter Stickstoff abgefüllt. Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première.

Zoë Švec (supplier) · Answered · 20 Oct 2026, 08:45 CEST

Die Ölphase wird bei höchstens 60 °C gemischt, danach unter Stickstoff abgefüllt. Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première. Residual solvents are below the limits of ICH Q3C; heavy metals are below 1 mg/kg in total. Storage: 15–25 °C, protected from light, in the closed original drum (<= 24 months). The raw material is produced in a closed batch process under GMP conditions.

Regards,
Zoë Švec

Attachment: ZZT-0099_Antwort_OP-6_Runde-1_Prüfbericht.pdf

ROUND 2

Lena Krause (Beiersdorf) · Returned to supplier · 20 Oct 2026, 09:15 CEST

Please complete the answer. Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première.

François Lefèvre (supplier) · Cannot provide (justified) · 20 Oct 2026, 09:45 CEST

Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première. Residual solvents are below the limits of ICH Q3C; heavy metals are below 1 mg/kg in total.

Regards,
François Lefèvre

OP-0099-06 · Additional section · K1 › specification (continued)

ROUND 3

Lena Krause (Beiersdorf) · Returned to supplier · 20 Oct 2026, 10:15 CEST

Please complete the answer. Residual solvents are below the limits of ICH Q3C; heavy metals are below 1 mg/kg in total.

Elena Márquez (supplier) · Answered · 20 Oct 2026, 10:45 CEST

Residual solvents are below the limits of ICH Q3C; heavy metals are below 1 mg/kg in total. Storage: 15–25 °C, protected from light, in the closed original drum (<= 24 months). The raw material is produced in a closed batch process under GMP conditions.

Regards,
Elena Márquez

Attachment: ZZT-0099_Antwort_OP-6_Runde-3_Prüfbericht.pdf

ROUND 4

Lena Krause (Beiersdorf) · Returned to supplier · 20 Oct 2026, 11:15 CEST

Please complete the answer. Storage: 15–25 °C, protected from light, in the closed original drum (<= 24 months).

Ravi Menon (supplier) · Answered · 20 Oct 2026, 11:45 CEST

Storage: 15–25 °C, protected from light, in the closed original drum (<= 24 months). The raw material is produced in a closed batch process under GMP conditions. Each batch is filtered, deodorised and tested against the specification before release. Stabilisation uses natural tocopherols only; no synthetic antioxidant is added.

Regards,
Ravi Menon

Lena Krause (Beiersdorf) · Closed as not accepted · 20 Oct 2026, 14:15 CEST

Closed as not accepted.

OP-0099-07 · Query · K4.1 › toxicity data — Raised by Katrin Vogel, 20 Oct 2026, 08:20 CEST · **Accepted**

ROUND 1

Katrin Vogel (Beiersdorf) · Raised · 20 Oct 2026, 08:20 CEST

Question 5: Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première. Residual solvents are below the limits of ICH Q3C; heavy metals are below 1 mg/kg in total. Storage: 15–25 °C, protected from light, in the closed original drum (<= 24 months).

François Lefèvre (supplier) · Cannot provide (justified) · 20 Oct 2026, 08:50 CEST

Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première. Residual solvents are below the limits of ICH Q3C; heavy metals are below 1 mg/kg in total.

Regards,
François Lefèvre

Attachment: ZZT-0099_Antwort_OP-7_Runde-1_Prüfbericht.pdf

Katrin Vogel (Beiersdorf) · Accepted · 20 Oct 2026, 14:20 CEST

Accepted.

OP-0099-08 · Query · K2.2 › Arsenic (As) content — Raised by Dr. Mira Hansen, 20 Oct 2026, 08:25 CEST · **Accepted**

ROUND 1

Dr. Mira Hansen (Beiersdorf) · Raised · 20 Oct 2026, 08:25 CEST

Question 6: Residual solvents are below the limits of ICH Q3C; heavy metals are below 1 mg/kg in total. Storage: 15–25 °C, protected from light, in the closed original drum (<= 24 months). The raw material is produced in a closed batch process under GMP conditions. Each batch is filtered, deodorised and tested against the specification before release.

OP-0099-08 · Query · K2.2 › Arsenic (As) content (continued)

Elena Márquez (supplier) · Answered · 20 Oct 2026, 08:55 CEST

Residual solvents are below the limits of ICH Q3C; heavy metals are below 1 mg/kg in total. Storage: 15–25 °C, protected from light, in the closed original drum (<= 24 months). The raw material is produced in a closed batch process under GMP conditions.

Regards,
Elena Márquez

Attachment: ZZT-0099_Antwort_OP-8_Runde-1_Prüfbericht.pdf

ROUND 2

Dr. Mira Hansen (Beiersdorf) · Returned to supplier · 20 Oct 2026, 09:25 CEST

Please complete the answer. Storage: 15–25 °C, protected from light, in the closed original drum (<= 24 months). The raw material is produced in a closed batch process under GMP conditions. Each batch is filtered, deodorised and tested against the specification before release.

Ravi Menon (supplier) · Answered · 20 Oct 2026, 09:55 CEST

Storage: 15–25 °C, protected from light, in the closed original drum (<= 24 months). The raw material is produced in a closed batch process under GMP conditions. Each batch is filtered, deodorised and tested against the specification before release. Stabilisation uses natural tocopherols only; no synthetic antioxidant is added.

Regards,
Ravi Menon

Dr. Mira Hansen (Beiersdorf) · Accepted · 20 Oct 2026, 14:25 CEST

Accepted.

OP-0099-09 · Document request · K6.12 › GMP certificate — Raised by Dr. Jonas Albrecht, 20 Oct 2026, 08:30 CEST · **Accepted**

ROUND 1

Dr. Jonas Albrecht (Beiersdorf) · Raised · 20 Oct 2026, 08:30 CEST

Question 7: Storage: 15–25 °C, protected from light, in the closed original drum (<= 24 months). The raw material is produced in a closed batch process under GMP conditions.

Ravi Menon (supplier) · Answered · 2026-10-20T06:60:00.000Z

Storage: 15–25 °C, protected from light, in the closed original drum (<= 24 months). The raw material is produced in a closed batch process under GMP conditions. Each batch is filtered, deodorised and tested against the specification before release. Stabilisation uses natural tocopherols only; no synthetic antioxidant is added.

Regards,
Ravi Menon

Attachment: ZZT-0099_Antwort_OP-9_Runde-1_Prüfbericht.pdf

ROUND 2

Dr. Jonas Albrecht (Beiersdorf) · Returned to supplier · 20 Oct 2026, 09:30 CEST

Please complete the answer. The raw material is produced in a closed batch process under GMP conditions.

Jürgen Weiß (supplier) · Answered · 2026-10-20T07:60:00.000Z

The raw material is produced in a closed batch process under GMP conditions. Each batch is filtered, deodorised and tested against the specification before release. Stabilisation uses natural tocopherols only; no synthetic antioxidant is added. Die Ölphase wird bei höchstens 60 °C gemischt, danach unter Stickstoff abgefüllt. Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première.

Regards,
Jürgen Weiß

ROUND 3

Dr. Jonas Albrecht (Beiersdorf) · Returned to supplier · 20 Oct 2026, 10:30 CEST

Please complete the answer. Each batch is filtered, deodorised and tested against the specification before release.

OP-0099-09 · Document request · K6.12 › GMP certificate (continued)

Zoë Švec (supplier) · Answered · 2026-10-20T08:60:00.000Z

Each batch is filtered, deodorised and tested against the specification before release. Stabilisation uses natural tocopherols only; no synthetic antioxidant is added.

Regards,
Zoë Švec

Attachment: ZZT-0099_Antwort_OP-9_Runde-3_Prüfbericht.pdf

Dr. Jonas Albrecht (Beiersdorf) · Accepted · 20 Oct 2026, 14:30 CEST

Accepted.

OP-0099-10 · Query · Annex 2 › Manufacturing process — Raised by Lena Krause, 20 Oct 2026, 08:35 CEST · **Not accepted**

ROUND 1

Lena Krause (Beiersdorf) · Raised · 20 Oct 2026, 08:35 CEST

Question 8: The raw material is produced in a closed batch process under GMP conditions. Each batch is filtered, deodorised and tested against the specification before release. Stabilisation uses natural tocopherols only; no synthetic antioxidant is added.

Jürgen Weiß (supplier) · Answered · 2026-10-20T06:65:00.000Z

The raw material is produced in a closed batch process under GMP conditions. Each batch is filtered, deodorised and tested against the specification before release. Stabilisation uses natural tocopherols only; no synthetic antioxidant is added. Die Ölphase wird bei höchstens 60 °C gemischt, danach unter Stickstoff abgefüllt. Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première.

Regards,
Jürgen Weiß

Attachment: ZZT-0099_Antwort_OP-10_Runde-1_Prüfbericht.pdf

ROUND 2

Lena Krause (Beiersdorf) · Returned to supplier · 20 Oct 2026, 09:35 CEST

Please complete the answer. Each batch is filtered, deodorised and tested against the specification before release. Stabilisation uses natural tocopherols only; no synthetic antioxidant is added.

Zoë Švec (supplier) · Answered · 2026-10-20T07:65:00.000Z

Each batch is filtered, deodorised and tested against the specification before release. Stabilisation uses natural tocopherols only; no synthetic antioxidant is added.

Regards,
Zoë Švec

ROUND 3

Lena Krause (Beiersdorf) · Returned to supplier · 20 Oct 2026, 10:35 CEST

Please complete the answer. Stabilisation uses natural tocopherols only; no synthetic antioxidant is added. Die Ölphase wird bei höchstens 60 °C gemischt, danach unter Stickstoff abgefüllt.

François Lefèvre (supplier) · Cannot provide (justified) · 2026-10-20T08:65:00.000Z

Stabilisation uses natural tocopherols only; no synthetic antioxidant is added. Die Ölphase wird bei höchstens 60 °C gemischt, danach unter Stickstoff abgefüllt. Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première.

Regards,
François Lefèvre

Attachment: ZZT-0099_Antwort_OP-10_Runde-3_Prüfbericht.pdf

ROUND 4

Lena Krause (Beiersdorf) · Returned to supplier · 20 Oct 2026, 11:35 CEST

Please complete the answer. Die Ölphase wird bei höchstens 60 °C gemischt, danach unter Stickstoff abgefüllt. Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première.

OP-0099-10 · Query · Annex 2 › Manufacturing process (continued)

Elena Márquez (supplier) · Answered · 2026-10-20T09:65:00.000Z

Die Ölphase wird bei höchstens 60 °C gemischt, danach unter Stickstoff abgefüllt. Les lots sont libérés après contrôle qualité; la traçabilité est assurée jusqu'à la matière première. Residual solvents are below the limits of ICH Q3C; heavy metals are below 1 mg/kg in total. Storage: 15–25 °C, protected from light, in the closed original drum (<= 24 months).

Regards,
Elena Márquez

Lena Krause (Beiersdorf) · Closed as not accepted · 20 Oct 2026, 14:35 CEST

Closed as not accepted.

5. Confirmations

Completeness confirmation	Elena Márquez · Regulatory Manager · elena.marquez@solvaro.example Completeness confirmation: data and documents provided from the supplier's point of view. Not a Beiersdorf approval.	19 Oct 2026, 21:00 CEST
Review completed: Regulatory	Dr. Jonas Albrecht · Regulatory Affairs reviewer · jonas.albrecht@beiersdorf.example Review completed: assigned data and documents reviewed, no open query. Not a raw-material approval.	20 Oct 2026, 04:00 CEST
Review completed: Safety	Dr. Mira Hansen · Product Safety reviewer · mira.hansen@beiersdorf.example Review completed: assigned data and documents reviewed, no open query. Not a raw-material approval.	20 Oct 2026, 10:00 CEST
Review completed: QM	Lena Krause · Quality Management reviewer · lena.krause@beiersdorf.example Review completed: assigned data and documents reviewed, no open query. Not a raw-material approval.	20 Oct 2026, 11:00 CEST
Review completed: Microbiology	Tobias Keller · Microbiology reviewer · tobias.keller@beiersdorf.example Review completed: assigned data and documents reviewed, no open query. Not a raw-material approval.	20 Oct 2026, 12:00 CEST
Review completed: RMM	Katrin Vogel · Raw Material Manager (RMM) · katrin.vogel@beiersdorf.example RMM review completed: whole CIQ reviewed, no open query. Not a raw-material approval.	20 Oct 2026, 13:00 CEST
Final release	Elena Márquez · Regulatory Manager · elena.marquez@solvaro.example Final CIQ release: the information and evidence are correct and complete. The CIQ is frozen.	20 Oct 2026, 14:00 CEST

None of these confirmations is a raw-material approval.

ZZT-0099-FD · generated 20 Oct 2026, 14:00 CEST

✓ Document seal 5acb760e68abc5b5

The SHA-256 of this PDF is filed on the case (Final Document Hash).