```
Lecture 17 Demo Program 1, Character List Alphabetization
              Lecture 17 Demo Program 1, Character List Alphabetization
#
  Alphabetizes a sequence of ASCII lower-case letters and prints out the resulting
alphabetized list.
   The list of letters is in the data declaration and contains all 26 alphabet
letters in random order.
   $t0 -- Pointer to current spot in letters
   $t1 -- Holds the "upstream compare character"
   $t2 -- Holds the current character being analyzed
   $t7 -- Pointer to the first character in string
        . text
        Ia $t0, string
                          # Load the string address into $t0
mai n:
        la $t7, string
lb $t1, 0($t0)
                          # Load the string address into $t7
# Load first two characters to be compared
comp:
        lb $t2, 1($t0)
        begz $t2, done
                          # If the new character = 0, done
        ble $t1,$t2,count # If characters in correct order, get next character
                          # Characters not in correct order; go to reverse
                          # Character in correct position; get next character
        j comp
count:
        addi $t0, $t0, 1
                         # Increment current character address
        j comp
                          # Return to next character compare
done:
        la $a0, string
                          # Print out alphabetized string + CR
        li $v0, 4
        syscall
        Ii $v0, 10
                          # Done; end program.
        syscal I
# Character reverse routine follows
        sub $sp, $sp, 4
sw $ra, ($sp)
sb $t1, 1($t0)
rev:
                          # Store contents of $ra on the stack
                          # Decrement stack pointer.
                          # Exchange two character positions
        sb $t2,0($t0)
        beq $t0, $t7, goback # If at first position in the string, done
        sub $t0, $t0, 1
                          # Decrement the letter pointer.
                          # Compare letter to next "upstream" letter
        Ib $t1, 0($t0)
        Ib $t2, 1($t0)
        ble $t1, $t2, goback # If letter is properly placed, done
        jal rev
                          # Not done yet; move back another position
goback: addi $t0, $t0, 1
                         # Reverse done; move back to current position
        Iw $ra, ($sp)
        addi $sp, $sp, 4
        jr $ra
        . data
string: .asciiz "qwertyui opasdfghj kl zxcvbnm"
                                                   # Characters list
# End of Lecture 17 Demo Program 1.
```