



# Could this be the one?

The information you requested is here.



Take the next step  
**with HARVONI.**



**HARVONI**, a prescription medicine containing ledipasvir and sofosbuvir, is used to treat chronic (lasting a long time) hepatitis C genotype 1 infection in adults. It is not known if HARVONI is safe and effective in children under 18 years of age.

## A different kind of treatment regimen.

In the past, treatment regimens for chronic hepatitis C (Hep C) genotype 1 were challenging. They often included multiple separate medicines and complicated dosing, and were frequently difficult to tolerate. **Today there's HARVONI:**

- Proven to cure Hep C with one pill, once a day
- No interferon or ribavirin
- Most common side effects include tiredness and headache

Cure means the Hep C virus is not detected in the blood when measured three months after treatment is completed.

## Ask yourself.

In order to take the next step with HARVONI, it's important to think about what you want from your Hep C treatment:

- Am I ready to put Hep C behind me?
- Do I want a Hep C treatment regimen that's simple?
- Do I want the possibility of a cure with just 12 weeks of therapy?\*

**If your answer is “yes” to any of these questions, you may be ready for HARVONI.**

\*In a study of 865 patients with genotype 1 Hep C and no prior Hep C treatment, with or without advanced liver disease (cirrhosis), 99% (210 out of 213) of those who received HARVONI once daily for 12 weeks were cured. In a separate study of 647 patients with genotype 1 Hep C, with no prior Hep C treatment and without cirrhosis, 96% (208 out of 216) of those who received HARVONI once daily for 12 weeks were cured.

## What should I tell my healthcare provider before taking HARVONI?

- If you have: liver problems other than hepatitis C infection; severe kidney problems or are on dialysis; any other medical condition; or if you are pregnant or breastfeeding or plan to become pregnant or breastfeed. It is not known if HARVONI will harm your unborn baby or pass into your breast milk.
- If you take amiodarone (Cordarone®, Nexterone®, Pacerone®), rifampin (Rifadin®, Rifamate®, Rifater®), St. John's wort or a product that contains St. John's wort. Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. HARVONI may affect the way other medicines work, and other medicines may affect how HARVONI works.



## Ask your doctor.

Your next appointment with your Hep C specialist could bring you one step closer to a cure. Here are five key questions to ask:

- Considering my medical history and liver condition, is HARVONI a good option for me?
- How is HARVONI different from other Hep C treatments?
- What side effects can I expect?
- What are my next steps before starting treatment with HARVONI?
- How will I know I'm cured?

**Talk to a HARVONI educator  
at 1-844-READY41 (1-844-732-3941)  
for more information.**

**You should not take HARVONI** if you also take other medicines that contain sofosbuvir (SOVALDI®).

### **What are the most common side effects of HARVONI?**

Common side effects include tiredness and headache.



HARVONI, the HARVONI logo, SOVALDI, SUPPORT PATH, the SUPPORT PATH logo, GILEAD and the GILEAD logo are trademarks of Gilead Sciences, Inc., or its related companies. All other trademarks referenced herein are the property of their respective owners. ©2015 Gilead Sciences, Inc. All rights reserved. HVNC0072 09/15