















# UNIVERSITY OF TENNESSEE

## HASLAM FIELD EXPANSION

**DESIGN DEVELOPMENT 1 (DD1) 100%**


MAY 14, 2024

PROJECT #UT23041

PAINT	ACRYLIC PAINT	LAMINATE	VINYL	GRAPHIC	PERF
P1  WHITE	A1  WHITE MATTHEWS PAINT MP27386 VERIZON WHITE	L1  HIGH GLOSS WHITE ABET LAMINATE LUCIDA - 405	V1  ORANGE VINYL FOR LIT SIGNAGE: ORACAL 8300 COLOR 20 - GOLDEN YELLOW	WC1  WALLCOVERING GRAPHIC	PF1  PERF METAL MCNICHOLS PERFORATED METAL ROUND, ALUMINUM, ALLOY 3003-H14, .1250" THICK (8 GAUGE), 1" ROUND ON 1-1/4" STAGGERED CENTERS
P2  ORANGE	A2  ORANGE MATTHEWS PAINT PMS 151 CLEAR ACRYLIC SATIN FINISH	L2  ORANGE WILSONART ORANGE GROVE D501-01 HIGH GLOSS WILSONART MATTE NATURAL 6252		G1  FABRIC GRAPHIC	
P3  SMOKEY GRAY MATCH PMS COOL GRAY II	A3  SMOKEY GRAY MATCH PMS COOL GRAY II	L3  DARK GRAY HIGH GLOSS		G2  BACKLIT FABRIC GRAPHIC	
	A4  DARK GRAY	L4  WILSONART MATTE NATURAL 6252		G3  2ND SURFACE ACRYLIC GRAPHIC PANEL	
		L5  WILSONART POLISHED NATURAL ALUMINUM 6251		G4  PRINTED VINYL GRAPHIC	



# EXPERIENCE MAP



# LEVEL 1

## EXPERIENCE MAP HASLAM FIELD EXPANSION //

(FLOOR, AREA, DISPLAY, ELEMENT)

1.1

LOWER ATRIUM

1.2

LOCKER ROOM

1.3

MUD ROOM + COOLDOWN

1.4

PLAYER LOUNGE + CORRIDOR



## LEVEL 2

### EXPERIENCE MAP HASLAM FIELD EXPANSION //

(FLOOR, AREA, DISPLAY, ELEMENT)

2.1

UPPER ATRIUM

2.2

MEETING ROOM CORRIDOR

2.3

MEETING ROOM A

2.4

MEETING ROOM B

2.5

MEETING ROOM C



# LOWER ATRIUM


LEVEL 1 // AREA 1

# LEVEL 1


## EXPERIENCE MAP HASLAM FIELD EXPANSION //

(FLOOR, AREA, DISPLAY, ELEMENT)






RENDERINGS FOR REFERENCE ONLY



RENDERINGS FOR REFERENCE ONLY



**1.1.1 FABRIC GRAPHIC**

1    **LOWER ATRIUM WEST**  
SCALE: 3/8" = 1'-0"






FABRIC GRAPHIC (G1)


1


FABRIC GRAPHIC  
SCALE: 3/4" = 1'-0"

1.1.1



1 LOWER ATRIUM NORTH  
SCALE: 1/8" = 1'-0"





**1.1.2 FABRIC GRAPHIC**


**L1 MILLWORK BUILDOUT**

**L1 MILLWORK PANELS**


**L1 PANELS ANGLED  
RETURN LINE BACK  
TO WALL**


1 **LOWER ATRIUM - NORTH**  
SCALE: 3/8" = 1'-0"





1 FABRIC GRAPHIC 1.1.2  
SCALE: 1/2" = 1'-0"








1




**MANNEQUIN DISPLAY - INTEGRATION | 1.1.4**



SCALE: 1/2" = 1'-0"

**PROVIDE (2) FLUSH DUPLEX  
RECEPTACLES ON BACK WALL  
ON A SHARED DEDICATED 120V  
20 AMP CIRCUIT**










**OPTION A:**  
3" DEEP METAL CAN LETTER  
P2 FACE  
P2 RETURNS


**OPTION B:**  
RGBW FACELIT LETTER  
V1 FACE  
P2 ORANGE RETURNS  
WILL REQUIRE A RETAINER AND MATERIAL SEAMS AS SHOWN  
WILL ALSO REQUIRE A JBOX ON A DEDICATED 120V 20 AMP  
CIRCUIT LOCATED IN NEAREST ACCESSIBLE AREA WITH EMPTY  
CONDUIT AND PULL STRINGS RAN TO FLUSH EMPTY 4X4 JBOX  
BEHIND THE LOGO


1 **GIVE MY ALL** | 1.1.5  
SCALE: 1" = 1'-0"

2 **POWER T** | 1.1.6  
SCALE: 3/8" = 1'-0"




1 LOWER ATRIUM - EAST  
SCALE: 1/4" = 1'-0"





**PROVIDE EXTRA DIMENSIONAL NUMBERS FOR UPDATEABILITY:  
THIRD DIGIT - 6 FULL SETS OF 0-9  
SECOND DIGIT - +2 NUMBERS (FOR INCREASE)**



**2 NUMEROLOGY DIM TEXT 1.1.7**

# 1 NUMEROLOGY

# 6

NATIONAL  
CHAMPIONSHIPS

# 387

NFL DRAFT PICKS

# 166

ALL-AMERICANS

Combined 78 1st team and 88 2nd/3rd/HM

# 13

SEC CHAMPIONSHIPS

# 47

FIRST ROUND  
DRAFT PICKS


# 26

COLLEGE FOOTBALL  
HALL OF FAMERS

1

NUMEROLOGY DIM TEXT | 1.1.7

SCALE: 1-1/2" = 1'-0"




**1.1.8 VOLS + HELMET DISPLAY  
(WALL BEYOND)**

**1.1.9 DIGITAL BOARD  
(WALL BEYOND)**


**1.1.10 MANNEQUIN DISPLAY  
(FRONT WALL)**


1 **LOWER ATRIUM SOUTH**  
SCALE: 3/16" = 1'-0"







1 LOWER ATRIUM SOUTH UNFOLDED  
SCALE: 3/16" = 1'-0"








1 VOLS + HELMET DISPLAY 1.1.8  
SCALE: 3/8" = 1'-0"







**2 HELMET DISPLAY PLAN DETAIL** | 1.1.8  
SCALE:  $1/2'' = 1'-0''$



1

DIGITAL BOARD UNFOLDED

SCALE: 1/4" = 1'-0"

1.1.9

**SIZING TO BE BASED ON FINAL LED PANEL SELECTION BY OWNER**

**FINAL POWER/DATA REQUIREMENTS TBD**


**CAN ANY ASSUMPTIONS BE MADE ON CONDUIT LOCATIONS/QTYS?**


**FINAL INTERACTIVITY AND PERIPHERAL SYSTEMS, INCLUDING AUDIO SYSTEM TBD BASED ON OWNER SELECTION**







1 **LOWER ATRIUM - SOUTH**  
SCALE: 1/4" = 1'-0"






1 MANNEQUIN DISPLAY 1.1.10  
SCALE: 3/8" = 1'-0"






**PROVIDE (2) FLUSH DUPLEX  
RECEPTACLES ON BACK WALL  
ON A SHARED DEDICATED 120V  
20 AMP CIRCUIT**

1 MANNEQUIN DISPLAY - INTEGRATION | 1.1.10  
SCALE: 3/8" = 1'-0"







**\*SIMILAR DISPLAY ON OPPOSITE SIDE OF STAIR**




**STAIRCASE DISPLAY - NORTH** | 1.1.12  
SCALE: 3/8" = 1'-0"





1 STAIRCASE DISPLAY - EAST | 1.1.12  
SCALE: 3/8" = 1'-0"




### SYMBOLS LEGEND

-  DUPLEX RECEPTACLE, 20 AMP 120VAC
-  QUAD RECEPTACLE, 20 AMP 120VAC
-  JUNCTION BOX, 20 AMP 120VAC
-  JUNCTION BOX, PROVIDE DEDICATED 20 AMP 120VAC CIRCUIT. X# SUBSCRIPT INDICATES QUANTITY OF JUNCTION BOXES AND DEDICATED CIRCUITS REQUIRED AT LOCATION
-  DATA OUTLET. RUN (2) CAT5E DATA CABLES FROM EACH LOCATION NOTED TO NEAREST AV RACK/DATA ROOM.
-  DATA OUTLET. RUN (#) CAT5E DATA CABLES FROM EACH LOCATION NOTED TO NEAREST AV RACK/DATA ROOM.

### PAINT LEGEND

-  PRIMER WALLCOVERING GRAPHIC. PROVIDE LEVEL 5 FINISH AND PRIME WALL WITH ZINSSER BULLSEYE BULLSEYE PRIMER



1 LOWER ATRIUM FLOOR PLAN  
SCALE: N.T.S.


THESE DOCUMENTS ARE DRAWN BY JACK PORTER TECHNICAL DESIGNER AND ARE NOT TO BE USED AS CONSTRUCTION DOCUMENTATION FOR THE FIELD. THESE DRAWINGS REPRESENT JACK PORTER'S REQUIREMENTS FOR THE ARCHITECT TO INTEGRATE INTO THE BASE BUILDING DESIGN AND REPRESENTED ON THE RELEVANT ARCHITECTURAL, STRUCTURAL AND ENGINEERED MEP DRAWING SETS FOR CONSTRUCTION

### SYMBOLS LEGEND


- DUPLEX RECEPTACLE, 20 AMP 120VAC
- QUAD RECEPTACLE, 20 AMP 120VAC
- JUNCTION BOX, 20 AMP 120VAC
- JUNCTION BOX, PROVIDE DEDICATED 20 AMP 120VAC CIRCUIT. X# SUBSCRIPT INDICATES QUANTITY OF JUNCTION BOXES AND DEDICATED CIRCUITS REQUIRED AT LOCATION
- DATA OUTLET. RUN (2) CAT5E DATA CABLES FROM EACH LOCATION NOTED TO NEAREST AV RACK/DATA ROOM.
- DATA OUTLET. RUN (#) CAT5E DATA CABLES FROM EACH LOCATION NOTED TO NEAREST AV RACK/DATA ROOM.

### PAINT LEGEND

- PRIMER WALLCOVERING GRAPHIC. PROVIDE LEVEL 5 FINISH AND PRIME WALL WITH ZINSSER BULLSEYE BULLSEYE PRIMER




THESE DOCUMENTS ARE DRAWN BY JACK PORTER TECHNICAL DESIGNER AND ARE NOT TO BE USED AS CONSTRUCTION DOCUMENTATION FOR THE FIELD. THESE DRAWINGS REPRESENT JACK PORTER'S REQUIREMENTS FOR THE ARCHITECT TO INTEGRATE INTO THE BASE BUILDING DESIGN AND REPRESENTED ON THE RELEVANT ARCHITECTURAL, STRUCTURAL AND ENGINEERED MEP DRAWING SETS FOR CONSTRUCTION



# LOCKER ROOM

LEVEL 1 // AREA 2






# LEVEL 1


## EXPERIENCE MAP HASLAM FIELD EXPANSION //

(FLOOR, AREA, DISPLAY, ELEMENT)


1.2	LOCKER ROOM
1.2.1	GIVE MY ALL
1.2.2	DIGITAL BOARD REMOVED FROM SCOPE
1.2.3	POWER T
1.2.4	NFL WALL
1.2.5	ENDCAP GRAPHIC
1.2.6	ENDCAP GRAPHIC
1.2.7	ENDCAP GRAPHIC




RENDERINGS FOR REFERENCE ONLY



1 LOCKER ENTRY RCP | 1.2.1  
SCALE: 1/4" = 1'-0"





2 LOCKER ENTRY WEST | 1.2.1  
SCALE: 1/4" = 1'-0"




3 LOCKER ENTRY EAST | 1.2.1  
SCALE: 1/4" = 1'-0"









1    LOCKER ROOM - EAST  
SCALE: 1/2" = 1'-0"









1 NFL WALL - NORTH 1.2.4  
SCALE: 1/2" = 1'-0"





1 NFL WALL LOGO 1.2.4  
SCALE: 1" = 1'-0"



1.2.7 ENDCAP GRAPHIC


1.2.6 ENDCAP GRAPHIC


1.2.5 ENDCAP GRAPHIC

1  
LOCKER ROOM - WEST

SCALE: 1/4" = 1'-0"

THESE HAVE CHANGED DIMS SLIGHTLY





1 ENDCAP GRAPHIC  
SCALE: 3/4" = 1'-0"

1.2.5

2 ENDCAP GRAPHIC  
SCALE: 3/4" = 1'-0"

1.2.6

3 ENDCAP GRAPHIC  
SCALE: 3/4" = 1'-0"

1.2.7

**LOCKER ENTRY:**  
PROVIDE JBOX IN ACCESSIBLE CEILING AREA ON A DEDICATED 120V 20 AMP CIRCUIT, AND RUN EMPTY CONDUIT WITH PULL STRINGS TO AN EMPTY FLUSH 4X4 JBOX MOUNTED TO CENTER OF CEILING AT DISPLAY.  
PROVIDE 5/8" PLYWOOD BLOCKING IN CEILING

**NFL WALL:**  
PROVIDE JBOX IN ACCESSIBLE CEILING AREA ON A DEDICATED 120V 20 AMP CIRCUIT, AND RUN EMPTY CONDUIT WITH PULL STRINGS TO AN EMPTY FLUSH 4X4 JBOX MOUNTED TO WALL BEHIND LOGO

#### SYMBOLS LEGEND

- (□) DUPLEX RECEPTACLE, 20 AMP 120VAC
- (■) QUAD RECEPTACLE, 20 AMP 120VAC
- (E) JUNCTION BOX, 20 AMP 120VAC
- (E<sub>X#</sub>) JUNCTION BOX, PROVIDE DEDICATED 20 AMP 120VAC CIRCUIT. X# SUBSCRIPT INDICATES QUANTITY OF JUNCTION BOXES AND DEDICATED CIRCUITS REQUIRED AT LOCATION
- (▽) DATA OUTLET. RUN (2) CAT5E DATA CABLES FROM EACH LOCATION NOTED TO NEAREST AV RACK/DATA ROOM.
- (▽<sub>X#</sub>) DATA OUTLET. RUN (#) CAT5E DATA CABLES FROM EACH LOCATION NOTED TO NEAREST AV RACK/DATA ROOM.

#### PAINT LEGEND

- PRIMER WALLCOVERING GRAPHIC. PROVIDE LEVEL 5 FINISH AND PRIME WALL WITH ZINSSER BULLSEYE BULLSEYE PRIMER

RECOMMENDED TYPICAL LIGHT BAR SPACING (BY OTHERS) QTY 25.

EXPOSED CEILING  
RECOMMEND DARK PAINT ABOVE

THIS AREA IS NOW ACT BY GC - LIGHTS BY OTHERS

**POWER T:**  
PROVIDE JBOX IN ACCESSIBLE CEILING ON A DEDICATED 120V 20 AMP CIRCUIT

NOTE: THERE ARE WINDOWS BEHIND THIS DRYWALL - DESIGN TO ACCOUNT FOR VARIABLE TEMPERATURE (RE: IOWA UNITED)

1 LOCKER ROOM RCP - INTEGRATION

SCALE: 3/32" = 1'-0"

THESE DOCUMENTS ARE DRAWN BY JACK PORTER TECHNICAL DESIGNER AND ARE NOT TO BE USED AS CONSTRUCTION DOCUMENTATION FOR THE FIELD. THESE DRAWINGS REPRESENT JACK PORTER'S REQUIREMENTS FOR THE ARCHITECT TO INTEGRATE INTO THE BASE BUILDING DESIGN AND REPRESENTED ON THE RELEVANT ARCHITECTURAL, STRUCTURAL AND ENGINEERED MEP DRAWING SETS FOR CONSTRUCTION



# MUD ROOM + COOLDOWN

LEVEL 1 // AREA 3


# LEVEL 1

## EXPERIENCE MAP HASLAM FIELD EXPANSION //


(FLOOR, AREA, DISPLAY, ELEMENT)



<b>1.3</b>	<b>MUD ROOM + COOLDOWN</b>
<b>1.3.1</b>	<b>ENDCAP GRAPHIC</b>
<b>1.3.2</b>	<b>ENDCAP GRAPHIC</b>
<b>1.3.3</b>	<b>ENDCAP GRAPHIC</b>
<b>1.3.4</b>	<b>ENDCAP GRAPHIC</b>
<b>1.3.5</b>	<b>ENDCAP GRAPHIC</b>
<b>1.3.6</b>	<b>NIKE BRANDING</b>
<b>1.3.7</b>	<b>POWER T</b>
<b>1.3.8</b>	<b>TENNESSEE BRANDING</b> REMOVED FROM SCOPE
<b>1.3.9</b>	<b>COOL DOWN WALL</b>
<b>1.3.10</b>	<b>WALLCOVERING GRAPHIC</b>



RENDERINGS FOR REFERENCE ONLY



1 MUDROOM - SOUTH  
SCALE: 3/8" = 1'-0"

THESE DIMS HAVE CHANGED







1 ENDCAP GRAPHIC | 1.3.1  
SCALE: 3/4" = 1'-0"




2 ENDCAP GRAPHIC | 1.3.2  
SCALE: 3/4" = 1'-0"





1 COOL DOWN - NORTH  
SCALE: N.T.S.





1 COOL DOWN - NORTH  
SCALE: 3/8" = 1'-0"







1 ENDCAP GRAPHIC | 1.3.3  
SCALE: 3/4" = 1'-0"



2 ENDCAP GRAPHIC | 1.3.4  
SCALE: 3/4" = 1'-0"




3 ENDCAP GRAPHIC | 1.3.5  
SCALE: 3/4" = 1'-0"




BUTT JOINT SEAM



2ND SURFACE  
PRINTED ACRYLIC  
PANELS (G3)


VE OPTION:  
PRINTED VINYL  
GRAPHIC (G4)




1 COOL DOWN - NORTH  
SCALE: 3/8" = 1'-0"









1 COOLDOWN PLUNGE POOL - SOUTH  
SCALE: 1/4" = 1'-0"






1 POWER T COOLDOWN WALL | 1.3.9  
SCALE: 1/2" = 1'-0"



2 TENNESSEE WORDMARK COOLDOWN WALL | 1.3.9  
SCALE: 1/2" = 1'-0"




1

### WALLCOVERING GRAPHIC

SCALE: 1/2" = 1'-0"


1.3.10



SEE MATTERPORT FOR EXISTING CONDITIONS  
- IF WALL NEEDS TO BE FURRED OUT - WHAT  
DOES THE CORNER CONDITIONS LOOK LIKE?

### 1.3.10 WALLCOVERING GRAPHIC

IF WALL IS CMU, WILL REQUIRE  
WALL FUR OUT BY OTHERS  
WITH PRIMER




### SYMBOLS LEGEND

- DUPLEX RECEPTACLE, 20 AMP 120VAC
- QUAD RECEPTACLE, 20 AMP 120VAC
- JUNCTION BOX, 20 AMP 120VAC
- JUNCTION BOX, PROVIDE DEDICATED 20 AMP 120VAC CIRCUIT. X# SUBSCRIPT INDICATES QUANTITY OF JUNCTION BOXES AND DEDICATED CIRCUITS REQUIRED AT LOCATION
- DATA OUTLET. RUN (2) CAT5E DATA CABLES FROM EACH LOCATION NOTED TO NEAREST AV RACK/DATA ROOM.
- DATA OUTLET. RUN (#) CAT5E DATA CABLES FROM EACH LOCATION NOTED TO NEAREST AV RACK/DATA ROOM.

### PAINT LEGEND

- PRIMER
- WALLCOVERING GRAPHIC. PROVIDE LEVEL 5 FINISH AND PRIME WALL WITH ZINSSER BULLSEYE BULLSEYE PRIMER



THESE DOCUMENTS ARE DRAWN BY JACK PORTER TECHNICAL DESIGNER AND ARE NOT TO BE USED AS CONSTRUCTION DOCUMENTATION FOR THE FIELD. THESE DRAWINGS REPRESENT JACK PORTER'S REQUIREMENTS FOR THE ARCHITECT TO INTEGRATE INTO THE BASE BUILDING DESIGN AND REPRESENTED ON THE RELEVANT ARCHITECTURAL, STRUCTURAL AND ENGINEERED MEP DRAWING SETS FOR CONSTRUCTION




# PLAYER LOUNGE + CORRIDOR

LEVEL 1 // AREA 4

# LEVEL 1

## EXPERIENCE MAP HASLAM FIELD EXPANSION //

(FLOOR, AREA, DISPLAY, ELEMENT)



### 1.4 PLAYERS LOUNGE + CORRIDOR

1.4.1 TENNESSEE WORDMARK

1.4.2 WALLCOVERING GRAPHIC

1.4.3 WALLCOVERING GRAPHIC


1.4.4 DIGITAL BOARD REMOVED FROM SCOPE

1.4.5 WALLCOVERING GRAPHIC

1.4.6 HANGING RING GRAPHIC

1.4.7 HALLWAY DIM TEXT

1.4.8 WALLCOVERING GRAPHIC



RENDERINGS FOR REFERENCE ONLY




1.4.2 WALLCOVERING GRAPHIC

1.4.1 TENNESSEE WORDMARK


1 BOWLING ALLEY SOUTH UNFOLDED  
SCALE: 1/8" = 1'-0"






**1.4.1 TENNESSEE WORDMARK  
INSTALLED IN INSERT PROVIDED BY OTHERS**

**1 BOWLING ALLEY SOUTH**  
SCALE: 1/4" = 1'-0"









1 WALLCOVERING GRAPHIC SOUTH UNFOLDED | 1.4.2  
SCALE: 3/16" = 1'-0"


EXISTING BRICK IN PLACE - FURRED OUT BY  
OTHERS






1 **PLAYERS LOUNGE NORTH UNFOLDED**  
SCALE: 1/8" = 1'-0"






1 WALLCOVERING GRAPHIC WEST | 1.4.3  
SCALE: 1/2" = 1'-0"





1 WALLCOVERING GRAPHIC NORTH UNFOLDED | 1.4.3  
SCALE: 3/16" = 1'-0"


1.4.3 WALLCOVERING GRAPHIC






1 WALLCOVERING GRAPHIC 1.4.5  
SCALE: 3/8" = 1'-0"







1 PLAYERS LOUNGE NORTH  
SCALE: 1/4" = 1'-0"

ROUND GRAPHIC INTENDED TO COVER TV RACK SUPPORT SYSTEM.  
TO BE COORDINATED WITH AV TO DETERMINE EXACT SIZING AND  
MOUNTING METHOD





1 CORRIDOR SOUTH UNFOLDED  
SCALE: 3/16" = 1'-0"






1 HALLWAY DIM TEXT | 1.4.7  
SCALE: 3/4" = 1'-0"

### SYMBOLS LEGEND

-  DUPLEX RECEPTACLE, 20 AMP 120VAC
-  QUAD RECEPTACLE, 20 AMP 120VAC
-  JUNCTION BOX, 20 AMP 120VAC
-  JUNCTION BOX, PROVIDE DEDICATED 20 AMP 120VAC CIRCUIT. X# SUBSCRIPT INDICATES QUANTITY OF JUNCTION BOXES AND DEDICATED CIRCUITS REQUIRED AT LOCATION
-  DATA OUTLET. RUN (2) CAT5E DATA CABLES FROM EACH LOCATION NOTED TO NEAREST AV RACK/DATA ROOM.
-  DATA OUTLET. RUN (#) CAT5E DATA CABLES FROM EACH LOCATION NOTED TO NEAREST AV RACK/DATA ROOM.

### PAINT LEGEND

-  PRIMER WALLCOVERING GRAPHIC. PROVIDE LEVEL 5 FINISH AND PRIME WALL WITH ZINSSER BULLSEYE BULLSEYE PRIMER



THESE DOCUMENTS ARE DRAWN BY JACK PORTER TECHNICAL DESIGNER AND ARE NOT TO BE USED AS CONSTRUCTION DOCUMENTATION FOR THE FIELD. THESE DRAWINGS REPRESENT JACK PORTER'S REQUIREMENTS FOR THE ARCHITECT TO INTEGRATE INTO THE BASE BUILDING DESIGN AND REPRESENTED ON THE RELEVANT ARCHITECTURAL, STRUCTURAL AND ENGINEERED MEP DRAWING SETS FOR CONSTRUCTION




# UPPER ATRIUM



LEVEL 2 // AREA 1

# LEVEL 2


## EXPERIENCE MAP HASLAM FIELD EXPANSION //

(FLOOR, AREA, DISPLAY, ELEMENT)









RENDERINGS FOR REFERENCE ONLY






RENDERINGS FOR REFERENCE ONLY











1    **UPPER ATRIUM SOUTH**  
SCALE: 1/2" = 1'-0"







FABRIC GRAPHIC (G1)




1



FABRIC GRAPHIC



SCALE: 3/4" = 1'-0"


2.1.2













1 LB MEETING ROOM ENTRY - SOUTH  
SCALE: 3/8" = 1'-0"








1 WALLCOVERING GRAPHIC UNFOLDED  
SCALE: 3/16" = 1'-0"


2.1.7










1

**UPPER ATRIUM WEST**  
SCALE: 1/4" = 1'-0"










### SYMBOLS LEGEND

-  DUPLEX RECEPTACLE, 20 AMP 120VAC
-  QUAD RECEPTACLE, 20 AMP 120VAC
-  JUNCTION BOX, 20 AMP 120VAC
-  JUNCTION BOX, PROVIDE DEDICATED 20 AMP 120VAC CIRCUIT. X# SUBSCRIPT INDICATES QUANTITY OF JUNCTION BOXES AND DEDICATED CIRCUITS REQUIRED AT LOCATION
-  DATA OUTLET. RUN (2) CAT5E DATA CABLES FROM EACH LOCATION NOTED TO NEAREST AV RACK/DATA ROOM.
-  DATA OUTLET. RUN (#) CAT5E DATA CABLES FROM EACH LOCATION NOTED TO NEAREST AV RACK/DATA ROOM.

### PAINT LEGEND

-  PRIMER WALLCOVERING GRAPHIC. PROVIDE LEVEL 5 FINISH AND PRIME WALL WITH ZINSSER BULLSEYE BULLSEYE PRIMER



1 UPPER ATRIUM FLOOR PLAN  
SCALE: N.T.S.


THESE DOCUMENTS ARE DRAWN BY JACK PORTER TECHNICAL DESIGNER AND ARE NOT TO BE USED AS CONSTRUCTION DOCUMENTATION FOR THE FIELD. THESE DRAWINGS REPRESENT JACK PORTER'S REQUIREMENTS FOR THE ARCHITECT TO INTEGRATE INTO THE BASE BUILDING DESIGN AND REPRESENTED ON THE RELEVANT ARCHITECTURAL, STRUCTURAL AND ENGINEERED MEP DRAWING SETS FOR CONSTRUCTION

### SYMBOLS LEGEND

-  DUPLEX RECEPTACLE, 20 AMP 120VAC
-  QUAD RECEPTACLE, 20 AMP 120VAC
-  JUNCTION BOX, 20 AMP 120VAC
-  JUNCTION BOX, PROVIDE DEDICATED 20 AMP 120VAC CIRCUIT. X# SUBSCRIPT INDICATES QUANTITY OF JUNCTION BOXES AND DEDICATED CIRCUITS REQUIRED AT LOCATION
-  DATA OUTLET. RUN (2) CAT5E DATA CABLES FROM EACH LOCATION NOTED TO NEAREST AV RACK/DATA ROOM.
-  DATA OUTLET. RUN (#) CAT5E DATA CABLES FROM EACH LOCATION NOTED TO NEAREST AV RACK/DATA ROOM.

### PAINT LEGEND


-  PRIMER WALLCOVERING GRAPHIC. PROVIDE LEVEL 5 FINISH AND PRIME WALL WITH ZINSSER BULLSEYE BULLSEYE PRIMER



1

UPPER ATRIUM RCP  
SCALE: N.T.S.

THESE DOCUMENTS ARE DRAWN BY JACK PORTER TECHNICAL DESIGNER AND ARE NOT TO BE USED AS CONSTRUCTION DOCUMENTATION FOR THE FIELD. THESE DRAWINGS REPRESENT JACK PORTER'S REQUIREMENTS FOR THE ARCHITECT TO INTEGRATE INTO THE BASE BUILDING DESIGN AND REPRESENTED ON THE RELEVANT ARCHITECTURAL, STRUCTURAL AND ENGINEERED MEP DRAWING SETS FOR CONSTRUCTION




# MEETING ROOM CORRIDOR

LEVEL 2 // AREA 2

# LEVEL 2


## EXPERIENCE MAP HASLAM FIELD EXPANSION // (FLOOR, AREA, DISPLAY, ELEMENT)



- 2.2** MEETING ROOM CORRIDOR
- 2.2.1** STATE OUTLINE DISPLAY
  - 2.2.2** POWER T DISPLAY
  - 2.2.3** ORANGE GRAPHIC
  - 2.2.4** POSITION ENTRY DISPLAY
  - 2.2.5** NFL PLAYER DISPLAY REMOVED FROM SCOPE
  - 2.2.6** POSITION ENTRY DISPLAY
  - 2.2.7** NFL PLAYER DISPLAY REMOVED FROM SCOPE
  - 2.2.8** VOLUNTEERS WORDMARK
  - 2.2.9** ORANGE GRAPHIC




RENDERINGS FOR REFERENCE ONLY




1

**MEETING ROOM CORRIDOR ENTRY NORTH**

SCALE: 3/8" = 1'-0"







1

STATE OUTLINE DISPLAY

2.2.1

SCALE: 3/4" = 1'-0"







1

**MEETING ROOM CORRIDOR ENTRY SOUTH**

SCALE: 3/8" = 1'-0"






1

**POWER T DISPLAY**  
SCALE: 3/4" = 1'-0"

2.2.2





1

POWER T DISPLAY LOGO

SCALE: 1" = 1'-0"

2.2.2






1

ORANGE GRAPHIC  
SCALE: 3/4" = 1'-0"


2.2.3






1

**MEETING ROOM CORRIDOR WEST**

SCALE: 3/8" = 1'-0"








**2 TYPICAL POSITION ENTRY DISPLAY DIM TEXT** | **2.2.4 & 2.2.6**  
SCALE:  $1\frac{1}{2}'' = 1'-0''$





1

MEETING ROOM CORRIDOR EAST UNFOLDED

SCALE: 1/4" = 1'-0"








1

WALLCOVERING GRAPHIC

SCALE: 3/8" = 1'-0"

2.2.8




**2.2.9  
ORANGE GRAPHIC**

1

**MEETING ROOM CORRIDOR SOUTH**

SCALE: 1/2" = 1'-0"





FABRIC GRAPHIC (G1)

1


ORANGE GRAPHIC

SCALE: 3/4" = 1'-0"


2.2.9

SYMBOLS LEGEND	
	DUPLEX RECEPTACLE, 20 AMP 120VAC
	QUAD RECEPTACLE, 20 AMP 120VAC
	JUNCTION BOX, 20 AMP 120VAC
	JUNCTION BOX, PROVIDE DEDICATED 20 AMP 120VAC CIRCUIT. X# SUBSCRIPT INDICATES QUANTITY OF JUNCTION BOXES AND DEDICATED CIRCUITS REQUIRED AT LOCATION
	DATA OUTLET. RUN (2) CAT5E DATA CABLES FROM EACH LOCATION NOTED TO NEAREST AV RACK/DATA ROOM.
	DATA OUTLET. RUN (#) CAT5E DATA CABLES FROM EACH LOCATION NOTED TO NEAREST AV RACK/DATA ROOM.

PAINT LEGEND	
	PRIMER
	WALLCOVERING GRAPHIC. PROVIDE LEVEL 5 FINISH AND PRIME WALL WITH ZINSSER BULLSEYE BULLSEYE PRIMER



1 MEETING ROOM CORRIDOR FLOOR PLAN  
SCALE: N.T.S.




2 MEETING ROOM CORRIDOR RCP  
SCALE: N.T.S.

THESE DOCUMENTS ARE DRAWN BY JACK PORTER TECHNICAL DESIGNER AND ARE NOT TO BE USED AS CONSTRUCTION DOCUMENTATION FOR THE FIELD. THESE DRAWINGS REPRESENT JACK PORTER'S REQUIREMENTS FOR THE ARCHITECT TO INTEGRATE INTO THE BASE BUILDING DESIGN AND REPRESENTED ON THE RELEVANT ARCHITECTURAL, STRUCTURAL AND ENGINEERED MEP DRAWING SETS FOR CONSTRUCTION



# MEETING ROOM A

LEVEL 2 // AREA 3



## LEVEL 2

### EXPERIENCE MAP HASLAM FIELD EXPANSION // (FLOOR, AREA, DISPLAY, ELEMENT)

2.3

MEETING ROOM A

2.3.1


VOLS BRANDING

2.3.2

PLAYER IMAGERY





RENDERINGS FOR REFERENCE ONLY



1 **MEETING ROOM A UNFOLDED**  
SCALE: 3/8" = 1'-0"


\*SUBJECT TO CHANGE BASED ON  
COORDINATION WITH REQUIRED  
PRESENTATION AREA






**2.3.1 VOLS BRANDING**

1 MEETING ROOM A - SOUTH  
SCALE: 1/2" = 1'-0"









**2.3.2 PLAYER IMAGERY**

1 **MEETING ROOM A - EAST**  
SCALE: 1/2" = 1'-0"






SECOND SURFACE ACRYLIC GRAPHIC (G3)  
MOUNTED ON 1" DEEP L1 MILLWORK PANEL

1

PLAYER IMAGERY


SCALE: 1" = 1'-0"

2.3.2



# MEETING ROOM B

LEVEL 2 // AREA 4




## LEVEL 2

### EXPERIENCE MAP HASLAM FIELD EXPANSION // (FLOOR, AREA, DISPLAY, ELEMENT)

2.4 MEETING ROOM B


2.4.1 VOLS BRANDING


2.4.2 PLAYER IMAGERY




1 MEETING ROOM B UNFOLDED  
SCALE: 1/4" = 1'-0"


\*SUBJECT TO CHANGE BASED ON  
COORDINATION WITH REQUIRED  
PRESENTATION AREA





1 MEETING ROOM B - SOUTH  
SCALE: 1/2" = 1'-0"





A1 CHECKERBOARD  
SQUARES  
MOUNTED ON ORANGE  
BACKER PANEL  
3/8" DEEP

PF1 PERF PANEL  
INSET 1" FROM WHITE  
BORDER

DIMENSIONAL VOLS  
A1 FACE  
A1 RETURNS  
3/8" DEEP

MILLWORK TRIM  
P1 WHITE  
2" DEEP

L2 BACKER PANEL  
2" DEEP

\*TENNESSEE TO APPROVE  
FINAL FABRICATION METHODS  
FOR DISPLAY

1

VOLS BRANDING


2.4.1




1

**MEETING ROOM B - EAST**

SCALE: 3/8" = 1'-0"





1

## PLAYER IMAGERY

SCALE: 1" = 1'-0"


2.4.2

SECOND SURFACE ACRYLIC GRAPHIC (G3)  
MOUNTED ON 1" DEEP L1 MILLWORK PANEL



# MEETING ROOM C

LEVEL 2 // AREA 5



## LEVEL 2

### EXPERIENCE MAP

HASLAM FIELD EXPANSION //

(FLOOR, AREA, DISPLAY, ELEMENT)

2.5


MEETING ROOM C

2.5.1

VOLS BRANDING


2.5.2


PLAYER IMAGERY




1 MEETING ROOM C UNFOLDED  
SCALE: 1/4" = 1'-0"


\*SUBJECT TO CHANGE BASED ON  
COORDINATION WITH REQUIRED  
PRESENTATION AREA





1 MEETING ROOM C - NORTH  
SCALE: 3/8" = 1'-0"





MILLWORK TRIM  
P1 WHITE  
2" DEEP

L2 BACKER PANEL  
2" DEEP

DIMENSIONAL VOLs  
A1 FACE  
A1 RETURNS  
3/8" DEEP

PF1 PERF PANEL  
INSET 1" FROM WHITE  
BORDER


A1 CHECKERBOARD  
SQUARES  
MOUNTED ON ORANGE  
BACKER PANEL  
3/8" DEEP

\*TENNESSEE TO APPROVE  
FINAL FABRICATION METHODS  
FOR DISPLAY


1


VOLS BRANDING  
SCALE: 3/4" = 1'-0"

2.5.1



1 MEETING ROOM C - EAST  
SCALE: 3/8" = 1'-0"





SECOND SURFACE ACRYLIC GRAPHIC (G3)  
MOUNTED ON 1" DEEP L1 MILLWORK PANEL

1

PLAYER IMAGERY

SCALE: 1" = 1'-0"

2.5.2



## Jack Porter

112 WEST STONE AVENUE | GREENVILLE, SC 29609 | 864.672.3390 | JACKPORTER.COM  
© 2023 JACK PORTER, INC.