Data Dictionary

YvY Capital / Inteli

Technical documentation

Generated from the supplied Markdown source
12 August 2026

Contents

This document explains every column in every CSV file produced by a pipeline form INOA (also called "AlphaTools"), the fund administration system
Yvy Capital uses to track its own funds' NAV, portfolio composition, cash flows, and risk metrics. It is **not** a market data provider, it only has data for Yvy's own funds, not for other asset managers' funds. If you need external "peer" funds for comparison, that comes from a separate ANBIMA-sourced extract.

Currency: all monetary values are in Brazilian Reais (BRL) unless a row explicitly says otherwise (see `funds.csv`'s `currency_id`).

Dates: all dates are `YYYY-MM-DD`. All monetary/percentage figures use `.` as the decimal separator (US/international convention), not `,` (Brazilian convention) — this matches the CSV standard, not Brazilian spreadsheet defaults.

Empty fields: a blank cell means "not applicable" or "not returned by the source system for this row" — it is not the same as a zero.

Looking for how to build a specific feature (NAV dashboard, returns chart, Sharpe ratio, ...)
instead of what a column means? See `FEATURE_GUIDE.md` — it maps each MVP feature from the TAPI to the exact files/columns/formulas needed to build it.

MVP feature coverage — what this delivery does and doesn't answer yet

Yvy's TAPI with Inteli scopes the DataApp's MVP around four capabilities. This is where each one stands as of **this partial delivery** (INOA data only — peer/benchmark data from ANBIMA is a separate, later delivery, not included here):

MVP feature (from the TAPI)	Status	Data that answers it
Daily NAV and portfolio dashboard	[READY] Ready, with one caveat below	`funds.csv`, `fund_nav_snapshot.csv`, `portfolio_holdings.csv`
Performance view per fund, with returns and risk-return indicators	[READY] Returns and risk data are real and present. [WARNING] Two indicators (volatility, Sharpe/Sortino) don't exist as raw data — they're derived, see below	`returns_navps.csv` (returns), `drawdown.csv`, `liquidity_by_horizon.csv`, `var_mask_configs.csv` + `stress_risk.csv`, `dv01.csv` (risk)
Comparisons across Yvy's own funds	[READY] Ready now — every dataset above already covers all 14 funds with a shared `fund_id`, so cross-fund comparison needs no new data, just joining on `fund_id`	same tables as above
Benchmark comparison against comparable market funds (peers)	[PENDING] **Out of scope for this delivery.** Needs the ANBIMA extract (a separate, later phase — see `docs/initiatives/inteli-data-handoff/PLAN.md` decision 2/3)	—

Caveat on "daily" NAV: `returns_navps.csv` genuinely has daily (business-day) granularity — that series comes straight from INOA at that resolution. `fund_nav_snapshot.csv`/ `portfolio_holdings.csv`, however, are sampled at roughly monthly checkpoints across each fund's
history (see below), not one row per calendar day — getting a true daily absolute NAV in BRL for every day means combining a snapshot's NAV with the daily return series (compounding the % change
forward/backward from a known anchor date), not reading it off one column directly.

On "risk-return indicators": what's present as real, validated data is drawdown, a liquidity profile, a computed stress/VaR result (with real named Yvy stress scenarios), and DV01. What's **not** present anywhere in INOA is volatility (return standard deviation) or a Sharpe/Sortino ratio — no endpoint returns these (confirmed by exploring every risk-related INOA endpoint, see `contexto/data-catalog.md` §4 in the initiative's docs). Both are standard calculations on top of `returns_navps.csv`'s return series, not something to fetch — the Inteli team would compute them, not look them up.

[READY] Anonymized, per the TAPI's own restriction that the name "YvY" and shareholder/partner names
must not appear in repositories or processed data shared with Inteli. Every fund is identified only by a generic code (`Fund A`, `Fund B`, ...) — the same code everywhere across every CSV in this delivery, so joins across tables still work. `legal_id` (CNPJ) and `legal_name` (registered legal name) are dropped entirely, not just blanked. Real names/CNPJs never leave Yvy: an internal `fund_id ↔ real name` mapping exists only in `internal/fund_code_mapping.csv`, outside this delivery's `output/` folder — **that file must never be shared.** The fund's own name was also scrubbed out of a few places INOA embeds it that aren't the obvious `fund_name` column (a raw JSON blob in `stress_risk.csv`/`dv01.csv`, the `series_name` INOA returns for a fund's own return series in `returns_navps.csv`, and another Yvy fund's name showing up as `asset_name`/`issuer_name` in `portfolio_holdings.csv` when one fund holds units of another) — confirmed by grepping every file in
this delivery for every real fund name and for the substring "yvy" (case-insensitive) after the extraction ran, with zero hits.

`funds.csv` — the fund registry

One row per fund tracked in INOA. This is the reference table every other CSV's `fund_id` points back to.

Column	Meaning
`fund_id`	INOA's internal numeric id for this fund. Use this to join every other CSV.
`name`	**Anonymized fund code** (`Fund A`, `Fund B`, ...), not the fund's real name — see the anonymization note above. Stable across every CSV in this delivery.
`currency_id`	INOA's internal id for the fund's base currency (Yvy's funds are BRL-denominated; a numeric id rather than "BRL" is what the source system returns).
`is_internal`	`true` for funds Yvy itself manages inside INOA (this extract only includes these).
`is_active`	`true` if the fund is currently active (not liquidated/closed).

`fund_nav_snapshot.csv` — net asset value over time, one row per real snapshot

One row per **(fund, snapshot date)** — not just the latest one. This pipeline samples roughly monthly checkpoints across each fund's entire real history (see "Why some CSVs look small" in `README.md`), so a fund with e.g. 8 months of history will have several rows here, each a distinct real snapshot INOA has on file, not one row per calendar month artificially inserted.

Column	Meaning
`fund_id`	Joins to `funds.csv`.
`fund_name`	Denormalized for convenience — same anonymized code as `funds.csv`'s `name`.
`snapshot_date`	The date this NAV was calculated as of.
`nav`	**N**et **A**sset **V**alue — the total value of everything the fund holds (all assets minus liabilities), in BRL. This is the headline "how big is this fund" number.

`portfolio_holdings.csv` — what each fund actually owns, over time

One row per individual asset held by a fund, per real snapshot date — the same set of snapshot dates as `fund_nav_snapshot.csv`. This is the fund's portfolio composition **history**, not a single point in time: filter to one `snapshot_date` if you want a single moment, or use all of them to see how a fund's holdings changed.

Column	Meaning
`fund_id`, `fund_name`	Which fund owns this holding (`fund_name` is the anonymized code).
`snapshot_date`	Which of the fund's real snapshots this row belongs to.
`group_identifier`	Broad asset category INOA sorts holdings into: `stocks`, `bonds`, `funds` (shares of other funds), `cash`, `provisions` (accrued fees/liabilities), or an occasionally-seen `private_bonds`. This is the closest thing to an "asset class" label in this data.
`item_id`	INOA's internal id for this specific holding row (unique per snapshot, not a stable identity across time).
`asset_name`	Best available display name for the asset (falls back through a few INOA fields to whichever is populated). **Anonymized**: if this asset is actually shares of another Yvy fund (`group_identifier: funds`), the other fund's real name is replaced with its code, same as everywhere else.
`instrument_id`	INOA's internal id for the underlying instrument (blank for cash/provisions, which aren't tied to a specific instrument).
`instrument_type_identifier`	A finer-grained type label than `group_identifier`, when INOA provides one (e.g. distinguishing kinds of bonds). Often blank.
`quantity`	How many units of the asset are held (blank for cash/provisions).
`nav_value`	This holding's contribution to the fund's total NAV, in BRL.
`exposure`	The holding's market exposure as a fraction of the fund's NAV (e.g. `0.05` = 5%). Conceptually similar to `nav_percentage` but computed slightly differently by INOA — both are provided since neither is documented precisely enough to say for certain when they diverge.
`nav_percentage`	The holding's share of NAV as a fraction (e.g. `0.05` = 5%).
`isin_code`	The asset's ISIN (International Securities Identification Number), when INOA has one on file. Mostly populated for bonds.
`issuer_name`	The name of the company/entity that issued the asset, when available. Same anonymization as `asset_name` applies if the issuer happens to be another Yvy fund.

`returns_navps.csv` — daily accrued return, fund vs. CDI benchmark

One row per (fund, date) point in the fund's own return series, **and** one row per (fund, date) point in the CDI benchmark series for the same fund/window. This is the raw data behind a "performance chart."

What is CDI? CDI (Certificado de Depósito Interbancário) is the Brazilian interbank lending rate — the de facto risk-free benchmark rate used across the Brazilian asset management industry, similar in role to how SOFR/Fed Funds rate is used in the US. Comparing a fund's return to "% of CDI" is the standard way Brazilian managers describe performance.

Column	Meaning
`fund_id`, `fund_name`	Which fund this return series belongs to.
`series_type`	`fund` = the fund's own return; `benchmark` = the CDI benchmark series computed alongside it for the same date range.
`series_name`	For `fund` rows, the same anonymized code as `fund_name` (INOA's own raw series name here is the fund's real name, regardless of anonymization elsewhere — deliberately overridden with the code instead). For `benchmark` rows, the benchmark's real label as configured in INOA (e.g. `"100% CDI + 0% a.a."` — confirmed live; not just `"CDI"`).
`date`	The date of this data point.
`accrued_return_pct`	**A rebased index, not a plain percentage** — confirmed against real data. Every series starts at exactly `100` on the window's first date (`fund_id`'s earliest date, per `fundDateRanges.ts`), and every later value is that fund's/benchmark's cumulative performance expressed on the same 100-base scale: `112.5` means **+12.5%** cumulative since the start date, `95` means **−5%**. To get the % return between any two dates in the same series, compute `(value_end / value_start − 1) × 100` — never read a raw value as "the return," always divide two of them.

`transactions_summary.csv` — subscriptions/redemptions/tax, totaled over the window

One row per fund: a single summary of money flows over the entire requested date range (default: the last 2 years).

Column	Meaning
`fund_id`, `fund_name`	Which fund.
`start_date`, `end_date`	The window this summary covers.
`total_subscription`	Total BRL invested into the fund by investors ("aplicações") over the window.
`total_redemption`	Total BRL withdrawn by investors ("resgates") over the window.
`total_tax`	Total tax withheld on redemptions over the window (Brazilian funds withhold income tax — IR — at redemption).
`nav`	The fund's NAV as reported alongside this summary (may differ slightly from `fund_nav_snapshot.csv`'s value if the two were fetched at different moments/dates).

`cash_flow_daily.csv` — day-by-day subscriptions and redemptions

Like `transactions_summary.csv` but broken out per day, which is what you need to build a cash flow chart or compute daily net flows.

Column	Meaning
`fund_id`, `fund_name`	Which fund.
`date`	The day this flow happened (the "conversion date" — the date the transaction actually changed the fund's number of outstanding shares, as opposed to the later "settlement date" when cash physically moved).
`net_value`	Net cash flow for the day, in BRL (subscriptions minus redemptions). Positive = net money coming in.
`subscriptions`	BRL invested into the fund on this day.
`redemptions`	BRL withdrawn from the fund on this day.

`corporate_payments.csv` — distributions paid to investors (proventos)

One row per cash distribution event a fund paid out (dividends, interest on equity, coupon payments, etc. — collectively called "proventos" in Brazilian finance). Stock splits, bonus shares, and other non-cash corporate actions are intentionally excluded from this extract.

Column	Meaning
`fund_id`, `fund_name`	Which fund made the payment.
`ex_date`	The "ex-date" — the date after which a new investor would not be entitled to this payment.
`gross_value_per_unit`	The payment amount, in BRL, per fund share/quota, before any tax.
`description`	INOA's display label for the payment event, when available.

`drawdown.csv` — daily drawdown (a risk metric)

One row per (fund, date). **Drawdown** measures how far a fund's value has fallen from its most recent peak — a standard way to quantify downside risk. A drawdown of `-0.08` means the fund is currently 8% below its highest value so far in the observed window.

Column	Meaning
`fund_id`, `fund_name`	Which fund.
`date`	The date this drawdown value applies to.
`drawdown`	Fraction below the running peak (negative or zero; e.g. `-0.08` = 8% below peak; `0` = at a new peak).

`liquidity_by_horizon.csv` — how quickly the portfolio could be liquidated

One row per (fund, time horizon). Answers: "if this fund needed to raise cash by selling assets, what % of its NAV could realistically be converted to cash within N business days?" — a standard liquidity risk metric for asset managers.

Column	Meaning
`fund_id`, `fund_name`	Which fund.
`as_of_date`	The date this liquidity estimate was calculated as of (always "today" when the pipeline ran, since INOA only exposes a current calculation, not a history).
`projection_days`	The horizon in business days (this pipeline requests 1, 5, 21, 63, 126, and 252 days — roughly 1 day, 1 week, 1 month, 1 quarter, 6 months, and 1 year).
`nav_percent`	Estimated fraction of the fund's NAV that could be liquidated within `projection_days` business days (e.g. `0.6` = 60%). Can be blank — INOA returned `null` for this field on at least one real fund without documenting why.

`var_mask_configs.csv` — Value-at-Risk scenario definitions (not computed values)

Important: this file lists the configuration of VaR (Value-at-Risk) calculation setups INOA has on file for this tenant — parameters like time horizon and confidence level — **not** an actual computed risk number for any fund. If you're looking for an actual computed risk figure, see `stress_risk.csv` below.

Column	Meaning
`var_mask_id`	Internal id of this VaR configuration.
`name`	Display name of the configuration. Passed through the same anonymization pass as everything else — confirmed live that a VaR config's name can itself embed a "YvY"-branded instrument ticker unrelated to any fund's own name.
`time_horizon`	The time horizon (in some INOA-internal unit, undocumented — likely trading days) this VaR setup projects over.
`period`	The historical lookback period (undocumented unit — likely trading days) used to estimate risk.
`probability`	The confidence level for the VaR estimate (e.g. `0.95` = 95% confidence), as a fraction.
`type`	Internal numeric code for the VaR calculation method (e.g. historical simulation vs. parametric vs. Monte Carlo) — INOA doesn't publish a lookup table for this code, so it's exported as-is.
`monte_carlo_iterations`	Number of simulation runs, only meaningful if `type` corresponds to a Monte Carlo method.
`benchmark_id`	Internal id of a reference benchmark tied to this VaR setup, when one is configured.

`stress_risk.csv` — computed stress-test / VaR results (the real numbers)

One row per fund: the actual output of running Yvy's configured stress scenarios against that fund's current portfolio. This is where a real risk number lives, unlike `var_mask_configs.csv`.

Column	Meaning
`fund_id`, `fund_name`	Which fund.
`date`	The date the calculation was run for.
`stress_mask_ids`	Semicolon-separated list of which stress scenario ids were applied (see below).

Column	Meaning
`success`	Whether INOA's calculation completed without error.
`error_msg`	Error detail, if `success` is false.
`risk_list_json`	**The actual result, as raw JSON** (not flattened into columns — its exact shape isn't documented by INOA, so it's passed through as-is to avoid inventing structure that might be wrong; it is, however, anonymized — see the note at the top of this document). Confirmed against real Yvy data, this JSON contains, per fund: for each portfolio asset group (e.g. "Compromissadas", "Caixa"), the projected NAV impact (`nav`, `nav_diff`, `nav_percent`) under each stress scenario id, plus `sm_names` (a lookup of scenario id → scenario name — a credit-spread or rate-curve stress scenario, e.g. "spread widened by 2 percentage points"), overall `total`/`total_var` figures, `exposure`, `currency_info`, and `generated_on` (a timestamp). You will need to parse this JSON column in your analysis code — it is not meant to be read as flat CSV columns.

`dv01.csv` — DV01 (interest-rate sensitivity)

One row per fund. **DV01** ("Dollar Value of 01") measures how much a fund's value would change if interest rates moved by 1 basis point (0.01 percentage point) — a standard fixed-income risk metric. Useful for funds holding bonds, since bond prices move inversely to interest rates.

Column	Meaning
`fund_id`, `fund_name`	Which fund.
`date`	The date this was calculated for.
`success`	Whether the calculation completed without error.
`error_msg`	Error detail, if `success` is false.
`items_json`	The actual DV01 result, as raw JSON — INOA's documentation never shows a populated example of this field, so (like `stress_risk.csv`) it's passed through unparsed rather than guessed at. Confirmed against real Yvy data: each array entry describes one exposure unit within the fund's portfolio, with `instrumentSymbol`, `strategyName`, `instrumentCategory`, `riskFactorSymbol` (e.g. `"CDI"` — the interest-rate curve this exposure is sensitive to), and the risk figures themselves: `duration`, `annualRate`, `modifiedDuration`, `dv01Impact`, `dv01NotionalValue`, `dv01Diff`. Several of these came back `null` for a cash/repo position in the funds checked — plausibly because that instrument type has no meaningful duration, not because the calculation failed (`success` was `true`). You will need to parse this JSON column in your analysis code — it is not meant to be read as flat CSV columns.

`bond_instruments.csv` — static reference data for fixed-income holdings

One row per **distinct** (fund, fixed-income instrument) pair seen across every sampled `portfolio_holdings.csv` snapshot for that fund — connects a bond/debenture held in a portfolio to its market identifiers, so you can look it up in other systems (e.g. ANBIMA). Deduplicated on purpose: an instrument held across several snapshot dates appears here only once, not once per snapshot (that's what `portfolio_holdings.csv` is for).

Column	Meaning
`instrument_id`	INOA's internal id for this instrument (joins to `portfolio_holdings.csv`'s `instrument_id`).
`fund_id`	Which fund holds this instrument (a single instrument can appear more than once if held by multiple funds).

Column	Meaning
cetip_code	The instrument's CETIP code (a Brazilian fixed-income market identifier, predecessor to/alongside ISIN for many local instruments).
isin_code	The instrument's ISIN, when available.
maturity_date	The date the bond/debenture matures (is repaid in full), when available.

`bond_modified_duration.csv` — [WARNING] empty in this extract (permissions)

This file is empty (header only) in the current extract.
`bonds.calculate_modified_duration`
returned `HTTP 403: This endpoint is only accessible by superusers` for the account used to run
this pipeline. This is an account-permission limitation on the Yvy INOA tenant, not a bug — modified duration (a standard bond-risk metric measuring price sensitivity to a 1 percentage-point yield change) genuinely could not be retrieved this time. If/when this pipeline is re-run with superuser-level credentials, this file would contain:

Column	Meaning
instrument_id	Joins to `bond_instruments.csv`.
as_of_date	The date the duration was calculated for.
modified_duration	The modified duration value (typically expressed in years).

`external_debenture_data_raw.csv` — [WARNING] empty in this extract (permissions)

Also empty in this extract, for the same reason: `bonds.get_external_debenture_data_info` returned the same `HTTP 403: superusers only` error. This endpoint would have returned secondary
market pricing data for debentures held in Yvy's portfolios (sourced from an external market data feed INOA integrates with), keyed by ISIN. If re-run with the right permissions, it would contain:

Column	Meaning
isin_code	The debenture's ISIN.
raw_json	The raw market data INOA's external source returned for that ISIN — shape not documented anywhere, so kept as JSON rather than guessed-at columns.

A note on data quality and gaps

This extract was built by calling Yvy's real INOA system and validating every response against a strict schema — if a field didn't match what was expected, the pipeline reported that loudly instead of silently guessing. A few things worth knowing before you build on this data:

1. Some numeric fields INOA documents as plain numbers sometimes arrive as text strings instead (e.g. `"12.5"` instead of `12.5`) — this pipeline converts those, but if you write your own extraction code against INOA directly, watch out for this.

1 Two datasets (`bond_modified_duration.csv`, `external_debenture_data_raw.csv`) are empty due to
account permissions, not missing data — see those sections above.

1 `stress_risk.csv` and `dv01.csv` carry their real result as a JSON string in one column, because INOA's own documentation doesn't specify that result's structure precisely enough to safely split it into separate columns without risking silently mislabeling a number.

1 **Some tables have few rows simply because the fund is young, not because data is missing.**
Confirmed live 2026-08-11 via `funds.get_fund_start_date`: every one of Yvy's funds started operating between December 2025 and June 2026. There is no history before each fund's own start
date to extract — a wider date range would not add rows to `cash_flow_daily.csv`, `corporate_payments.csv`, `returns_navps.csv`, `drawdown.csv`, or `transactions_summary.csv`. These funds are also institutional infrastructure/private-credit vehicles serving a handful of large investors, not retail funds with thousands of small transactions — expect low transaction counts even over a fund's full history, not necessarily low transaction values.

1 `fund_nav_snapshot.csv` and `portfolio_holdings.csv` sample roughly monthly across each fund's
real history rather than showing only the most recent snapshot, specifically to give you more than one point in time to work with.

1 **Every fund is anonymized to a generic code** (`Fund A`, `Fund B`, ...) — see the "MVP feature coverage" section at the top for the full explanation and what was checked before this delivery left Yvy's systems.