Cosy Cafeteria: Masterplan

Robin Van de Poel Arthur Van den Storme Tobias Cromheecke Thomas Feys

February 28, 2020

1 Concept

To improve the experience of the students in the cafeteria, an embedded system will be developed to gather a variety of data. This data will then be display to the students through an online medium such as a website. The main focus will be to gather information about the amount off people that are in the cafeteria. There are two main goals. The first goal is to display the estimated waiting time to get a meal to the students. Secondly the amount of available seats will be tracked and displayed to the students. Next to this some additional information will be gathered. The temperature, air-quality and sound level will be monitored to give the student a general idea about the conditions in the cafeteria. This way the student can gauge if the cafeteria is suitable to study in at a certain moment.

2 Specifications

2.1 Functional specifications

- Monitor the available seats
- Monitor the queue to get a meal
- Display the data to the students
- Energy provision for 1 semester (4-5 months)
- Wireless coverage over the entire campus
- Measure new data every 10 minutes
- Send the data to the online medium every hour
- If the data changes with a large amount (needs to be specified) update the online medium sooner

2.2 Other technical specifications

• Enclosure: $10 \times 10 \text{ cm}$

• Easy deployment: the node must be easy to attach and detach from the sealing

• Must be easy to recharge (Wireless or via USB)

 \bullet Light weight: $300\,\mathrm{g}$ (so it wont detach from the sealing)

2.3 Non-technical specifications

• Cost: €??

• The data should be easy accessible to the students

2.4 Situation sketch




Figure 1: Situation sketch

3 System architecture




Figure 2: System architecture

4 Responsibilities

4.1 Technical:

- Power system (Battery, under and overcharge protection, voltage converters,...): Tobias
- Communication system: Thomas and Tobias
- PCB integration: Arthur
- Sensors: Robin

 $\bullet\,$ Software integration: Thomas

• Online dashboard to display data: Arthur

• Enclosure: Robin

4.2 Non-technical:

• Time manager: Robin

• Project manager: Thomas

• Documentation/Report: Tobias

• Presentation: Arthur

5 Milestones