DOCUMENT D'ARCHITECTURE

Plan d'adressage:

Device	IP Address	Subnet Mask	Default Gateway
Internet	Public IP	N/A	N/A
Pare-feu	192.168.1.1	255.255.255.0	Public IP
Serveur de sauvegarde	192.168.1.3	255.255.255.0	192.168.1.1
Serveur d'hébergement	192.168.1.2	255.255.255.0	192.168.1.1
Client Windows	192.168.1.4	255.255.255.0	192.168.1.1
Client Linux	192.168.1.5	255.255.255.0	192.168.1.1

<u>Tableau de filtrage :</u>

Source	Destination	Protocole	Port	Action
Any	192.168.1.0/24	Any	Any	Allow
192.168.1.0/24	Any	Any	Any	Allow
Any	Any	DNS	53	Allow
Any	Any	DHCP	67, 68	Allow
Any	Any	НТТР	80	Allow
Any	Any	HTTPS	443	Allow
192.168.1.1	192.168.1.2	SSH	22	Allow
Any	192.168.1.1	Any	Any	Allow (backup)
Any	192.168.1.2	SSH	22	Allow
192.168.1.2	Any	Any	Any	Allow (website)
Any	Any	Any	Any	Deny

Schéma Réseau:

