SITECOREAI DAM

Design Handover

Ideas, learnings, feedback, artefacts and work-tracks contributed by Thomas Kelly

Prepared for continuity of ownership and product direction

Evidence current to 23 October 2026 | Dublin

Handover intent

Preserve the reasoning, not only the screens: what was explored, what was learned, what others said, what remains open, and where the next designer should pick up.

Evidence scope

This document consolidates the DAM evidence surfaced in accessible OneDrive, SharePoint, Confluence search, Teams chats, calendar events and meeting transcripts. It is a complete record of the surfaced and verifiable contribution set, but it cannot recover deleted, private or unsynchronised Figma history. Where a shared outcome is not solely Thomas's work, that boundary is stated.

DOCUMENT MAP

How to use this handover

Start with the executive summary and contribution scorecard. Use the work-track register for current status and next actions. The feedback log captures both praise and corrective input. The appendices preserve the 24 cross-product touchpoints and the evidence register.

1. Executive summary
2. Contribution scorecard
3. Product point of view and design principles
4. Contribution inventory by work-track
5. Learnings, decisions and unresolved questions
6. Feedback and stakeholder response log
7. Handover plan and recommended next actions
Appendix A. Cross-product touchpoint register
Appendix B. Artefact and evidence register

Attribution rule

"Created" means there is direct authorship or a first-person delivery trail. "Co-authored" means file metadata or meeting evidence shows shared ownership. "Influenced" means the contribution shaped direction, critique, or integration but was not the sole output.

1. Executive summary

Thomas's SitecoreAI DAM contribution was broader than production UI. It combined product framing, persona and JTBD synthesis, information architecture, interaction design, cross-product discovery, prototyping, onboarding, PLG/upsell thinking, stakeholder facilitation, and handoff support. The strongest through-line was a shift from "asset library" to a governed, agent-ready content foundation that learns from activation and performance. [E01][E02][E03][E05]

The work also translated that strategy into concrete product areas: asset details, versions and renditions, collections, taxonomies, metadata, approvals, search and filters, media-picker decisions, navigation, role-based onboarding, and demonstration flows. [E11][E12][E16][E17]

Internal validation was meaningful: concepts were reviewed with Product, Design and cross-product stakeholders; the Media Library "Try now" concept received explicit positive feedback; and the shared Symposium prototype was praised after the flow handoff. Direct customer usability validation by Thomas was not verified and is not claimed. [E12][E13][E21]

The contribution in one sentence

A research-led DAM product model that connects governed assets to projects, channels, AI, brand context, experimentation and measurable outcomes — supported by practical designs and prototypes for the core experience.

What should be preserved

- The separation between high-frequency "find and use" workflows and lower-frequency but high-risk "govern and operate" workflows.

- The source-of-truth model: preserve provenance and the relationship between originals, versions, renditions, placements and outcomes.
- The closed learning loop: plan → discover → reuse/adapt → produce → govern → activate → optimise → learn → recommend next action.
- Cross-product continuity: DAM should not become an isolated app; it must feed and receive context from Strategy, Channels, Agentic, Scrunch, Brand Context, Conversion Optimization and the wider content graph.
- Evidence boundaries: internal critique and prototype handoff are not the same as customer validation or shipped impact.

2. Contribution scorecard

The numbers below are conservative counts from the verified artefacts. They measure documented output, not product adoption or customer outcome.

24 **CROSS-PRODUCT TOUCHPOINTS** Mapped across Strategy, Channels, Conversion Optimization, Agentic, Scrunch, Brand Context, Marketing IQ, Content graph and the media picker. [E03]	**6** **STAKEHOLDER DISCOVERY STREAMS** Conversion Optimization, Strategy, Channels & Design, Agentic, Scrunch and Brand Context. [E02]	**5** **PERSONA WORKFLOWS** Librarian, Editor, Business User, External Contributor and Content Admin. [E04][E06]
48 **EXPLICIT WORKFLOW STEPS** 10 Editor + 8 Business User + 8 Content Admin + 8 External Contributor + 14 Librarian. [E04]	**9** **LIFECYCLE STAGES** Plan, Discover, Reuse/Adapt, Produce, Govern, Activate, Optimise, Learn and Recommend next action. [E01]	**16** **PAGES IN THE FUTURE-VISION PACK** A visual narrative from product context through lifecycle, touchpoints, governance, analytics and next actions. [E01]
3 **NAVIGATION VARIANTS** Updated variants prepared for stakeholder evaluation and prospective-user testing. [E09]	**7** **ONBOARDING CAPABILITIES LISTED** Upload, filters, metadata, approvals, collections, taxonomies and DRM profiles. [E12]	**4** **SYMPOSIUM PROTOTYPE FLOW AREAS** Insertion/search/crop, upload/enrichment, lifecycle/review, and contextual metadata after placement. [E13][E18]

Qualitative contribution

Product framing	Design delivery	Alignment and enablement
Governed source of brand truth; closed-loop learning; agent-ready foundation.	Core DAM mocks, navigation variants, taxonomy pattern, onboarding and PLG concepts.	Stakeholder interviews, design syncs, prototype handoff and documented reasoning.
Workflow-based IA rather than role-based silos.	Picker, asset details, versions, collections, metadata, filters, approvals and states.	Reusable Confluence, PDF, spreadsheet and Figma artefacts for continuity.
Cross-product lifecycle spanning planning to optimisation.	Symposium flow definition and interaction-oriented prototype direction.	Clarified assumptions, constraints and dependencies instead of hiding them.

3. Product point of view and design principles

North-star statement

SitecoreAI DAM as the governed source of brand truth

People and agents should discover, create, adapt and activate content from governed sources; performance, feedback and compliance signals should return to DAM so the system can recommend what to reuse, enrich, amplify, retire or govern next. [E01][E05]

The 9-stage lifecycle

1 Plan Understand the campaign, brief or deliverable.	**2 Discover** Recommend governed content using context and performance.	**3 Reuse / Adapt** Reuse directly or create a tailored version.
4 Produce Support work in progress and external collaboration.	**5 Govern** Review rights, brand, accuracy, provenance and approvals.	**6 Activate** Deliver the appropriate rendition by product and channel.
7 Optimise Experiment and personalise in context.	**8 Learn** Return channel, audience, usage and feedback signals.	**9 Next action** Recommend reuse, adaptation, enrichment, amplification, retirement or rights action.

Design principles derived from the work

Workflows over labels: Design around recurring tasks and their frequency, not only job titles or product boundaries.

Reuse before creation: Surface governed near-matches and adaptations before asking users to commission or upload new work.

Governance should build trust: Expose approval, ownership, rights, provenance and suitability at the moment of decision without making business users administer the system.

Context must survive handoffs: Projects, collections, assets, briefs and placements should retain relationships across tools and channels.

Measure the rendition in context: Performance belongs to a version/rendition in a channel with a goal — not to an undifferentiated asset count.

One object, many views: Librarians, editors, marketers and agents need different decision views over the same governed object.

Demo interactions, not static screens: For focal points, crops, previews and state transitions, interactive prototypes communicate intent better than outdated page mocks.

4. Contribution inventory by work-track

Status labels describe the evidence available on 23 October 2026: Documented = reasoning captured; Designed = static or interaction design exists; Prototyped = a working flow exists; Open = decision or dependency remains.

#	Work-track	Thomas's contribution	Evidence status	Recommended continuation	Sources

#	Work-track	Thomas's contribution	Evidence status	Recommended continuation	Sources
1	Research, personas and JTBD	Created five persona models and workflow-first task maps; convened a persona/JTBD discussion to use frequency and tasks to test the IA.	Documented	Use the 48-step workflow map as the baseline; validate with customers before treating frequency as quantitative truth.	E04, E06, E07, E16
2	Navigation and information architecture	Compared separate Content/Assets navigation with combined structures; produced three updated variants and workflow-based rationale.	Designed / Open	Choose the test set, define success criteria, and run prospective-user evaluation. Do not assume a final architecture was agreed.	E08, E09
3	Core DAM library and asset details	Explored library, details, versions/variants, action bars, fields, filters, duplicate handling, bulk edit, public links and high-field-count objects.	Designed	Consolidate the Figma source; mark MVP/Q2/future states; resolve per-version actions and bulk-edit location.	E11, E17
4	Collections, projects and restricted work	Separated collections as curation/governance constructs from projects as task/deliverable execution; mapped input and output relationships.	Documented / Concept	Define contracts for project → DAM intake, collection permissions, NDA work and post-approval transfer.	E02, E03, E14
5	Taxonomy builder	Investigated shared Media Library/DAM taxonomy patterns; created a prototype and sought feedback; surfaced the content-modeling vs taxonomy distinction and localisation question.	Prototype / Open	Confirm MVP scope, hierarchy, localisation, ownership and convergence plan with Media Library; test the pattern with librarians/content admins.	E12
6	Media picker and asset decision pane	Specified DAM as a primary picker path and richer decision data: status, owner, tags, alt text, rights, versions, suitability, performance and approval.	Designed / Prototype	Align with Nathalie's team; document which data is available by context; validate "approved-only" behaviour and the need for masonry display.	E03, E13, E14
7	Onboarding and role guidance	Proposed role-personalised onboarding and produced a first guided-tour pass. Listed seven core capabilities to explain.	Designed	Ship the lightweight Q2 tour first; retain role-personalised onboarding as the configurable future state; refine copy with Documentation.	E12
8	Media Library "Try now" and DAM PLG	Created the Try now/activation concept, explored provisioning states and recorded a Loom with DAM upsell ideas.	Designed / Open	Resolve button-triggered provisioning vs contact flow; add a provisioning-in-progress state; show missing governance signals rather than blunt upsell copy.	E12
9	Cross-product touchpoints	Mapped 24 touchpoints and six discovery streams across Strategy, Channels, Conversion Optimization, Agentic, Scrunch and Brand Context.	Documented	Assign a product/engineering owner and contract for each shortlisted touchpoint; see Appendix A.	E02, E03, E10
10	Analytics, experimentation and personalisation	Proposed asset-level A/B testing and decision tables; refined generic asset performance toward rendition/channel/goal-aware analytics.	Concept / Open	Resolve component-level vs asset-level ownership; define event and attribution contracts; prototype the dashboard with real metric semantics.	E02, E03, E14
11	Agentic, brand context and discovery loop	Positioned DAM as an agent-ready knowledge source containing assets, documents and compositional data; linked governed sources to Brand Context via markdown renditions.	Strategic concept	Validate content types and APIs; preserve source linkage; align with UCF, Marketing IQ, Scrunch and Agentic roadmaps.	E01, E02, E03, E14
12	Governance, rights and compliance	Integrated rights, DRM, approval, audit, C2PA/provenance, AI-generated status and EU AI Act display considerations into the experience.	Requirements / Open	Create one compliance surface map: what appears in library, picker, details, review and upload; confirm legal/product requirements.	E17, E12

#	Work-track	Thomas's contribution	Evidence status	Recommended continuation	Sources
13	Symposium demonstration flows	Helped define an interaction-led prototype; supplied all DAM mocks; coordinated handoff and review for insertion, enrichment, review/lifecycle and contextual metadata.	Prototype / Shared delivery	Archive the final prototype and recordings; separate demo-specific shortcuts from product requirements.	E13, E18
14	Product planning support	Co-authored or maintained the DAM PRD v2 and Big Bet Epic Plan; helped frame persona, JTBD and design questions used in planning.	Co-authored	Preserve PM ownership; trace any design requirement back to the latest PRD rather than this handover alone.	E19, E20

Key work-track detail

Persona and workflow foundation

- Editor: frequent search, preview, select and replace behaviour; trust in status and reuse is central.
- Business user: campaign-oriented search, collections, variants and sharing; governance should be mostly invisible.
- Content admin: taxonomy, metadata quality, labels, permissions and library health.
- External contributor: low-friction upload, required metadata, review, revision and approval.
- Librarian: daily governance, rights, approvals and collections; weekly bulk operations, renditions, audits and analytics; monthly compliance, retirement and strategy.

Navigation and workspace reasoning

- Two top-level destinations (Content and Assets) offer clearer separation but risk highlighting an unavailable paid product.
- A combined Content destination lowers the transition cost for Media Library users and keeps shared taxonomies/content types together, but may blur operational DAM work.
- The updated V2 artefact defined three variants to evaluate rather than declaring a winner.
- The recurring IA rule is to place users in the context of the action they are taking, with high-frequency tasks easy to reach.

Core interaction questions captured in the Big Bet sessions

- How asset details show versions, variants/renditions, rights and C2PA filters.
- How duplicate assets and mass editing are handled.
- Whether actions such as public links are asset-level or version-level.
- Where large, configurable field sets are read and edited.
- Whether frequently repeated jobs deserve dedicated navigation such as Review.
- How governed assets/MCOs are named and visually signified.

Onboarding and PLG progression

- Initial future concept: role-personalised tours, for example a librarian sees governance while a business user sees finding/reuse.
- MVP direction: lightweight guided bubbles/tooltips because the Q2 experience is largely preconfigured.
- Tour content prepared: upload, filters, metadata, approvals, collections, taxonomies and DRM profiles.
- PLG direction: show genuine missing signals (approval, owner, usage, compliance) so users infer the value of DAM; avoid artificially degrading Media Library.

5. Learnings, decisions and unresolved questions

Validated learnings

Media Library and DAM serve different primary intent — Editors and business users mostly find/use assets; librarians and content admins govern/operate them. The objects overlap, but frequency and risk differ. [E04]

Collections and projects are not interchangeable — Collections curate and govern sets of assets; projects execute tasks and produce deliverables. Collections can provide project context and receive project outputs. [E02][E14]

Taxonomy management is not content modelling — Both may share an entity foundation, but business intent differs: content modelling defines business objects; taxonomy defines how objects are categorised and discovered. [E12]

Performance is contextual — A million social views and a single converting site visit are not comparable. Measure rendition/version performance by channel and goal. [E02][E14]

The picker is a decision surface — Users need approval, rights, suitability and relevant context — not merely thumbnails and filenames. [E03][E14]

DAM can be a knowledge foundation, not only image storage — Documents, brand knowledge, text, layers and compositional metadata should remain searchable, governable and usable by agents. [E02][E14]

Interactive prototypes matter for interaction-heavy stories — Focal-point movement, cropping, upload processing, review states and contextual panels are better communicated through working interaction than stale screen flows. [E18]

Open decisions and dependencies

Decision / dependency	Why it matters	Next proof
Final navigation architecture	Which V2 variant best supports both Media Library and DAM, and what success measure will decide?	Moderated IA test with representative Editor and Librarian tasks.
Taxonomy scope	Flat vs hierarchical; localisation; shared builder timing; ownership between Content, Media Library and DAM.	Scope workshop plus librarian/content-admin usability session.
Configurability	Which asset models, fields, pages and governance constructs are fixed at MVP and which become extensible later?	MVP capability matrix signed by PM and Engineering.
A/B ownership	Should experimentation be component-level, asset-level, or component-led with asset-instance tracking?	Instrumentation spike and test of both mental models.
Version vs rendition semantics	Which carries channel, locale and audience differences; which object receives analytics and approvals?	Canonical object/state diagram and API review.
Approval boundary	When work originates in Strategy/projects, does pre-governance review happen there, in Media Library, or in DAM?	Cross-product service blueprint for creation-to-governance.
Provisioning path	Can “Activate Media Library” trigger provisioning? If not, what contact and pending states are required?	Provisioning feasibility decision and complete state model.
Compliance surface	Exactly where EU AI Act labels, AI-generated status, provenance and rights warnings appear.	Legal/Product policy map translated into UI requirements.
Data contracts	Events and APIs required for attribution, usage, brand vocabulary, content graph links, brief-gap analysis and next-best actions.	Named owner and contract for each shortlisted touchpoint.
Customer validation	Personas, navigation, taxonomy and onboarding still need direct customer/prospect testing before finalisation.	Design-partner sessions with success measures.

6. Feedback and stakeholder response log

This section distinguishes direct praise, directional feedback and corrective input. Praise attached to the shared Symposium prototype is logged as a team outcome, not sole-author credit.

Person	Date	Type	What was said / raised	Implication	Source
Alicia Douley	28 Sep 2026	Direct praise	On the Media Library “Try now” concept: “that’s so nice” and “the list of features is worth refining but I really like the concept!”	Concept validated; refine feature list, copy and activation states rather than discarding the direction.	E12
Alicia Douley	8 & 15 Sep 2026	Corrective feedback	Questioned whether the taxonomy prototype mixed content modelling and taxonomy management; later clarified the business distinction.	Separate schema/object definition from categorisation/discovery in the next taxonomy iteration.	E12
Alicia Douley	13 Oct 2026	Confidence / reliance	Asked to “pick your brain” on Q2 onboarding and the Media Library-to-DAM PLG path.	Thomas was treated as a design thought partner on the two next-quarter experience questions.	E12
Alicia Douley	12–19 Oct 2026	Shared prototype praise	Reacted to the rebuilt Symposium prototype with “Wow that is awesome!!”, “beautiful” and “you’re a rockstar”.	The flow handoff and iteration produced a presentation-ready shared outcome; archive the final prototype and decisions.	E13
Alicia Douley	22 Oct 2026	Collaboration signal	After the ownership change: “I liked working with you!!”	Preserve working relationships and context during the transition to the next DAM designer.	E12
Hande Bodart	14 Jul 2026	Strong concept validation	On linking governed DAM source documents into Brand Context/Brand Kits: “that will be very powerful.”	Keep source linkage and generated markdown renditions in the integration concept.	E14
Mo Cherif	10 Jul 2026	Strategic refinement	Supported DAM as a broad knowledge/source-of-truth layer and corrected generic “asset performance” toward rendition performance in channel context.	Use a channel/goal-aware metric model; avoid undifferentiated usage counts.	E02, E14
Ezgi Göçücü	7 Jul 2026	Model clarification	Clarified that collections focus on governance/permissions while projects focus on execution and deliverables.	Keep separate objects and design explicit input/output relationships.	E02, E14
Eirini Kalampogia	10 Jul 2026	Experience input	Asked for centralised, relevant content in site context and more useful data in the media picker.	Filter picker results by channel/site context and expose decision data, not only previews.	E02, E14
Paul Trundle	7 Jul 2026	Challenge / risk	Raised that CMS A/B testing already happens at component level, so asset-level testing could duplicate capability.	Prove the unique asset-level analytics/governance value or implement asset-instance tracking through components.	E02

Self-authored Figma reminders

Several “Thomas Kelly mentioned you in SitecoreAI DAM” emails are notifications of Thomas’s own comments to himself. They are useful as a design to-do trail, but they are not external praise or colleague feedback. They captured the need to:

- Close or filter collections and study large-collection tools such as Lightroom.
- Switch version thumbnails on image hover, consistent with the Media Picker direction.
- Return to action-bar experiences.
- Provide an exact filter list.
- Resolve how fields work in the details/configuration model.

7. Handover plan and recommended next actions

Immediate: preserve and orient (first 1–2 weeks)

- Open the SitecoreAI DAM Figma source and create a single labelled index page: MVP, Q2, Future Vision, Symposium/demo, Deprecated.
- Read the Short Manifesto, five personas/JTBD, navigation V2 and the Future Touchpoints deck before changing IA.

- Confirm current product scope with Alicia, Ruadhán, Ezgi and Engineering; mark which Thomas-era mocks are still authoritative.
- Archive the final Symposium prototype and recording, noting every demo-only shortcut.
- Resolve the owner for EU AI Act/provenance UI guidance and record decisions in the DAM source file.

Near term: close the highest-risk decisions (weeks 2–6)

- Run task-based navigation testing with at least one Librarian and one Editor scenario; compare the three V2 variants.
- Facilitate the taxonomy scope workshop and test a revised builder with hierarchy/localisation requirements.
- Complete the lightweight Q2 onboarding tour and get content-design review; keep role-personalisation out of MVP unless configuration supports it.
- Finish the Media Library Try now/DAM PLG state model: available, requested, provisioning, ready, failed and contact-required.
- Create one canonical asset lifecycle diagram from upload/draft through review, approved/rejected, versioning, rendition, placement and retirement.

Quarter continuation: validate integration value

- Select 3–5 of the 24 touchpoints for real roadmap contracts rather than attempting all at once.
- Prioritise picker context, project-to-DAM intake, Brand Context source linkage, and rendition-aware analytics because they connect core use with governance and measurable value.
- Define UX success measures and instrumentation for onboarding, findability, reuse and governance confidence.
- Schedule direct design-partner/customer sessions; internal stakeholder agreement alone is not enough to close persona or IA questions.
- Publish a quarterly DAM UX insight update combining qualitative feedback, instrumented behaviour and action owners.

Suggested successor briefing agenda

Time	Topic	Outcome
15 min	North-star and lifecycle	Why DAM is a governed source of truth and closed learning loop.
20 min	Core product model	Personas, JTBD, Media Library vs DAM, projects vs collections, object/state model.
20 min	Figma walkthrough	Library, details, versions, picker, taxonomy, onboarding and PLG.
15 min	Cross-product map	The 24 touchpoints and the 3–5 to prioritise.
15 min	Open decisions	Navigation, taxonomy, provisioning, analytics and governance surfaces.
10 min	Relationships and cadence	Who to involve and which decisions require PM/Engineering/legal input.
5 min	Evidence boundaries	What was internally validated, customer-validated, prototyped or only conceptual.

Appendix A. Cross-product touchpoint register

This preserves the full 24-row map from the touchpoint spreadsheet. “Handover emphasis” is an operational synthesis, not an additional product commitment. [E03]

Product area	Suggested touchpoint	Experience contribution	Handover emphasis
Strategy — Plan / Projects / Campaigns	DAM-powered deliverable recommendations	Recommend existing assets using campaign and deliverable context, company/brand context and historic performance; offer reuse / adapt / create-new paths.	Define recommendation inputs, confidence and approval handling.
Strategy — Projects / Campaigns	Project-to-DAM asset intake	Upload WIP in a project; after selection, retouching and approval, send chosen outputs to DAM for governance and reuse.	Map state/permission changes and ownership across the handoff.
Strategy — Projects / Campaigns	Collections as project input and output	Attach a collection as context; output to a restricted collection for NDA or launch work.	Define collection permissions and project linkage.
Strategy — Brands / Brand Hub	Brand-filtered DAM entry point	Jump from a Brand page into DAM pre-filtered by brand and asset type.	Preserve filter context and parent/sub-brand visibility.
Strategy — Brands / Brand Hub	Brand asset insights	Show usage, download, public-link, channel performance, cost/time and ROI signals.	Agree metric definitions and omnichannel sources.
Design — Page Builder	Unified DAM asset picker	Search and select governed DAM assets from Page Builder alongside relevant Media Library states.	Align picker data contract and result filtering.
Design — Sites / Channels	Site thumbnail from DAM	Select a site thumbnail from a governed asset/rendition.	Treat as a low-complexity integration candidate.
Design — Forms	DAM-enabled Forms picker	Replace old Media Library dependency with a picker supporting Media Library and DAM.	Coordinate picker migration and compatibility.
Design — Components	DAM-aware component media selection	Replace the old tree-view media picker with the updated pattern.	Reuse the canonical picker rather than fork it.
Design / Channels	Channel-scoped asset availability	Limit assets by channel assignment, metadata, brand, locale or collection.	Validate whether restrictions live in asset metadata, channel settings or both.
Pages	Locale-aware variants / renditions	Suggest or resolve localised creative and alt text when a page is localised.	Clarify version/rendition model and fallback.
Conversion Optimization	Asset A/B testing	Test versions, define goals, split traffic and promote a statistically significant winner.	Resolve asset vs component ownership and event tracking.
Conversion Optimization	Asset-level decision tables	Assign versions/assets to audience or context rules, such as country-specific banners.	Prototype rule authoring and reuse existing decision-table patterns.
Performance	Rendition-performance dashboard	Show performance by version/rendition and channel rather than one generic asset metric.	Define goals, comparable metrics and attribution.
Performance / Sites / Discovery	Asset-to-conversion attribution	Show which asset instance contributed to page, campaign or journey performance.	Specify placement IDs and telemetry joins.

Product area	Suggested touchpoint	Experience contribution	Handover emphasis
Agentic / Marketer Journeys	Brief-gap analysis	Find governed assets, suggest near matches, expose gaps and create only what is missing.	Define retrieval quality, confidence and generated-asset ingest.
Agentic / Review agents	Governance and compliance review	Run checks for brand, rights, DRM, C2PA/provenance, correctness and readiness.	Map agent output to human review and audit trail.
Agentic / Content creation	Multi-content knowledge store	Include documents, brand knowledge, text, layers, metadata and content fragments — not only images.	Agree supported content model and compositional semantics.
Scrunch / AI Discovery	DAM as Knowledge Studio source	Choose approved source documents/assets from DAM and avoid duplicate upload.	Preserve source reference and version freshness.
Scrunch / Strategy / Channels	Visibility signals become DAM actions	Turn missing, invisible or off-brand signals into create, enrich, govern, publish, amplify or rights actions.	Define action ownership and return path.
Marketing IQ / Brand Context	DAM-sourced Brand Context / Brand Kits	Generate markdown renditions from governed source documents and link them through the picker.	Keep source-of-truth linkage and refresh behaviour.
Marketing IQ	Brand vocabulary for tagging	Use brand vocabulary for tagging/recommendation; return usage and performance signals.	Define bidirectional contract and taxonomy ownership.
Content / Unified Content Platform	Assets as graph nodes	Relate assets, versions, renditions, pages, fragments, briefs, documents and collections.	Prioritise relationship types needed by top workflows.
Media picker across product	Richer asset decision pane	Expose status, owner, tags, alt text, rights, suitability, versions, dimensions, performance and approval.	Progressively disclose only the fields relevant to the placement context.

Appendix B. Artefact and evidence register

Evidence IDs used throughout the handover. Primary artefacts were opened and reviewed; the FY27 Q1 self-report was treated as a secondary index and its claims were checked against primary sources where used.

ID	Artefact / source	Ownership / date	What it supports	Class
E01	SitecoreAI DAM - Future Touchpoints Ideation.pdf	Thomas Kelly; July 2026	16-page vision pack: source-of-truth statement, 9-stage lifecycle and cross-product concepts.	Primary
E02	UX-Product touchpoints meeting summaries-270726-073435.pdf / Confluence page	Thomas Kelly; July 2026	Six stakeholder discovery streams and detailed idea synthesis.	Primary
E03	DAM_Touchpoints_by_Product_Area.xlsx	Thomas Kelly; July 2026	24-row integration/touchpoint register with rationale and selected Figma links.	Primary
E04	Content and Media Library Personas.docx	Thomas Kelly; July 2026	Five persona workflows and 48 task steps; workflow-based IA rationale.	Primary
E05	Short Manifesto - SitecoreAI DAM	Thomas Kelly / UX Confluence	North star and closed-loop product story.	Primary
E06	Personas - SitecoreAI DAM & Content	Thomas Kelly / UX Confluence	Five named persona profiles and design implications.	Primary
E07	JTBD - SitecoreAI DAM & Content	Thomas Kelly / UX Confluence	Product-agnostic jobs-to-be-done synthesis and source list.	Primary
E08	DAM Navigation Option Evaluation	Thomas Kelly / UX Confluence	Advantages and risks of separate vs combined navigation approaches.	Primary
E09	DAM Navigation Variants - V2	Thomas Kelly / UX Confluence	Three updated variants intended for stakeholder review and testing.	Primary
E10	[WIP] Product touch-points ideas - SitecoreAI DAM	Thomas Kelly / UX Confluence	Working catalogue linking DAM to CMS and packaged capabilities.	Primary
E11	SitecoreAI DAM Figma source	Thomas Kelly / Figma	Central design file containing the DAM mock inventory and later onboarding work.	Primary
E12	Thomas Kelly ↔ Alicia Douley Teams thread	22 Jun–22 Oct 2026	Taxonomy, configurability, Try now/PLG, onboarding, EU AI Act and handover context.	Primary
E13	“prototyping ML and DAM flows for Symposium presentation” Teams thread	8–19 Oct 2026	Mock handoff, shared prototype reviews, detailed flow feedback and praise.	Primary
E14	Stakeholder recordings: Strategy; CMS touchpoints; Agentic; Quick sync w/ Thomas	7–14 Jul 2026	Primary transcripts with Ezgi Göçücü, Eirini Kalampogia, Mo Cherif and Hande Bodart.	Primary
E15	DAM Design sync	28 Jul 2026	Meeting explicitly covering current design iteration, Thomas’s research and future-vision mocks.	Primary metadata
E16	DAM - Persona JTBD Discussion	15 Jun 2026	Thomas-organised session on frequent tasks and task-flow-driven architecture.	Primary metadata
E17	DAM Big Bet - Session 2	24 Jun 2026	Thomas-organised design agenda covering details, C2PA, versions, duplicates, bulk edit, collections and IA.	Primary metadata
E18	DAM Symposium meeting and transcript	7 Oct 2026	Prototype format decision, upload/enrichment, lifecycle/review and contextual metadata planning.	Primary
E19	DAM-in-SitecoreAI-PRD-v2.pdf	Ruadhán Barry; Thomas Kelly	Shared planning artefact covering personas, JTBD, capabilities, dependencies and metrics.	Co-authored planning
E20	DAM-Big-Bet-Epic-Plan.pdf	Ruadhán Barry; Thomas Kelly	Shared epic breakdown and dependency frame.	Co-authored planning

ID	Artefact / source	Ownership / date	What it supports	Class
E21	Thomas_Kelly_FY27_Q1_Goals_Report_Revised_Expanded_Red.docx	Thomas Kelly; Oct 2026	Secondary contribution summary and evidence index.	Secondary

Clickable source links

- Short Manifesto - SitecoreAI DAM
- Personas - SitecoreAI DAM & Content
- JTBD - SitecoreAI DAM & Content
- DAM Navigation Option Evaluation
- DAM Navigation Variants - V2
- [WIP] Product touch-points ideas - SitecoreAI DAM
- Product touchpoints meeting summaries
- SitecoreAI DAM Figma source

Evidence boundaries and confidence

- High confidence: authored artefacts, direct transcripts, direct Teams messages, calendar bodies and opened file content.
- Moderate confidence: co-authored file metadata where the exact paragraph-level authorship is not recorded.
- Not claimed: verified customer-session count, customer usability validation completed by Thomas, shipped adoption impact, or sole authorship of shared prototype outcomes.
- Figma notification emails were treated as Thomas's own reminders, not external feedback; unrelated enterprise DAM search results were excluded.

HANDOVER CLOSE

What the next owner inherits

This handover is not a frozen specification. It is a traceable starting point: a product model, a portfolio of design directions, stakeholder context, and an explicit list of decisions that still need proof.

1	2	3
A coherent product model	**Routes into the wider platform**	**Honest open questions**
Workflow-led IA, five personas, a nine-stage lifecycle and a governed source-of-truth proposition.	Twenty-four mapped touchpoints and established conversations across Strategy, Channels, Agentic, Scrunch, Brand Context and Optimization.	Navigation, taxonomy, object semantics, provisioning, analytics, compliance and customer validation remain visible rather than buried.

Protect the reasoning; change the screens when evidence changes.

The durable contribution is the reasoning: workflow frequency, governance at the point of action, cross-product context, source linkage and channel-aware learning. The next owner should keep that evidence trail while updating the interface as scope, technology and customer evidence evolve.

First continuation checkpoint

- Confirm the authoritative Figma pages and archive superseded explorations.
- Agree the three highest-priority open decisions and name an owner for each.
- Book the first customer/design-partner validation for persona, IA or onboarding assumptions.
- Publish a short decision log so future changes remain explainable.