

Title: Psychosocial and material pathways in the relation between income and health: a response to Lynch et al
Author(s): [Michael Marmot](#) and [Richard G Wilkinson](#)
Source: [British Medical Journal](#). 322.7296 (May 19, 2001): p1233.
Document Type: Article
Copyright: COPYRIGHT 2001 British Medical Association
<http://www.bmj.com.libproxy.unm.edu/archive/>

Full Text:

Summary points

Economic and social circumstances affect health through the physiological effects of their emotional and social meanings and the direct effects of material circumstances

Material conditions do not adequately explain health inequalities in rich countries

The relation between smaller inequalities in [income](#) and better [population](#) health reflects increased psychosocial wellbeing

In rich countries wellbeing is more closely related to relative income than absolute income

Social dominance, [inequality](#), autonomy, and the quality of social relations have all impact on psychosocial wellbeing and are among the most powerful explanations for the pattern of population health in rich countries

Much of the debate on health inequalities has centred on the damage done by [poverty](#). However, evidence suggests that health is also related to inequality. Firstly, as the Whitehall studies of British civil servants show, there is a gradient in health among those who are not poor, indicating that the higher the socioeconomic position, the lower the [morbidity](#) and [mortality](#). [1-4] Whole population samples show that this gradient runs right across societies and that its magnitude varies between societies and over time. [5 6] Although absolute mortality has been falling in Britain, inequalities in mortality have increased. [7 8] Secondly, despite the health gradient within societies, there is little relation between average income ([gross domestic product](#) per capita) and life expectancy in rich countries. This suggests that absolute material standards are not, in themselves, the key. Thirdly, there is a strong relation between mortality and income inequalities. People living in countries with greater income inequality have a shorter life expectancy. [9-11] Furthermore, a similar relation has been found for geographical areas within countries. [12-15]

Importance of psychosocial pathways

These observations support our argument that there are psychosocial pathways associated with relative disadvantage which act in addition to the direct effects of absolute material living standards. [1 16-18] This interpretation is underpinned by three kinds of evidence:

- * The success of psychosocial variables such as control, anxiety, insecurity, depression, social affiliations in explaining the health gradient
- * Studies of the effects of low [social status](#) on non-human primates
- * Increasing knowledge of the neuroendocrine pathways through which psychosocial factors "get under the skin."

Interpretation of Lynch et al

Lynch et al dismissed this approach in a recent article in the BMJ. [19] They accepted the link between income inequality, and life expectancy at the population level and considered three explanations: individual income, psychosocial factors, and "neo-material" interpretations.

Lynch et al then proceeded to rule out the first two explanations in favour of the third. The argument supporting

individual income as an explanation states that a [society](#) with greater income inequality will have a higher percentage of people with low incomes, and that this higher prevalence of poor people accounts for the relation with poor health. Although this interpretation is possible, Lynch et al cited convincing evidence refuting it.[20-22] However, it is the rejection of psychosocial explanations by Lynch et al which we wish to consider here. These authors dismiss the evidence that psychosocial factors mediate the relation between income inequality and mortality at the population level. Furthermore, at the individual level, Lynch et al claim that a focus on perceptions of inequality and other psychosocial factors ignores the material conditions which structure everyday experience and leads to a regressive political agenda of victim blaming.

Psychosocial effects of relative deprivation

We need not take issue with the emphasis of Lynch et al on neo-material factors. Indeed their description of these as "a combination of negative exposures and lack of resources held by individuals, along with systematic under investment across a wide range of human, cultural, and political-economic processes" seems to embrace everything but the genome. Although the inclusion of psychosocial pathways in neo-material factors might arguably be considered a major difference between neo-material and material factors, Lynch et al have taken pains specifically to exclude psychosocial explanations of inequalities in health.

The distinction between the direct effects of material conditions (malnutrition, cold, and polluted air and water) on health and the psychosocially mediated health effects of relative deprivation has important implications for policy. If, in the spirit of neo-materialism, you give every child access to a computer and every [family](#) a car, deal with air pollution, and provide a physically safe environment, is the problem solved? We believe not. The psychosocial effects of relative deprivation involving control over life, insecurity, anxiety, social isolation, socially hazardous environments, bullying, and depression remain untouched. Evidence shows that these factors influence health and that their prevalence is affected by the socioeconomic structure and by people's position within this.

Psychosocial importance of [consumption](#)

Within a society, health is correlated with income. However, over and above satisfying basic needs, consumption serves social, psychosocial, and symbolic purposes. It expresses identity. Self image is enhanced by possessions. Shopping provides "retail therapy." [Wealth](#) is a marker for social [status](#), success, and respectability, just as poverty is stigmatising. At work, higher incomes are associated with less subordination, more autonomy and control, and less job insecurity. Even Marx's paleo-materialism acknowledged the psychosocial effects of inequality: "A house may be large or small; as long as the surrounding houses are equally small it satisfies all social demands for a dwelling. But if a palace arises beside the little house, the little house shrinks to a hovel ... the dweller will feel more and more uncomfortable, dissatisfied and cramped within its four walls."[23]

Even before Marx, Adam Smith recognised that material conditions were important for more than their value in providing for life's basics: "By necessities, I understand not only the [commodities](#) which are indispensably necessary for the support of life, but whatever the custom of the country renders it indecent for creditable people, even the lowest order to be without ... a creditable day labourer would be ashamed to appear in public without a linen shirt."[24]

Psychosocial factors and ill health: heart disease

It has been shown that psychosocial factors are linked to ill health, follow a social gradient, account (statistically) for some or the entire social gradient in ill health, and are biologically plausible explanations. Take coronary heart disease as an example.

* A systematic review found that low control in the work place, low social support, hostility, depression, and anxiety were related to coronary heart disease[25]

* National data from the health survey for England show that low control and low variety at work as well as low social supports follow a social gradient (table)[26]

Low control and variety at work and severe lack of social support

in relation to sex and [social class](#). Values are percentages for all men and [women](#) in each social class[26]

	Social class					
	I	II	IIINM	IIIM	IV	V
Men (age [is greater than or equal to] 16):						
Low control over work	6	6	21	22	40	47
Low variety at work	9	18	35	35	62	66
Severe lack of social support	10	12	16	18	21	26
Women (age [is greater than or equal to] 16):						
Low control over work	14	10	36	31	50	46
Low variety at work	8	22	56	52	74	92
Severe lack of social support	6	9	12	13	14	15

* The Whitehall II study showed that low control in the workplace predicted coronary heart disease independent of social status,[27] and that low control in the workplace accounted for about half of the social gradient in cardiovascular disease[1]

* There is substantial evidence of the neuroendocrine pathways through which psychosocial factors affect health[28 29]

* In animal experiments it is possible to examine the effects of social status in the absence of appreciable material differences. In studies of macaque monkeys, diet and the environment were held constant while social status was manipulated by moving animals between groups (ruling out reverse causation). The results showed that subordinate status itself led to health risk factors--risk factors that are also associated with low social status in humans. These include increased atherosclerosis, unfavourable ratios of high density lipoprotein cholesterol and low density lipoprotein cholesterol, insulin resistance, a tendency to central obesity, and raised basal cortisol values.[28 30 31] In the monkeys these effects are unambiguously attributed to chronic arousal associated with low social status.

Lynch et al dismiss this evidence in animals because the social status variation in these measures among monkeys is only a small part of the total individual variation. But that is as it should be; the same is true of the social gradient in human health. Nevertheless, the effects associated with social status are large. Downwardly mobile animals showed a fivefold increase in atherosclerosis over two years.[32] Lynch et al suggest that differential access to food, water, and space might account for the differences in atherosclerosis. But the experimental conditions ensured that this was not so (CA Shively, personal communication). In humans, the social gradients seen in fibrinogen (an acute phase reactant) and in cortisol values provide direct physiological evidence of the involvement of psychosocial pathways linking hierarchy and health.[31 33]

Inequality and weakening social affiliations

The fact that the social gradient in health within societies is related to psychosocial factors does not prove that the association between socioeconomic inequality and the health of whole populations also results from psychosocial factors. However, evidence suggests that this is the case.

At the ecological level greater income [equality](#) has been shown, internationally and among the 50 states of the United States, to be strongly associated with increased trust.[34 35] Greater equality is also associated with "helpfulness" and group membership, while greater inequality is linked with hostility. A meta-analysis of 34 studies shows that there is a strong relation between greater income inequality and increased homicide.[36] More inequality is also associated with increased [racism](#) and [discrimination](#) against women.[37 38] Other studies show a close relation between a more egalitarian social ethos and closer community relations.[39 40] All these are unambiguous signs that inequality has

psychosocial effects. Indeed, there seems to be a "[culture](#) of inequality" which is more aggressive, less connected, more violent, and less trusting.[41] People with less egalitarian values have repeatedly been shown to lie more racist, classist, and sexist.[42]

Lynch et al attempt to dismiss this accumulated evidence simply by saying that trust has not decreased in the United States as income differences have widened. But the US general social survey shows that during 30 years up to 1998, when income differences widened almost continuously, the proportion of people who trusted others fell from 55% to 35%. Putnam also provides incontrovertible evidence that "social [capital](#) and economic inequality moved in tandem through most of the twentieth century." [43]

If greater inequality increases the burden of low social status while weakening social affiliations, health effects are to be expected. Mortality is two or three times higher in people of low status than in those of high status and two or three times higher in people with weak social links than in those with strong social networks.[44 45]

Happiness and relative income

Lynch et al also maintain that subjective wellbeing is more closely related to absolute income than to relative income. However, this claim is not supported in a recent analysis by Frank, which takes account of data referred to by Lynch et al.[46] Frank asserts: "Study after careful study shows that, beyond some point, the average happiness within a country is almost completely unaffected by increases in its average income level ... average satisfaction levels register virtually no change even when average incomes grow many-fold." [46] In contrast, the "consistent finding" of analyses of "how subjective well-being varies with income within a country ... is that richer people are, on average, more satisfied with their lives than their poorer contemporaries." [46] In short, happiness is more closely related to relative than to absolute income.

Mortality and income

To keep the direct effects of material factors in the picture, Lynch et al argue that even in rich countries there is an association between average income and life expectancy. The figure shows the relation between life expectancy and gross national product per capita at purchasing [power](#) parities for the 25 richest countries for which the World Health Organization holds 1998 data.[47 48] There is a slight negative relation between the two ($r = -0.107$). For the 30 richest countries, the correlation is 0.064. It is only when poorer countries are included that the association with mean income emerges. This is not a legitimate basis on which to interpret the effects of inequality in the United States.

[ILLUSTRATION OMITTED]

Not only is the regular rank ordering of mortality in relation to income within the richest countries not found between these countries, but there can be dramatic mismatches in living standards and health between societies. In 1996, black American men had a median income of \$26 522[49] and a life expectancy of only 66.1 years.[50] Men in Costa Rica had a mean income (at purchasing power parity) of only \$6410, yet their life expectancy was 75 years. Four times the real income bought a life expectancy of nine years less. Given that 44% of Costa Ricans lived on less than \$2 a day in 1989,[51] the explanation for the poorer health of black people in the United States must have more to do with the psychosocial effects of relative deprivation--such as educational disadvantage, racism, gender discrimination, social and family disruption, and fear of crime--than with the direct effects of material conditions themselves. To show that [social structure](#) and relative deprivation have painful psychosocial effects is the very opposite of victim blaming. Indeed, the denial of these connections exposes the individual to blame.

Tackling psychosocial and material issues

Lynch et al imagine that a focus on psychosocial factors means ignoring the structural determinants of health. If such a focus led to victim blaming, ignoring the social determinants of health, or prescriptions of mass psychotherapy to alter perceptions of relative disadvantage, we would share their concern. But this is not where the evidence on psychosocial factors leads.[8 16 52] Recognising that the socioeconomic structure has powerful psychosocial as well as material effects means that it is more, not less, important to identify and tackle the structural issues. Added urgency comes from the fact that psychosocial factors, unlike many of the direct effects of material factors, exacerbate other social

problems, including levels of [violence](#) and the gradient in educational performance.[53]

Funding: Both authors are supported by the Medical Research Council. MM is also supported by the John D and Catherine T MacArthur Foundation Research Network on Socioeconomic Status and Health.

Competing interests: None declared.

[1] Marmot M, Bosma H, Hemingway H, Brunner EJ, Stansfeld SA. Contribution of job control and other risk factors to social variations in coronary heart disease incidence. *Lancet* 1997;350:235-9.

[2] Marmot MG, Shipley MJ, Rose G. Inequalities in death--specific explanations of a general pattern. *Lancet* 1984;i:1003-6.

[3] Marmot MG, Davey Smith G, Stansfeld SA, Patel C, North F, Head J, et al. Health inequalities among British civil servants: the Whitehall II study. *Lancet* 1991;337:1387-93.

[4] Von Rossum C, Shipley M, Van de Mheen H, Grobbee D, Marmot MG. [Employment](#) grade differences in cause specific mortality. 25 year follow-up of civil servants from the first Whitehall study. *J Epidemiol Community Health* 2000;54:178-84.

[5] McDonough P, Duncan GJ, Williams D, House JS. Income dynamics and adult mortality in the United States, 1972 through 1989. *Am J Public Health* 1997;87:1476-83.

[6] Drever F, Whitehead M. Health inequalities: decennial supplement. London: Stationery Office, 1967:1-257. (Series DS, No 15.)

[7] Pamuk ER. Social class inequality in mortality from 1921 to 1972 in England and Wales. *Pop Stud* 1985;39:17-31.

[8] Acheson D. Independent inquiry into inequalities in health. London: Stationery Office, 1998.

[9] Wilkinson RG. Income [distribution](#) and life expectancy. *BMJ* 1992;304: 165-8.

[10] Wilkinson RG. The epidemiological transition: from material scarcity to social disadvantage? *Daedalus* 1994;23:61-77.

[11] Hales S, Howden-Chapman P, Salmond C, Woodward M, Mackenback JP. National infant mortality rates in relation to gross national product and distribution of income. *Lancet* 1999;354:2047.

[12] Kennedy BP, Kawachi I, Prothrow-Stith D. [Income distribution](#) and mortality: cross sectional ecological study of the Robin Hood index in the United States. *BMJ* 1996;312:1004-7.

[13] Lynch J, Kaplan GA, Pamuk ER, Cohen RD, Heck KE, Balfour JL, et al. Income inequality and mortality in metropolitan areas of the United States. *Am J Public Health* 1998;88:1074-80.

[14] Walberg P, McKee M, Shkolnikov V, Chenet L, Leon D. Economic change, crime and mortality crisis in Russia: regional analysis. *BMJ* 1998;317: 312-8.

[15] Chiang T-L Economic transition and changing relation between income inequality and mortality in Taiwan: regression analysis. *BMJ* 1999;319: 1162-5.

[16] Wilkinson RG. Unhealthy societies: the afflictions of inequality. London: Routledge, 1996.

[17] Wilkinson RG. Health, hierarchy and social anxiety. *Ann NY Acad Sci* 1999;896:48-63.

[18] Marmot M, Bobak M. International comparators and poverty and health in Europe. *BMJ* 2000;321:1124-8.

[19] Lynch JW, Davey Smith G, Kaplan GA, House JS. Income inequality and mortality: importance to health of

individual income, psychosocial environment, or material conditions. *BMJ* 2000;320:1200-4.

[20] Wolfson M, Kaplan G, Lynch J, Ross N, Backlund E. Relation between income inequality and mortality: empirical demonstration. *BMJ* 1999; 319:953-7.

[21] Kennedy BP, Kawachi I, Glass R, Prothrow-Stith D. Income distribution, socioeconomic status, and self rated health in the United States: multilevel analysis. *BMJ* 1998;317:917-21.

[22] Kahn RS, Wise PH, Kennedy BP, Kawachi I. State income inequality, household income, and maternal mental and physical health: cross sectional national survey. *BMJ* 2000;321:1311-5.

[23] Marx K. Wage labour and capital. In: Selected works. Vol 1. London: Lawrence and Wishart, 1942;

[24] Sen A. Development as freedom. New York: Knopf, 1999.

[25] Hemingway H, Marmot M. Psychosocial factors in the aetiology and prognosis of coronary heart disease: systematic review of prospective cohort studies. *BMJ* 1999;318:1460-7.

[26] Joint Health Surveys Unit. Health survey for England 1994. London: Stationery Office, 1996.

[27] Bosma H, Marmot MG, Hemingway H, Nicholson A, Brunner EJ, Stansfeld S. Low job control and risk of coronary heart disease in the Whitehall II (prospective cohort) study. *BMJ* 1997;314:558-65.

[28] Brunner EJ, Marmot MG. Social organisation, stress and health. In: **Marmot** MG, **Wilkinson** RG, eds. Social determinants of health. Oxford: Oxford University Press, 1999.

[29] McEwen BS. Protective and damaging effects of stress mediators. *N Engl J Med* 1998;338:171-9.

[30] Brunner EJ, Marmot MG, Nanchahal K, Shipley MJ, Stansfeld SA, Juneja M, et al. Social inequality in coronary risk: central obesity and the metabolic syndrome. Evidence from the Whitehall II study. *Diabetologia* 1997;40:1341-9.

[31] Kristenson M, Orth-Gomer K, Kucinskiene Z, Bergdahl B, Calkauskas H, Balinkyiene I, et al. Attenuated cortisol response to a standardised stress test in Lithuanian vs. Swedish men. *Int J Behav Med* 1998;5:17-30.

[32] Shively CA, Clarkson TB. Social status and coronary artery atherosclerosis in female monkeys. *Arteriosclerosis Thrombosis* 1994;4:721-6.

[33] Brunner EJ, Davey Smith G, Marmot MG, Canner R, Beksinska M, O'Brien J. Childhood social circumstances and psychosocial and behavioural factors as determinants of plasma fibrinogen. *Lancet* 1996;347:1008-13.

[34] Kawachi I, Kennedy BP, Lochner K, Prothrow-Stith D. Social capital, income inequality, and mortality. *Am J Public Health* 1997;87:1491-8.

[35] Uslaner EM. The moral foundations of trust. www.bsos.umd.edu/gvpt/uslaner/research.htm (accessed 5 March 2001.)

[36] Hsieh CC, Pugh MD. Poverty, income inequality, and violent crime: a meta-analysis of recent aggregate data studies. In: Kawachi I, Kennedy B, Wilkinson RG, eds. Income inequality and health. The society and population health reader. New York: New Press, 1999.

[37] Kennedy BP, Kawachi I, Lochner K, Jones CP, Prothrow-Stith D. (Dis)respect and black mortality. [Ethnicity](#) Dis 1997;7:207-14.

[38] Kawachi I, Kennedy BP, Gupta V, Prothrow-Stith D. Women's status and the health of women: a view from the States. *Soc Sci Med* 1999;48:21-32.

- [39] Putnam RD, Leonardi R, Nanetti RY. Making democracy work: civic traditions in modern Italy. Princeton, NJ: Princeton University Press, 1992.
- [40] Bruhn JG, Wolf S. The Roseto story Norman. Norman, OK: University of Oklahoma Press, 1979.
- [41] Wilkinson RG. The culture of inequality. In: Kawachi I, Kennedy B, Wilkinson RG, eds. Income inequality and health. The society and population health reader. Vol 1. New York: New Press, 1999.
- [42] Sidanius J, Pratto F. Social dominance: an intergroup theory of social hierarchy and oppression. New York: Cambridge University Press, 1999.
- [43] Putnam R. Bowling alone: The collapse and revival of American community. New York: Simon and Schuster, 2000.
- [44] House JS, Landis KR, Umberson D. Social relationships and health. Science 1988;241:540-5.
- [45] Berkman LF. The role of social relations in health promotion. Psychosom Med 1995;57:245-54.
- [46] Frank R. Luxury fever. New York: Free Press, 1999.
- [47] World Health Organization. World health report 1999. Geneva: WHO, 2000.
- [48] [World Bank](#). World development indicators 2000. Washington: World Bank, 2000.
- [49] Williams DR. [Race](#), socioeconomic status and health. The added effects of racism and discrimination. Ann NY Acad Sci 1999;896:173-88.
- [50] National Centre for Health [Statistics](#). Health, United States, 1999 with health and aging chartbook. Hyattsville, MA: National Centre for Health Statistics, 1999.
- [51] World Bank. World development report 1998/9. Knowledge for development. New York, Oxford University Press, 1999.
- [52] **Marmot** M, **Wilkinson** RG, eds. Social determinants of health. Oxford: Oxford University Press, 1999.
- [53] Keating D, Hertzman CE. Developmental health: the wealth of nations in the information age. New York: Guilford Press, 1999.

International Centre for Health and Society, Department of Epidemiology and Public Health, University College London, London WC1E 6BT

Michael Marmot research professor

Trafford Centre for Medical Research, University of Sussex, Brighton BN19RY

Richard G **Wilkinson** professor

Correspondence to: M **Marmot** M.Marmot@ucl.ac.uk

BMJ 2001;322:1233-6

Abstract:

Income inequality and its psychosocial effects may have a negative impact on health. The effect of income inequality on health is seen even in countries where most people are not poor.

Source Citation (MLA 7th Edition)

Marmot, Michael, and Richard G Wilkinson. "Psychosocial and material pathways in the relation between income and health: a response to Lynch et al." *British Medical Journal* 19 May 2001: 1233. *Health Reference Center Academic*. Web. 21 Aug. 2014.

Document URL

[http://go.galegroup.com/ps/i.do?](http://go.galegroup.com/ps/i.do?id=GALE%7CA75432957&v=2.1&u=albu78484&it=r&p=HRCA&sw=w&asid=c484db480d9bcef7e70aad6564a0209b)

[id=GALE%7CA75432957&v=2.1&u=albu78484&it=r&p=HRCA&sw=w&asid=c484db480d9bcef7e70aad6564a0209b](http://go.galegroup.com/ps/i.do?id=GALE%7CA75432957&v=2.1&u=albu78484&it=r&p=HRCA&sw=w&asid=c484db480d9bcef7e70aad6564a0209b)

Gale Document Number: GALE|A75432957

[Top of page](#)