


CONCEPT



knife

knife is a command-line tool that provides an interface between a local chef-repo and the Chef Server.

GL: Navigate to the chef-repo



```
$ cd ~/chef-repo
```



GL: knife --help



```
$ knife --help
```

```
Available subcommands: (for details, knife SUB-COMMAND --help)
```

```
** BOOTSTRAP COMMANDS **
```

```
knife bootstrap FQDN (options)
```

```
knife bootstrap windows ssh FQDN (options)
```

```
knife bootstrap windows winrm FQDN (options)
```

```
** CLIENT COMMANDS **
```

```
knife client bulk delete REGEX (options)
```

```
knife client create CLIENT (options)
```

```
knife client delete CLIENT (options)
```

```
knife client edit CLIENT (options)
```

GL: knife client --help



```
$ knife client --help
```

```
Available client subcommands: (for details, knife SUB-COMMAND --help)
```

```
** CLIENT COMMANDS **
```

```
knife client bulk delete REGEX (options)
```

```
knife client create CLIENT (options)
```

```
knife client delete CLIENT (options)
```

```
knife client edit CLIENT (options)
```

```
knife client list (options)
```

```
knife client reregister CLIENT (options)
```

```
knife client show CLIENT (options)
```

GL: knife client list



```
$ knife client list
```

```
ORGNAME-validator
```

GL: knife cookbook --help



```
$ knife cookbook --help
```

```
** COOKBOOK COMMANDS **
```

```
knife cookbook bulk delete REGEX (options)
```

```
knife cookbook create COOKBOOK (options)
```

```
knife cookbook delete COOKBOOK VERSION (options)
```

```
knife cookbook download COOKBOOK [VERSION] (options)
```

```
knife cookbook list (options)
```

```
knife cookbook metadata COOKBOOK (options)
```

```
knife cookbook metadata from FILE (options)
```

```
knife cookbook show COOKBOOK [VERSION] [PART] [FILENAME] (options)
```


```
knife cookbook test [COOKBOOKS...] (options)
```

```
knife cookbook upload [COOKBOOKS...] (options)
```

GL: knife cookbook list




```
$ knife cookbook list
```



GL: knife cookbook list




```
$ knife cookbook upload workstation
```



GL: knife cookbook list



```
$ knife cookbook upload apache
```



GL: knife cookbook list



```
$ knife cookbook list
```

```
apache      0.2.1  
workstation 0.2.1
```