SOURCE FILE . . . . . . CDJSON/QRPGLESRC SEQNBR\*...+... 1 ...+... 2 ...+... 3 ...+... 4 ...+... 5 ...+... 6 ...+... 7 ...+... 8 ...+... 9 ...+... 0 100 HDFTACTGRP(\*NO) ACTGRP(\*new) 29/01/18 200 HDECEDIT('.') 27/11/23 300 FLFFIRM UF E K DISK EXTFILE('ODIVERS/LFFIRM') 01/12/23 FPFMVTK O A E DISK
FPFMVTA O A E DISK
FJNLFNO IF E K DISK 400 FXTFILF(FIL1) USROPN 01/12/23 500 EXTFILE(FIL2) USROPN 01/12/23 600 01/12/23 ¥-----700 01/12/23 DTRANNR S LIKE(FITRAN) 800 01/12/23 \*-----900 29/01/18 D xmlHandler PR 10i 0
D ignore 1a
D event 10i 0 value
D string \* value
D stringLen 20i 0 value
D exceptionId 10i 0 value 1000 29/01/18 1100 29/01/18 1200 29/01/18 1300 29/01/18 1400 29/01/18 1500 29/01/18 \*-----1600 29/01/18 D XML s
D ignoreMe s la
D xmlfile s 256a
D pdf s 256a
D firma s 3a
D library s 4a
D klant s 8a
N voucher s 20a D XML s 500a varving 1700 29/01/18 1800 29/01/18 1900 29/01/18 2000 14/02/18 2100 28/10/23 2200 28/10/23 2300 27/11/23 D voucher s
D transdate s
D datclc s
D dat\* 2400 27/11/23 2500 10a 27/11/23 d
D datum s 8s 0
D datum s 8a
D sqlstmt s 500a
D amt s 11s 2
D fill s 21a
D fil2 s 21a
D wkArray s 10a dim(5)
D journaal s 10a 2600 27/11/23 2700 27/11/23 2800 27/11/23 2900 28/10/23 3000 27/11/23 3100 01/12/23 3200 01/12/23 3300 01/12/23 3400 05/01/24 ¥-----3500 29/01/18 3600 ח 01/12/23 1 4 0 5 6 0 7 8 0 1 8 0 3700 DJJ01/12/23 3800 DMM 01/12/23 3900 מממ 01/12/23 4000 DIMPD 01/12/23 \*-----4100 01/12/23 \*entry plist
 parm xmlfile 256 4200 29/01/18 4300 29/01/18 \*-----4400 14/02/18 4500 C/EXEC SQL 28/10/23 4600 C+ SET OPTION COMMIT=\*NONE 28/10/23 4700 C/END-EXEC 28/10/23 4800 28/10/23 eval 4900 XML = %trimr(xmlfile) 29/01/18 monitor xml-sax 5000 С 29/01/18 5100 С %handler(xmlHandler: ignoreMe) 29/01/18 5200 С %XML(%trim(XML): 'doc=file') 29/01/18 5300 29/01/18 on-error

5770WDS V7R4M0 190419 SEU SOURCE LISTING 19/02/24 08:51:06 S4411711 PAGE SOURCE FILE . . . . . . CDJSON/QRPGLESRC MEMBER . . . . . . . . D365IN75 SEONBR\*...+... 1 ...+... 2 ...+... 3 ...+... 4 ...+... 5 ...+... 6 ...+... 7 ...+... 8 ...+... 9 ...+... 0 5400 29/01/18 endmon 5500 14/02/18 5600 С eval \*inlr = \*on29/01/18 **\***-----5700 29/01/18 5800 В P xmlHandler 29/01/18 5900 D xmlHandler PΤ 10i 0 29/01/18 6000 D ignore l a 29/01/18 10i O value 6100 D event 29/01/18 6200 \* value D string 29/01/18 20i 0 value 6300 D stringLen 29/01/18 6400 D exceptionId 10i O value 29/01/18 6500 29/01/18 6600 D value 65535a based(String) 29/01/18 s 6700 D ucs2val 16363c based(String) 29/01/18 s 6800 29/01/18 6900 D MAX DEPTH С 29/01/18 7000 D depth 10i 0 inz(0) static 29/01/18 s 7100 D stackname s 65535a varving inz('') 29/01/18 7200 ח dim(MAX DEPTH) 29/01/18 7300 D static 29/01/18 7400 D stackval 65535a varying inz('') 29/01/18 s 7500 dim(MAX DEPTH) 29/01/18 7600 D static 29/01/18 7700 29/01/18 7800 C select 29/01/18 7900 29/01/18 8000 \* start XML document intialisatie 29/01/18 29/01/18

8100 С event = \*XML START DOCUMENT when 8200 С depth=0 eval 29/01/18 8300 С eval stackname(\*) = ''29/01/18 stackval(\*) = '' eval 8400 С 29/01/18 8500 29/01/18 8600 \* meer elementen dan 64= fout in parsing 29/01/18 8700 when depth >= MAX DEPTH 29/01/18 8800 and ( event = \*XML START ELEMENT C 29/01/18 8900 С or event = \*XML\_ATTR\_NAME ) 29/01/18 9000 С return - 1 29/01/18 9100 29/01/18 9200 \* start van nieuw element 29/01/18 9300 when event = \*XML\_START\_ELEMENT 29/01/18 9400 С depth += 129/01/18 eval 9500 С depth = 1if 29/01/18 stackname(depth) = '/' 9600 С eval 29/01/18 9700 C + %subst(value:1:stringLen) 29/01/18 9800 С else 29/01/18 С 9900 stackname(depth) = stackname(depth-1) + '/' eval 29/01/18 10000 С + %subst(value:1:stringLen) 29/01/18 10100 С endif 29/01/18 С stackval(depth) = '' 10200 eval 29/01/18 10300 29/01/18 10400 \* start van nieuw attribut 29/01/18 10500 С when event = \*XML\_ATTR\_NAME 29/01/18 10600 С depth += 1 eval 29/01/18

5770WDS V7R4M0 190419 SEU SOURCE LISTING SOURCE FILE . . . . . . CDJSON/QRPGLESRC MEMBER . . . . . . . . D365IN75

SEQNBR\*...+... 1 ...+... 2 ...+... 3 ...+... 4 ...+... 5 ...+... 6 ...+... 7 ...+... 8 ...+... 9 ...+... 0 10700 C eval stackname(depth) = stackname(depth-1) + '/@' 29/01/18 10800 С + %subst(value:1:stringLen) 29/01/18 10900 С eval stackval(depth) = '' 29/01/18 11000 29/01/18 11100 29/01/18 11200 \* start van nieuw attribut 29/01/18 11300 when event = \*XML END ELEMENT 29/01/18 11400 С or event = \*XML END ATTR 29/01/18 11500 С if depth > 029/01/18 11600 С select 29/01/18 11700 С when stackname(depth) = 28/10/23 С 11800 '/OptiGrator/CustTrans/CustTable/dataAreaId' 27/11/23 11900 29/01/18 12000 С librarv=\*blanks 28/10/23 eval 12100 С eval firma=\*blanks 28/10/23 firma=%trim(stackval(depth)) 12200 С eval 28/10/23 12300 С select 28/10/23 12400 С when firma = 'wnv' 28/10/23 library = 'WVDJ' 12500 С eval 28/10/23 12600 C 40 3 0 01/12/23 z-add firma = 'act' 12700 С when 30/10/23 library = 'ACDJ' 12800 С eval 30/10/23 12900 С z-add 01/12/23 13000 С firma = 'grp' when 30/10/23 library = 'WGDJ' 13100 С eval 30/10/23 13200 С z-add 1 fnr 01/12/23 С firma = 'hls' 13300 when 30/10/23 13400 С eval library = 'HEDJ' 30/10/23 С 13500 z-add 01/12/23 firma = 'ind' С 13600 when 30/10/23 С library = 'INDJ' 13700 eval 30/10/23 13800 С 35 01/12/23 z-add С firma = 'int' 13900 when 30/10/23 library = 'WIDJ' 14000 С eval 30/10/23 14100 С z-add 2 01/12/23 firma = 'sfo' 14200 С when 30/10/23 С library = 'SFDJ' 14300 30/10/23 eval С 14400 z-add 01/12/23 firma = 'wbl' 14500 С when 30/10/23 14600 С eval library = 'BADJ'30/10/23 14700 С 22 fnr 01/12/23 z-add 14800 С endsl 28/10/23 14900 28/10/23 15000 С when stackname(depth) = '/OptiGrator/CustTrans/' 27/11/23 15100 С + 'CustTable/ALTLegacvCustID ' 27/11/23 С 15200 eval klant=\*blanks 27/11/23 15300 С klant=%trim(stackval(depth)) 27/11/23 eval 15400 14/02/18 15500 С stackname(depth) = '/OptiGrator/CustTrans/' when 27/11/23 С 15600 + 'Voucher' 27/11/23 15700 С eval voucher=\*blanks 27/11/23 15800 С eval voucher=%trim(stackval(depth)) 01/12/23 15900 С eval wkarray=%split(voucher:'-') 01/12/23 SOURCE FILE . . . . . . CDJSON/QRPGLESRC MEMBER . . . . . . . . D365IN75

			200222				
	+	1+ 2	+ 3	+ 4+	5+ 6	+ 7+ 8+ 9	
16000							05/01/24
16100	C		when			Grator/CustTrans/'	05/01/24
16200	C		_	+ 'altDisp	05/01/24		
16300	C		eval	journaal=*	05/01/24		
16400	С		eval	journaa1=%	trim(stackval(d	eptn))	05/01/24
16500	•			- +   /	d	0 - t (0 · - t T (1	27/11/23
16600 16700	C		when	+ 'TransDa		Grator/CustTrans/'	27/11/23
	C C		ava1	transdate=	27/11/23 27/11/23		
16800 16900	C		eval eval	transdate=	27/11/23		
17000	C		monitor	ti alisuate-	27/11/23		
17100	C		eval	datclc = %	27/11/23		
17200	Č		on-error	uattic - %	27/11/23		
17300	Č		eval	datclc = %	27/11/23		
17400	Č		endmon	uattic - %	uacecy		27/11/23
17500	Č	*iso	movel	datclc	dat8		27/11/23
17600	č	150	movel	dat8	datum		27/11/23
17700	•						27/11/23
17800	С		when	stackname(	depth) = '/Opti	Grator/CustTrans/'	27/11/23
17900	Č			+ 'AmountC			27/11/23
18000	Č		eval	amt=0			27/11/23
18100	Č		eval		trim(stackval(d	epth)):11:2)	27/11/23
18200						-,	27/11/23
18300	С		when	stackname(	depth) = '/Opti	Grator/CustTrans'	27/11/23
18400	C		monitor				01/12/23
18500	* *	schrijven na	ar pfmvtk en	pfmvta			01/12/23
18600	С		eval		im(library) + '.	/PFMVTK'	01/12/23
18700	С		eval	fil2 = %tr	01/12/23		
18800	С		if	not %open(	15/02/24		
18900	С		open	pfmvtk			01/12/23
19000	С		endif				15/02/24
19100	С		if	not %open(	pfmvta)		15/02/24
19200	С		open	pfmvta			01/12/23
19300	С		endif				15/02/24
19400	С	FNR	CHAIN	LFFIRM		50	01/12/23
19500	С	FITRAN	ADD	1	FITRAN		01/12/23
19600		N50	UPDATE	PFFIRMR			01/12/23
19700	С		Z-ADD	FITRAN	TRANNR		01/12/23
19800	Ç		clear		pfmvtkr		01/12/23
19900	С		MOVEL	klant	KLANTNR	8 0	19/12/23
20000	Ç		Z-ADD	KLANTNR	MKLNR		01/12/23
20100	C		MOVEL	DATUM	IMPD		01/12/23
20200	C		Z-ADD	DD	MIMPDD		01/12/23
20300	C		Z-ADD	MM	MIMPMM		01/12/23
20400	С		Z-ADD	JJ	MIMPJJ		01/12/23
20500	C	KEYFN0	KLIST		FIRMA		01/12/23
20600	C		KFLD		FIRMA		01/12/23
20700	С		KFLD	LOUDNAAZ	JNLF0		01/12/23
20800	C	INI EO	MOVEL	JOURNAAL	JNLF0		05/01/24
20900	C	JNLF0	IFNE	'0P'			15/02/24
21000 21100	C C	KEYFN0	CHAIN IF	JNLFNO %FOUND			01/12/23
21100	C		MOVEL	JNL400	MJN		01/12/23 01/12/23
Z 1 Z U U	L		PIO V E L	2145400	LIPIA		01/12/23

SOURCE FILE . . . . . . CDJSON/QRPGLESRC MEMBER . . . . . . . . D365IN75 SEQNBR\*...+... 1 ...+... 2 ...+... 3 ...+... 4 ...+... 5 ...+... 6 ...+... 7 ...+... 8 ...+... 9 ...+... 0 'BFT' 21300 MOVEL MOMSCH 01/12/23 21400 C Z-ADD 4 MSOORT 01/12/23 21500 С ELSE 01/12/23 '030' 21600 MOVFI MJN01/12/23 יעזמי 21700 С MOVEL MOMSCH 01/12/23 21800 С Z-ADD 5 MSOORT 01/12/23 21900 С ENDIF 01/12/23 22000 С EVAL MNRDOK = DEC(TRIM(WKARRAY(2)):3:0)01/12/23 22100 С TFLT 01/12/23 amt 0 22200 С 7-SUB AMT MBDRB 01/12/23 C ירי 22300 MOVEL MDC 01/12/23 С 22400 ELSE 01/12/23 С 22500 Z-ADD AMT **MBDRB** 01/12/23 22600 С MOVEL 'D' MDC 01/12/23 22700 С **ENDIF** 01/12/23 22800 С Z-ADD TRANNR MNTRAN 01/12/23 MOPM 22900 С MOVEL VOUCHER 08/01/24 23000 С WRITE PFMVTKR 01/12/23 23100 С MOVEL '400001' **AREKNR** 01/12/23 23200 С WRITE **PFMVTAR** 01/12/23 С 23300 MDC IFEQ יחי 01/12/23 23400 С MOVEL 'C' MDC 01/12/23 23500 С ELSE 01/12/23 23600 С MOVEL יחי MDC 01/12/23 С 23700 ENDIF 01/12/23 23800 С MOVEL '489001' AREKNR 01/12/23 С 23900 WRITE PFMVTAR 01/12/23 24000 С **ENDIF** 15/02/24 С 24100 close pfmvtk 01/12/23 24200 close pfmvta 01/12/23 С 24300 on-error 01/12/23 24400 С endmon 01/12/23 24500 С eval 28/10/23 sqlstmt=\*blanks sqlstmt = 'UPDATE ' +%trim(library) + '/' 24600 C\*\*eval 27/11/23 24700 C \* \*+ 'PFBEW SET BBUFLA = ' + X'7D' + 'Y' 27/11/23 24800 C\*\*+ X'7D' + ' WHERE BJNL = ' 27/11/23 + X'7D' + '001' + X'7D' + ' AND BDOCNR = ' 24900 C\*\*27/11/23 C\*\*+ %TRIM(FACTUUR) 25000 27/11/23 25100 28/10/23 25200 C\*\*/EXEC SQL 27/11/23 C\*\*+ EXECUTE IMMEDIATE :SQLSTMT 27/11/23 25300 25400 C\*\*/END-EXEC 27/11/23 25500 28/10/23 25600 С endsl 29/01/18 25700 29/01/18 С 25800 eval depth -= 1 29/01/18 25900 29/01/18 26000 С endif 29/01/18 26100 29/01/18 С 26200 event = \*XML\_CHARS when 29/01/18

or event = \*XML PREDEF REF

or event = \*XML\_ATTR\_CHARS

or event = \*XML ATTR PREDEF REF

29/01/18

29/01/18

29/01/18

26300

26400

26500

С

С

С

SOURCE FILE CDJSON/QRPGLESRC MEMBER D365IN75										
SEQNBR*+ 1+ 2+ 3+ 4+ 5+ 6+ 7+ 8+ 9+ 0										
26600	С		eval	stackval(depth) += %subst(value:l:stringLen)	29/01/18					
26700					29/01/18					
26800	×	omzetten van	utf		29/01/18					
26900	С		when	event = *XML_UCS2_REF	29/01/18					
27000	С			or event = *XML_ATTR_UCS2_REF	29/01/18					
27100	С		eval	stackval(depth) += %char(%subst( ucs2val : 1	29/01/18					
27200	С			: %div(stringLen:2) ))	29/01/18					
27300					29/01/18					
27400	С		endsl		29/01/18					
27500					29/01/18					
27600	С		return	0	29/01/18					
27700	Р		E		29/01/18					

19/02/24 08:51:06 S4411711 PAGE 6

\* \* \* \* END OF SOURCE \* \* \* \*

5770WDS V7R4M0 190419 SEU SOURCE LISTING