	ILE	CDJSON/QRPGLE D365IN75T	SRC		
100	HDFTACTGRP(*NO)		+ 4 .	+ 5+ 6+ 7+ 8+ 9+ 0	29/01/18
200 300	HDECEDIT('.') FLFFIRM UF	E K	DISK	EXTFILE('TESTKOEN/LFFIRM')	27/11/23 15/12/23
400	FPFMVTK O A		DISK	EXTFILE('TESTKOEN/PFMVTK') USROPN	19/12/23
500	FPFMVTA O A	_	DISK	EXTFILE('TESTKOEN/PFMVTA') USROPN	19/12/23
600	FJNLFNO IF		DISK		01/12/23
700	*	S		LIVE(FITDAN)	01/12/23
800 900	DTRANNR *			LIKE(FITRAN)	01/12/23 29/01/18
1000	D xmlHandler	PR	10i 0		29/01/18
1100	D ignore		la		29/01/18
1200	D event			value	29/01/18
1300	D string		*		29/01/18
1400	D stringLen			value	29/01/18
1500 1600	D exceptionId		101 U	value	29/01/18 29/01/18
1700	D XML	s	500a	varving	29/01/18
1800	D ignoreMe	s	la	Val. 3.11.9	29/01/18
1900	D xmlfile	s	256a		29/01/18
2000	D pdf	s	256a		14/02/18
2100	D firma	S	3a		28/10/23
2200	D library	s	4a		28/10/23
2300 2400	D klant D voucher	s s	8a 20a		27/11/23 27/11/23
2500	D transdate	s s	10a		27/11/23
2600	D datclc	s	d		27/11/23
2700	D dat8	S	8s 0		27/11/23
2800	D datum	s	8a		27/11/23
2900	D sqlstmt	S	500a		28/10/23
3000	D amt	S	11s 2		27/11/23
3100 3200	D fill D fil2	s s	21a 21a		01/12/23 01/12/23
3300	D wkArray	s S	10a	dim(5)	01/12/23
3400	D journaal	s	10a		05/01/24
3500	*				29/01/18
3600	D	DS	_		01/12/23
3700	DJJ	1	4 0		01/12/23
3800 3900	DMM DDD	5 7	6 0 8 0		01/12/23 01/12/23
4000	DIMPD	í	8 0		01/12/23
4100	*				01/12/23
4200	C *entry	plist			29/01/18
4300	С	parm		xmlfile 256	29/01/18
4400	*				14/02/18
4500	C/EXEC SQL C+ SET OPTION C	OMMIT-VNONE			28/10/23
4600 4700	C/END-EXEC	OULT I - * NONE			28/10/23 28/10/23
4800	*				28/10/23
4900	C	eval	XML =	%trimr(xmlfile)	29/01/18
5000	С	monitor			29/01/18
5100	Ċ	xml-sax		er(xmlHandler: ignoreMe)	29/01/18
5200	C		%XML(%	<pre>(trim(XML): 'doc=file')</pre>	29/01/18
5300	С	on-error			29/01/18

5770WDS V7R4M0 190419 SOURCE FILE . . . . . . CDJSON/QRPGLESRC MEMBER . . . . . . . . D365IN75T SEONBR\*...+... 1 ...+... 2 ...+... 3 ...+... 4 ...+... 5 ...+... 6 ...+... 7 ...+... 8 ...+... 9 ...+... 0 5400 29/01/18 endmon 5500 14/02/18 5600 С eval \*inlr = \*on29/01/18 **\***-----5700 29/01/18 5800 В P xmlHandler 29/01/18 5900 D xmlHandler PΤ 10i 0 29/01/18 6000 D ignore l a 29/01/18 10i O value 6100 D event 29/01/18 6200 \* value D string 29/01/18 20i 0 value 6300 D stringLen 29/01/18 6400 D exceptionId 10i O value 29/01/18 6500 29/01/18 6600 D value 65535a based(String) 29/01/18 s 6700 D ucs2val 16363c based(String) s 29/01/18 6800 29/01/18 6900 D MAX DEPTH С 29/01/18 7000 D depth 10i 0 inz(0) static 29/01/18 s 7100 D stackname s 65535a varving inz('') 29/01/18 7200 ח dim(MAX DEPTH) 29/01/18 7300 D static 29/01/18 7400 D stackval 65535a varying inz('') 29/01/18 s 7500 dim(MAX DEPTH) 29/01/18 7600 D static 29/01/18 7700 29/01/18 7800 C select 29/01/18 7900 29/01/18 8000 \* start XML document intialisatie 29/01/18 8100 С event = \*XML START DOCUMENT when 29/01/18 8200 С depth=0 eval 29/01/18 8300 С eval stackname(\*) = ''29/01/18 stackval(\*) = '' eval 8400 С 29/01/18 8500 29/01/18 8600 \* meer elementen dan 64= fout in parsing 29/01/18 8700 when depth >= MAX DEPTH 29/01/18 8800 and ( event = \*XML START ELEMENT C 29/01/18 8900 С or event = \*XML\_ATTR\_NAME ) 29/01/18 9000 С return - 1 29/01/18 9100 29/01/18 9200 \* start van nieuw element 29/01/18 9300 when event = \*XML\_START\_ELEMENT 29/01/18 9400 С depth += 1eval 29/01/18 9500 С depth = 1if 29/01/18 stackname(depth) = '/' 9600 С eval 29/01/18 9700 C + %subst(value:1:stringLen) 29/01/18 9800 С else 29/01/18 С 9900 stackname(depth) = stackname(depth-1) + '/' eval 29/01/18 10000 С + %subst(value:1:stringLen) 29/01/18 10100 С endif 29/01/18 stackval(depth) = '' 10200 С eval 29/01/18

event = \*XML\_ATTR\_NAME

depth += 1

29/01/18

29/01/18

29/01/18

29/01/18

10300

10400

10500

10600

С

С

\* start van nieuw attribut

when

eval

5770WDS V7R4M0 190419 SEU SOURCE LISTING 19/02/24 08:52:44 S4411711 PAGE SOURCE FILE . . . . . . CDJSON/QRPGLESRC MEMBER . . . . . . . . D365IN75T SEQNBR\*...+... 1 ...+... 2 ...+... 3 ...+... 4 ...+... 5 ...+... 6 ...+... 7 ...+... 8 ...+... 9 ...+... 0 10700 C eval stackname(depth) = stackname(depth-1) + '/@' 29/01/18 10800 C + %subst(value:1:stringLen) 29/01/18 10900 С eval stackval(depth) = '' 29/01/18 11000 29/01/18 11100 29/01/18 11200 \* start van nieuw attribut 29/01/18 11300 when event = \*XML END ELEMENT 29/01/18 С 11400 or event = \*XML END ATTR 29/01/18 11500 С i f depth > 029/01/18 11600 С select 29/01/18 11700 С when stackname(depth) = 28/10/23 С 11800 '/OptiGrator/CustTrans/CustTable/dataAreaId' 27/11/23 11900 29/01/18 12000 С library=\*blanks 28/10/23 eval 12100 С eval firma=\*blanks 28/10/23 12200 С eval firma=%trim(stackval(depth)) 28/10/23 12300 С select 28/10/23 12400 С when firma = 'wnv' 28/10/23 library = 'WVDJ' 12500 С eval 28/10/23 C 40 3 0 01/12/23 12600 z-add firma = 'act' 12700 С when 30/10/23 library = 'ACDJ' 12800 С eval 30/10/23 12900 С z-add 01/12/23 13000 С firma = 'grp' when 30/10/23 library = 'WGDJ' С 13100 eval 30/10/23 13200 С z-add 1 fnr 01/12/23 С firma = 'hls' 13300 when 30/10/23 13400 С eval library = 'HEDJ'30/10/23 С 13500 z-add 01/12/23 firma = 'ind' С 13600 when 30/10/23 С library = 'INDJ' 13700 eval 30/10/23 13800 С 35 01/12/23 z-add

stackname(depth) = '/OptiGrator/CustTrans/'

stackname(depth) = '/OptiGrator/CustTrans/'

30/10/23

30/10/23

01/12/23

30/10/23

30/10/23

01/12/23

30/10/23

30/10/23

01/12/23

28/10/23

15/12/23

28/10/23

27/11/23

27/11/23

27/11/23

27/11/23

14/02/18

27/11/23

27/11/23

27/11/23

01/12/23

firma = 'int'

firma = 'sfo'

firma = 'wbl'

klant=\*blanks

+ 'Voucher'

voucher=\*blanks

2

22

library = 'WIDJ'

library = 'SFDJ'

library = 'BADJ'

library = 'TESTKOEN'

+ 'CustTable/ALTLegacyCustID '

voucher=%trim(stackval(depth))

klant=%trim(stackval(depth))

when

eval

z-add

when

eval

z-add

when

eval

z-add

endsl

eval

when

eval

eval

when

eval

eval

С

С

C

С

С

С

С

С

С

С

С

С

С

С

С

С

С

С

С

13900

14000

14100

14200

14300

14400

14500

14600

14700

14800

14900

15000

15100

15200

15300

15400

15500

15600

15700

15800

15900

SOURCE FILE . . . . . . CDJSON/QRPGLESRC MEMBER . . . . . . . . . D365IN75T

SEUNBB*	+ 1	+ 2	<b>+</b> 3	+ 4 +	5 + 6	+ 7 +	8+ 9+ 0	
16000	C		eval		olit(voucher:'-		0 7 0	01/12/23
16100	J		0.41	WK41143 705F				27/11/23
16200	С		when	stackname(d	depth) = '/Opti(	Grator/CustTrans/'		05/01/24
16300	Č			+ 'altDisplayJournal-display'				05/01/24
16400	Č		eval	journaal=*b		05/01/24		
16500	Ċ		eval		rim(stackval(de	epth))		05/01/24
16600								05/01/24
16700	С		when	stackname(d	depth) = '/Opti(	Grator/CustTrans/'		27/11/23
16800	С			+ 'TransDat	:e'			27/11/23
16900	С		eval	transdate=>	blanks			27/11/23
17000	С		eval	transdate=%	trim(%subst(sta	ackval(depth):1:10)	)	27/11/23
17100	С		monitor					27/11/23
17200	С		eval	datclc = %c	date(%trim(trans	sdate):*usa)		27/11/23
17300	С		on-error					27/11/23
17400	С		eval	datclc = %c	late()			27/11/23
17500	С		endmon					27/11/23
17600	<b>C</b> 3	iso	movel	datclc	dat8			27/11/23
17700	С		movel	dat8	datum			27/11/23
17800								27/11/23
17900	С		when	stackname(d	depth) = '/Opti(	Grator/CustTrans/'		27/11/23
18000	С			+ 'AmountCu	ır'			27/11/23
18100	С		eval	amt=0				27/11/23
18200	С		eval	amt=%dec(%t	rim(stackval(de	epth)):11:2)		27/11/23
18300								27/11/23
18400	С		when	stackname(d	depth) = '/Opti(	Grator/CustTrans'		27/11/23
18500	С		monitor					01/12/23
18600		nrijven naa		•				01/12/23
18700	С		if	not %open(p	ofmvtk)			15/02/24
18800	С		open	pfmvtk				01/12/23
18900	С		endif					15/02/24
19000	С		if	not %open(p	ofmvta)			15/02/24
19100	С		open	pfmvta				01/12/23
19200	С		endif					15/02/24
19300		NR	CHAIN	LFFIRM		50		01/12/23
19400		ITRAN	ADD	1	FITRAN			01/12/23
19500	C N50		UPDATE	PFFIRMR				01/12/23
19600	Ç		Z-ADD	FITRAN	TRANNR			01/12/23
19700	С		clear		pfmvtkr			01/12/23
19800	C		MOVEL	klant	KLANTNR	8 0		19/12/23
19900	С		Z-ADD	KLANTNR	MKLNR			01/12/23
20000	С		MOVEL	DATUM	IMPD			01/12/23
20100	C		Z-ADD	DD	MIMPDD			01/12/23
20200	С		Z-ADD	MM	MIMPMM			01/12/23
20300	C		Z-ADD	JJ	MIMPJJ			01/12/23
20400		CEYFNO	KLIST					01/12/23
20500	C		KFLD		FIRMA			01/12/23
20600	C		KFLD		JNLF0			01/12/23
20700	C	= 0	MOVEL	JOURNAAL	JNLF0			05/01/24
20800		JNLF0	IFNE	'OP'				15/02/24
20900		CEYFNO	CHAIN	JNLFN0				01/12/23
21000	C		IF.	%FOUND				01/12/23
21100	С		MOVEL	JNL400	MJN			01/12/23
21200	С		MOVEL	'BET'	MOMSCH			01/12/23

SOURCE FILE . . . . . . CDJSON/QRPGLESRC MEMBER . . . . . . . . D365IN75T SEQNBR\*...+... 1 ...+... 2 ...+... 3 ...+... 4 ...+... 5 ...+... 6 ...+... 7 ...+... 8 ...+... 9 ...+... 0 21300 C 7 - ADD 4 MSOORT 01/12/23 21400 C ELSE 01/12/23 21500 С MOVEL '030' MJN 01/12/23 יעזמי C MOMSCH 21600 MOVFI 01/12/23 21700 С Z-ADD MSOORT 01/12/23 21800 С **ENDIF** 01/12/23 MNRDOK = %DEC(%TRIM(WKARRAY(2)):3:0) 21900 С EVAL 01/12/23 22000 С IFLT amt 01/12/23 22100 С 7-SUB AMT MBDRB 01/12/23 22200 С MOVEL 'C' MDC 01/12/23 C 22300 ELSE 01/12/23 С 22400 Z-ADD AMT **MBDRB** 01/12/23 С יחי 22500 MOVEL MDC 01/12/23 22600 С ENDIF 01/12/23 22700 С Z-ADD TRANNR MNTRAN 01/12/23 MOPM 22800 С MOVEL VOUCHER 08/01/24 22900 С WRITE PFMVTKR 01/12/23 23000 С MOVEL '400001' AREKNR 01/12/23 23100 С WRITE PFMVTAR 01/12/23 23200 C MDC IFEQ יחי 01/12/23 101 23300 MOVEL MDC 01/12/23 23400 С ELSE 01/12/23 С יחי 23500 MOVEL MDC 01/12/23 23600 С ENDIF 01/12/23 С '489001' AREKNR 23700 MOVEL 01/12/23 23800 С WRITE PFMVTAR 01/12/23 С 23900 ENDIF 15/02/24 24000 С close 01/12/23 pfmvtk С 24100 close pfmvta 01/12/23 24200 on-error 01/12/23 24300 С endmon 01/12/23 24400 С eval 28/10/23 sqlstmt=\*blanks sqlstmt = 'UPDATE ' +%trim(library) + '/' 24500 C \* \*eval 27/11/23 + 'PFBEW SET BBUFLA = ' + X'7D' + 'Y' 24600 C\*\*27/11/23 24700 C \* \*+ X'7D' + ' WHERE BJNL = ' 27/11/23 24800 C\*\*+ X'7D' + '001' + X'7D' + ' AND BDOCNR = ' 27/11/23 24900 C\*\*+ %TRIM(FACTUUR) 27/11/23 25000 28/10/23 25100 C\*\*/EXEC SQL 27/11/23 25200 C\*\*+ EXECUTE IMMEDIATE :SQLSTMT 27/11/23 25300 C\*\*/END-EXEC 27/11/23 25400 28/10/23 25500 С endsl 29/01/18 25600 29/01/18 25700 С eval depth -= 1 29/01/18 25800 29/01/18 25900 29/01/18 С endif 26000 29/01/18 26100 С event = \*XML CHARS when 29/01/18 С or event = \*XML\_PREDEF\_REF 26200 29/01/18 26300 С or event = \*XML ATTR CHARS 29/01/18 26400 С or event = \*XML\_ATTR\_PREDEF\_REF 29/01/18 26500 eval stackval(depth) += %subst(value:1:stringLen) 29/01/18

SOURCE FILE CDJSON/QRPGLESRC MEMBER D365IN75T							
SEQNBR*+ 1+ 2+ 3+ 4+ 5+ 6+ 7+ 8+ 9+ 0							
26600				29/01/18			
26700	*	omzetten van utf		29/01/18			
26800	С	when	event = *XML_UCS2_REF	29/01/18			
26900	С		or event = *XML_ATTR_UCS2_REF	29/01/18			
27000	С	eval	stackval(depth) += %char(subst( ucs2val : 1	29/01/18			
27100	С		: %div(stringLen:2) ))	29/01/18			
27200				29/01/18			
27300	С	endsl		29/01/18			
27400				29/01/18			
27500	С	return	0	29/01/18			
27600	Р	E		29/01/18			

19/02/24 08:52:44 S4411711 PAGE 6

\* \* \* \* END OF SOURCE \* \* \* \*

5770WDS V7R4M0 190419 SEU SOURCE LISTING