
## AMERICAN FARMHOUSE





OPEN-SOURCE **ARCHITECTURAL** 

DRAWING SET

S 0 Z  $\alpha$ 0 В ഗ 0 Ш Ω Z G ഗ 

REVISIONS

02-14-2015 FIRST ONLINE RELEASE 12-31-2019

MINOR GRAPHIC EDITS 12-25-2020 RENAMED & REFINED

<

Ш


DATE

12-25-2020

SHEET TITLE

**COVER PAGE** 

SHEET NO.



#### PROJECT INFORMATION

#### LOCATION

123 ADDRESS RD YOURTOWN, VA 12345

#### PROJECT DESCRIPTION

**NEW SINGLE-FAMILY HOUSE** 

#### **PROJECT NUMBER**

APN 0000-0000-000

#### ZONING

R-3

#### **FLOOR AREA**

PROPOSED: 975 FT<sup>2</sup>

#### **CONSTRUCTION TYPE**

TYPE V - WOOD FRAME CONSTRUCTION

#### **PARCEL SIZE**


43560 FT<sup>2</sup> (1.00 ACRES)

#### **APPLICABLE CODES**

2014 STATE BUILDING CODE 2012 LOCAL FIRE CODE

#### **VICINITY MAP**

(NOT TO SCALE)



#### **CONTACT INFORMATION**

#### OWNER

**CONTACT PERSON** PHONE NUMBER **EMAIL ADDRESS** NOTES

#### ARCHITECT OF RECORD

**CONTACT PERSON COMPANY NAME** PHONE NUMBER STREET ADDRESS **EMAIL ADDRESS** CITY / STATE / ZIP NOTES

#### **GENERAL CONTRACTOR**

**CONTACT PERSON COMPANY NAME** PHONE NUMBER STREET ADDRESS **EMAIL ADDRESS** CITY / STATE / ZIP NOTES

#### **PLOT SURVEYOR**

CONTACT PERSON **COMPANY NAME** PHONE NUMBER STREET ADDRESS **EMAIL ADDRESS** CITY / STATE / ZIP NOTES

#### LANDSCAPE CONTRACTOR

**COMPANY NAME** CONTACT PERSON PHONE NUMBER STREET ADDRESS **EMAIL ADDRESS** CITY / STATE / ZIP NOTES

#### STRUCTURAL ENGINEER

**CONTACT PERSON COMPANY NAME** PHONE NUMBER STREET ADDRESS **EMAIL ADDRESS** CITY / STATE / ZIP NOTES

#### PLUMBING CONTRACTOR

**CONTACT PERSON COMPANY NAME** PHONE NUMBER STREET ADDRESS **EMAIL ADDRESS** CITY / STATE / ZIP NOTES

#### **ELECTRICAL CONTRACTOR**

**CONTACT PERSON** COMPANY NAME STREET ADDRESS PHONE NUMBER **EMAIL ADDRESS** CITY / STATE / ZIP NOTES

OPEN-SOURCE ARCHITECTURAL

DRAWING SET

I Z  $\alpha$ 0 В S 0 В Z

REVISIONS

G

ഗ

Ш

02-14-2015 FIRST ONLINE RELEASE 12-31-2019

<

MINOR GRAPHIC EDITS 12-25-2020 RENAMED & REFINED

DATE

12-25-2020

SHEET TITLE

**PROJECT INFORMATION** 

SHEET NO.

#### **GENERAL NOTES**

- 1. WORK SHALL CONFORM TO ALL APPLICABLE CODES AND ORDINANCES, INCLUDING BUT NOT LIMITED TO: BUILDING, PLUMBING, ELECTRICAL, AND MECHANICAL CODES.
- 2. ANY ERRORS, OMISSIONS, OR CONFLICTS FOUND WITHIN THESE DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER OR THEIR REPRESENTATIVE BEFORE PROCEEDING WITH THE WORK.
- 3. DO NOT SCALE THESE DRAWINGS. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER MEASUREMENTS.
- 4. DIMENSIONS ARE TAKEN FROM FACE OF FRAMING LUMBER, FACE OF CONCRETE/ MASONRY, CENTER OF COLUMN, AND CENTERLINE OF FIXTURE, UNLESS NOTED OTHERWISE.
- 5. ALL DIMENSIONS NOTED "VERIFY IN FIELD (V.I.F.)" SHALL BE MEASURED BY THE CONTRACTOR PRIOR TO CONSTRUCTION. REPORT ANY DISCREPANCIES TO THE OWNER OR THEIR REPRESENTATIVE.
- 6. DETAILS SHOWN ARE TYPICAL. SIMILAR DETAILS APPLY IN SIMILAR SITUATIONS.
- 7. IN THE CASE OF DISCREPANCIES WITHIN DESCRIPTIONS OF SIMILAR ITEMS, PRECEDENCE SHALL BE GIVEN TO NOTES & DRAWINGS OF GREATER DETAIL.
- 8. ALL REQUIRED EXITS SHALL BE OPERABLE FROM THE INSIDE, WITHOUT THE USE OF A KEY OR ANY SPECIAL KNOWLEDGE.
- 9. ANY ELECTRICAL, PLUMBING AND/OR HVAC SYSTEMS INCLUDED IN THE WORK SHALL BE INSTALLED ON A DESIGN-BUILD BASIS, AND SHALL NOT SIGNIFICANTLY ALTER THE STRUCTURE OR FINISHES.
- 10. SMOKE DETECTORS AND CARBON MONOXIDE DETECTORS SHALL BE INSTALLED PER APPLICABLE CODES.
- 11. GRADING AND SITEWORK SHALL BE MINIMAL IN ALL AREAS NOT DIRECTLY AFFECTED BY THE NEW CONSTRUCTION. FOLLOW BEST PRACTICES AND LOCAL REQUIREMENTS IN ORDER TO MINIMIZE ENVIRONMENTAL DAMAGE.
- 12. FINISH GRADE MUST SLOPE AWAY FROM EXTERIOR FOUNDATION WALL, AT A HEIGHT OF 6 INCHES OVER A 10 FOOT DISTANCE.
- 13. ANY SURVEY MARKERS WITHIN THE AREA OF CONSTRUCTION SHALL BE PRESERVED OR RESET BY A REGISTERED CIVIL ENGINEER OR LICENSED LAND SURVEYOR.
- 14. BEFORE GRADING OPERATIONS, A TEMPORARY PROTECTION FENCE SHALL BE CONSTRUCTED AROUND ANY TREE WITHIN 30 FEET OF THE FOUNDATION, AND A SILT FENCE MUST BE CONSTRUCTED DOWNSLOPE OF ANY AREA WHERE THE SOIL IS DISTURBED.

- 15. DEPICTED FOUNDATION SHOWS ONLY A PROPOSED DESIGN BASED ON FICTIONAL CONDITIONS. CONDUCT A SOIL TEST AND STRUCTURAL ENGINEERING FOR A SITE-SPECIFIC FOUNDATION.
- 16. FOOTINGS SHALL EXTEND DOWN BEYOND THE LOCAL FROST LINE.
- 17. PERFORATED DRAIN PIPES SHALL BE LOCATED WITHIN A GRAVEL PERIMETER AROUND THE FOUNDATION, WITH MULTIPLE DRAINAGE OUTLETS LEADING DOWNSLOPE AWAY FROM THE BUILDING.
- 18. FIRE BLOCKING AND FIRE-RATED SHEATHING SHALL BE PROVIDED AS REQUIRED AT CEILINGS, FLOORS, AND ENCLOSED USABLE SPACE UNDER STAIRS.
- 19. ALL WOOD WITHIN 8 INCHES OF THE GROUND SHALL BE PRESSURE TREATED OR COMPRISE A SUITABLY ROT RESISTANT MATERIAL. METAL CONNECTIONS WHICH TOUCH THIS WOOD SHOULD BE GALVANIZED OR STAINLESS STEEL.
- 20 PROVIDE ADEQUATE BLOCKING AROUND CABINETRY, PLUMBING FIXTURES, AND OTHER APPLICABLE AREAS.
- 21. PROVIDE MINIMUM R-13 INSULATION IN ALL EXTERIOR WALLS AND R-21 INSULATION AT ROOFS OF CONDITIONED SPACES.
- 22. DEPICTED WEATHERPROOFING METHODS (SUCH AS SEALANT, CAULKING, AND FLASHING) ARE NOT COMPREHENSIVE. FOLLOW REQUIREMENTS AND RECOMMENDATIONS OF BUILDING CODES, PRODUCT MANUFACTURERS, AND CONSTRUCTION BEST PRACTICES.
- 23. CONTRACTOR TO ENSURE THAT INTERIOR SHEATHING IS FLUSH, CLEAN AND FREE OF DUST AND DEFECTS BEFORE APPLICATION OF PAINT COATINGS.
- 24. FLOOR MATERIAL TRANSITIONS OCCUR AT THE CENTERLINE OF DOORS OR FRAMED OPENINGS.
- 25. PROVIDE ONE COAT PRIMER AND TWO FINISH COATS OF PAINT AT INTERIOR AND EXTERIOR SURFACES.
- 26. ALL GLASS SHALL CONFORM WITH HUMAN IMPACT AND SAFETY REQUIREMENTS.
- 27. THE MINIMUM STAIRCASE TREAD SHALL BE 10" AND THE MINIMUM RISER 7.75", WITH A MAXIMUM  $\frac{3}{8}$ " VARIATION WITHIN A FLIGHT.
- 28. HANDRAILS SHALL BE LOCATED 34-38 INCHES ABOVE STAIR TREADS, AS MEASURED FROM THE NOSINGS.
- 29. GUARDRAILS SHALL BE LOCATED ALONG ANY FLOOR EDGES THAT DROP 30 INCHES OR MORE TO THE FLOOR OR GROUND BELOW.
- 30. DO NOT USE SCREW-ON, NON-OPERABLE WINDOW SHUTTERS. THEY ARE AS TACKY AS CLIP-ON TIES. DO NOT USE VINYL OR ALUMINUM SIDING. THAT WOULD MAKE THIS HOUSE LOOK LIKE A CHEAP PLASTIC TOY. IT IS ABSOLUTELY FORBIDDEN.

- 31. ALL CONSTRUCTION SHALL BE TRUE, PLUMB, LEVEL, SQUARE, AND IN PROPER ALIGNMENT.
- 32. THE GENERAL CONTRACTOR SHALL MAINTAIN A CURRENT AND COMPLETE SET OF DRAWINGS ON THE JOB SITE DURING ALL PHASES OF CONSTRUCTION. ALL SUBCONTRACTORS SHALL BE PROVIDED WITH A SET OF DRAWINGS.
- 33. THE GENERAL CONTRACTOR SHALL VERIFY AND ASSUME RESPONSIBILITY FOR ALL DIMENSIONS AND SITE CONDITIONS, AS WELL AS INSPECT THE PREMISES AND TAKE NOTE OF EXISTING CONDITIONS PRIOR TO SUBMITTING PRICES. NO CLAIM SHALL BE ALLOWED FOR PROBLEMS WHICH COULD HAVE BEEN PREVENTED BY A THOROUGH EXAMINATION.
- 34. PROVIDE TEMPORARY SUPPORT AS NECESSARY TO ENSURE THE STRUCTURAL INTEGRITY OF THE BUILDING UNDER CONSTRUCTION. THE GENERAL CONTRACTOR IS RESPONSIBLE FOR ALL CONSTRUCTION-RELATED ACTIVITIES.
- 35. INSTALL FIXTURES, MATERIALS, AND EQUIPMENT ACCORDING TO MANUFACTURER'S SPECIFICATIONS. SHOULD THOSE SPECS CONFLICT WITH THE DRAWINGS, IMMEDIATELY NOTIFY THE OWNER OR THE OWNER'S REPRESENTATIVE.
- 36. VERIFY CLEARANCES FOR FIXTURES, VENTS, CHASES, ETC. BEFORE ORDERING OR INSTALLING RELATED WORK ITEMS.
- 37. COORDINATE ALL WORK WITH EXISTING CONDITIONS, INCLUDING BUT NOT LIMITED TO: IRRIGATION PIPES, ELECTRICAL CONDUITS, WATER LINES, GAS LINES, AND DRAINAGE LINES.
- 38. THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR REGULARLY REMOVING THE WASTE MATERIALS OF ALL SUBCONTRACTORS, AND MAINTAIN STRICT CONTROL OVER JOB CLEANING TO PREVENT DUST AND RUBBISH FROM INTERFERING WITH OPERATIONS.
- 39. CONSTRUCTION EQUIPMENT NOISE SHALL BE MINIMIZED DURING THE CONSTRUCTION PHASES BY MUFFLING AND SHIELDING IMPACT TOOLS WHENEVER POSSIBLE.



OPEN-SOURCE ARCHITECTURAL DRAWING SET

> S 0 0 Ш I Σ Z  $\alpha$ 0 Ω ഗ 0 Ш z G S

REVISIONS

02-14-2015 FIRST ONLINE RELEASE 12-31-2019

 $\simeq$ 

<

Ш

MINOR GRAPHIC EDITS

RENAMED & REFINED

DATE **12-25-2020** 


SHEET TITLE

GENERAL

NOTES

CHEET NO

A0.2





A M E R I C A N F A R M H O U S E

REVISIONS

02-14-2015 FIRST ONLINE RELEASE

12-31-2019 MINOR GRAPHIC EDITS 12-25-2020

RENAMED & REFINED


DATE

12-25-2020

SHEET TITLE

SITE PLAN

SHEET NO.





A M E R I C A N F A R M H O U S E

REVISIONS

02-14-2015 FIRST ONLINE RELEASE

12-31-2019 MINOR GRAPHIC EDITS

12-25-2020 RENAMED & REFINED


DATE

12-25-2020

SHEET TITLE
FOUNDATION

SHEET NO.

PLAN





A M E R I C A N F A R M H O U S E FREE FILES AVAILABLE AT FREEFARMHOUSE.COM

REVISIONS

02-14-2015 FIRST ONLINE RELEASE 12-31-2019

MINOR GRAPHIC EDITS
12-25-2020

12-25-2020 RENAMED & REFINED


DATE

12-25-2020

SHEET TITLE

1ST FLOOR
PLAN

SHEET NO.





A M E R I C A N F A R M H O U S E FREE FILES AVAILABLE AT FREEFARMHOUSE.COM

REVISIONS

02-14-2015 FIRST ONLINE RELEASE 12-31-2019

MINOR GRAPHIC EDITS 12-25-2020 RENAMED & REFINED

DATE


12-25-2020

SHEET TITLE

2ND FLOOR

SHEET NO.

PLAN





A M E R I C A N F A R M H O U S E FREE FILES AVAILABLE AT FREEFARMHOUSE.CO

REVISIONS

02-14-2015 FIRST ONLINE RELEASE

12-31-2019 MINOR GRAPHIC EDITS 12-25-2020

12-25-2020 RENAMED & REFINED


DATE

12-25-2020

SHEET TITLE
ROOF PLAN

SHEET NO.

A 1 1





> SBORNE 0 В SIGN ОΕ <

REVISIONS

02-14-2015 FIRST ONLINE RELEASE 12-31-2019

MINOR GRAPHIC EDITS 12-25-2020 RENAMED & REFINED


DATE

12-25-2020

SHEET TITLE

1ST RCP / **ELEC. PLAN** 

SHEET NO.





A M E R I C A N F A R M H O U S E FREE FILES AVAILABLE AT FREEFARMHOUSE.COM

REVISIONS

02-14-2015 FIRST ONLINE RELEASE 12-31-2019 MINOR GRAPHIC EDITS

12-25-2020 RENAMED & REFINED


DATE

12-25-2020

SHEET TITLE

2ND RCP / ELEC. PLAN

SHEET NO.



#### **FIXTURES**

(SEE SCHEDULE ON A5.0)

X-00 REFRIGERATOR

X-02 KITCHEN SINK

X-04 RANGE / OVEN

X-10 COUNTERTOP

X-12 FLOOR CABINETS

X-14 WALL CABINETS

X-20 TOILET

X-22 WC TOILET

X-24 CORNER SINK

X-26 VANITY

X-28 BATHTUB

X-40 WOODSTOVE

X-42 CORNER CUPBOARD

(SEE SCHEDULE ON A5.0)

(F-60) HARDWOOD FLOOR

(F-62) FLOOR TILE

(F-64) WALL TILE

(F-66) BRICK TILE

(F-68) BASE MOLDING

(F-74) BEADBOARD

(F-78) HANDRAIL

(F-80) NEWEL POST

(F-76) WAINSCOT CAP

(F-72) OPENING CASING


X-80 WATER HEATER

**FINISHES** 

#### X-14 X-24 WC OPTIONAL X-12 \$INK DISHWASHER X-02 **KITCHEN** (F-62) S(TOV)E ((OV)EN X-04 X-22 REFRIGERATOR X+00 THICK WALL: SEE 3/A4.0 CORNER X-12 ∤1' TYF CUPBOARD UTILITY -2'-1" X-42 **CLOSET** X-80 HARDWOOD FLOOR (F-60)

# KITCHEN / WATER CLOSET - FLOOR PLAN DETAIL SCALE: 1/2" =1'-0" N


NOTE: DIMENSIONS ARE TO FINISHES




BATHROOM FLOOR PLAN DETAIL

SCALE: 1/2" =1'-0"

NOTE: DIMENSIONS ARE TO FINISHES







CHIMNEY / WOODSTOVE PLAN

SCALE: 1/2" =1'-0" NOTE: DIMENSIONS ARE TO FINISHES

OPEN-SOURCE ARCHITECTURAL DRAWING SET

> Z S


REVISIONS

02-14-2015 FIRST ONLINE RELEASE

12-31-2019 MINOR GRAPHIC EDITS 12-25-2020 RENAMED & REFINED

12-25-2020

SHEET TITLE **DETAIL PLANS** 





MERICAN FARMHOUSE

REVISIONS

02-14-2015 FIRST ONLINE RELEASE

12-31-2019 MINOR GRAPHIC EDITS

12-25-2020 RENAMED & REFINED


DATE

12-25-2020

SHEET TITLE

SOUTH ELEVATION

SHEET NO.





AMERICAN FARMHOUSE

REVISIONS

02-14-2015 FIRST ONLINE RELEASE

12-31-2019 MINOR GRAPHIC EDITS

12-25-2020 RENAMED & REFINED


DATE

12-25-2020

SHEET TITLE

WEST ELEVATION

SHEET NO.





A DESIGN BY JAY OSBORNE

MERICAN FARMHOUSE.COT

REVISIONS

02-14-2015 FIRST ONLINE RELEASE

12-31-2019 MINOR GRAPHIC EDITS 12-25-2020

12-25-2020 RENAMED & REFINED


DATE

12-25-2020

SHEET TITLE

NORTH ELEVATION

SHEET NO.





A M E R I C A N F A R M H O U S E

REVISIONS

02-14-2015 FIRST ONLINE RELEASE

12-31-2019 MINOR GRAPHIC EDITS

12-25-2020 RENAMED & REFINED

DATE

12-25-2020

SHEET TITLE

EAST ELEVATION

SHEET NO.





A DESIGN BY JAY OSBORNE
RICAN FARMHOUS

REVISIONS

02-14-2015 FIRST ONLINE RELEASE 12-31-2019

MINOR GRAPHIC EDITS 12-25-2020 RENAMED & REFINED


DATE

12-25-2020

SHEET TITLE

INTERIOR ELEVATIONS

SHEET NO.





OPEN-SOURCE ARCHITECTURAL

DRAWING SET

BORN S 0 Z വ S

REVISIONS

02-14-2015 FIRST ONLINE RELEASE 12-31-2019


MINOR GRAPHIC EDITS 12-25-2020 RENAMED & REFINED

DATE 12-25-2020

SHEET TITLE

**INTERIOR ELEVATIONS** 

SHEET NO.





A M E R I C A N F A R M H O U S E

REVISIONS

02-14-2015 FIRST ONLINE RELEASE

12-31-2019 MINOR GRAPHIC EDITS

12-25-2020 RENAMED & REFINED

DATE


12-25-2020

SHEET TITLE

LONGITUDINAL SECTION

SHEET NO.

A3.0





A M E R I C A N F A R M H O U S E

REVISIONS

02-14-2015 FIRST ONLINE RELEASE 12-31-2019

MINOR GRAPHIC EDITS
12-25-2020

12-25-2020 RENAMED & REFINED

DATE


12-25-2020

SHEET TITLE

TRANSVERSE SECTION

SHEET NO.

A3.1





A M E R I C A N F A R M H O U S E

REVISIONS

02-14-2015 FIRST ONLINE RELEASE 12-31-2019

MINOR GRAPHIC EDITS 12-25-2020 RENAMED & REFINED

DATE


12-25-2020

SHEET TITLE

TRANSVERSE SECTION

SHEET NO.

A3.2





A M E R I C A N F A R M H O U S E

REVISIONS

02-14-2015 FIRST ONLINE RELEASE

12-31-2019 MINOR GRAPHIC EDITS


12-25-2020 RENAMED & REFINED

DATE 12-25-2020

SHEET TITLE

TYPICAL DETAILS

SHEET NO.



OF CC STATE OF THE PROPERTY OF

OPEN-SOURCE ARCHITECTURAL DRAWING SET

A DESIGN BY JAY OSBORNE
RICAN FARMHOUSE

REVISIONS

02-14-2015 FIRST ONLINE RELEASE

12-31-2019 MINOR GRAPHIC EDITS

12-25-2020 RENAMED & REFINED


ATE

12-25-2020

**DETAILS** 

SHEET TITLE **DECORATIVE** 

SHEET NO.



W. CC.

OPEN-SOURCE ARCHITECTURAL DRAWING SET

AMERICAN FARMHOUSE

REVISIONS

02-14-2015 FIRST ONLINE RELEASE

12-31-2019 MINOR GRAPHIC EDITS 12-25-2020


12-25-2020 RENAMED & REFINED


12-25-2020

SHEET TITLE

EXTERIOR DETAILS


SHEET NO.






DOOR ELEVATION DETAILS

SCALE: 1/4" =1'-0'





6 WINDOW ELEVATION DETAILS
SCALE: 1/4" =1'-0"

FOR RELATED TRIM AND ACCESSORIES: SEE FINISHES SCHEDULE A5.0

OPTIONAL WINDOW SHUTTERS

SCAL F: 1/4" = 1'-0"

#### DOOR SCHEDULE

MARK	SIZE	MATERIAL	TYPE	NOTE	MAKE / MODEL		
(A)	36"x84"	COMPOSITE	GLAZED, PANELLED	3/3 LITES	MARVIN / CLAD ULTIMATE		
$\langle B \rangle$	36"x84"	COMPOSITE	GLAZED, PANELLED	2/2 LITES	MARVIN / CLAD ULTIMATE		
$\langle \overline{C} \rangle$	24"x80"	WOOD	1-PANEL	SOLID WOOD	ANTIQUE PREFERRED		
$\langle \overline{D} \rangle$	30"x80"	WOOD	5-PANEL	OPT LOUVERS	ANTIQUE PREFERRED		
WINDOW SCHEDULE							
MARK	SIZE	MATERIAL	TYPE	NOTE	MAKE / MODEL		
1	30"x60"	COMPOSITE	DOUBLE HUNG	2/2 LITES	MARVIN / ULTIMATE DH		
2	24"x48"	COMPOSITE	DOUBLE HUNG	2/2 LITES	MARVIN / ULTIMATE DH		



OPEN-SOURCE ARCHITECTURAL DRAWING SET

A M E R I C A N F A R M H O U S E

REE FILES AVAILABLE AT FREEFARMHOUSE.COM

REVISIONS

02-14-2015 FIRST ONLINE RELEASE 12-31-2019

MINOR GRAPHIC EDITS 12-25-2020 RENAMED & REFINED

DATE

12-25-2020

SHEET TITLE
DOORS &
WINDOWS

SHEET NO.

### MATERIALS SCHEDULE

MARK	ITEM	SIZE	MATERIAL	NOTES	MANUFACTURER / MODEL
F-00	BRICK	-	SMOOTH BRICK	RED COLOR, SAND-FACED, AVOID WIRE CUT OR "EXTRUDED" LOOK	-
F-20	FLOOR DECKING	1x4	PAINTED WOOD	TONGUE & GROOVE, UNPAINTED CEDAR PREFERRED	-
F-22	PORCH COLUMN	6x6	WOOD	CHAMFERED 1" FROM EDGES	-
F-24	CLAPBOARD SIDING	6"	FIBER CEMENT	JAMES HARDIE / ARTISAN LAP SIDI NG	-
F-26	EXT OPENING CASING	5-6"	FIBER CEMENT	.75" THICK HARDIPLANK	-
F-28	BED MOLDING	2.5"	ROT-RESISTANT	PAINTED	-
F-30	ASTRAGAL	1"	ROT-RESISTANT	PAINTED	-
F-32	CROWN MOLDING	3"	ROT-RESISTANT	PAINTED	-
F-40	5V METAL ROOF PANELS	24"OC	GALVALUME	OPTIONAL: STANDING SEAM METAL ROOF PANELS	-
F-42	BULBED RIDGE CAP	4"	GALVALUME	USE SAME SUPPLIER AND PRODUCT LINE AS 5V PANELS	-
F-44	HALF-ROUND GUTTER	5" DIA	GALV STEEL OR COPPER	DOWNSPOUTS TO FOLLOW CORNER BOARDS	-
F-52	CHIMNEY CAP	~2'X2'	CONCRETE	MINIMAL PROFILE, OPTIONAL: SPARK ARRESTOR OR CHIMNEY POT	-
F-60	HARDWOOD FLOOR	2-3" WIDE	FINISH WOOD	TONGUE & GROOVE, STAINED	-
F-62	FLOOR TILE	~2"	CERAMIC	HEXAGONAL PATTERN	-
F-64	WALL TILE	4" SQUARE	CERAMIC	WHITE OR LIGHT BLUE	-
F-66	BRICK TILE	1/2" THICK	RECLAIMED BRICK	THIN BRICK VENEER, NARROW (1/4") MORTAR JOINTS, SMOOTH RED COLOR	-
F-68	BASE MOLDING	.5"X4"	FINISH WOOD	INCLUDE DECORATIVE BASE CAP MOLDING	-
F-72	INT OPENING CASING	.5"X4"	WOOD	PAINTED, WITH .75"-THICK PLINTH BLOCK AT BASE	-
F-74	BEADBOARD	1/2"	COMPOSITE PANEL	EXTERIOR GRADE BEADBOARD TO BE USED AT PORCH	-
F-76	WAINSCOT CAP	-	WOOD	PAINTED	-
F-78	HANDRAIL	2"	FINISH WOOD	STAINED SAME COLOR AS FLOOR	-
F-80	NEWEL POST	4x4	WOOD	PAINTED, MODESTLY DECORATIVE	-
F-82	CROWN MOLDING	-	WOOD OR MDF	PAINTED	-
F-90	WINDOW SHUTTERS	15"x60"	WOOD	SHALL BE OPERABLE. LOUVERS PREFERRED.	-

### FIXTURE & EQUIPMENT SCHEDULE

MARK	ITEM	SIZE	NOTES	MANUFACTURER / MODEL
X-00	REFRIGERATOR	25x25x69"	ENERGY STAR	BLOMBERG / BRFB1042SS
X-02	KITCHEN SINK	24"x18"	SINGLE BOWL, VITREOUS CHINA	HIGHPOINT COLLECTION / FIRECLAY
X-04	RANGE / OVEN	24"x24"x36"	-	-
X-10	KITCHEN COUNTERTOP	2" THICK	WHITE PORCELEIN TILE OVER COMPOSITE BOARD	IKEA / AKERBY
X-12	FLOOR CABINETS	12", 24" WIDE	PAINTED, STAT WHITE, BIRCH EFFECT, INCLUDE NON-STANDARD 12" SHELVES	IKEA / AKURUM
X-14	WALL CABINETS	12" WIDE	PAINTED, GLAZED DOORS PREFERRED	IKEA / AKURUM
X-20	TOILET	26"x18"	1.0 GPF	TOTO / ROWAN CST405MF OR EQUIVALENT
X-22	WC TOILET	2' MAX LENGTH	WALL HUNG, 1.6 GPF, SIZE IS CRITICAL FOR PROPER CLEARANCES	AQUIA / WALL HUNG DUAL FLUSH TOILET CT418F
X-24	CORNER SINK	16"x16" MAX	VITREOUS CHINA, WALL HUNG OR PEDESTAL, SIZE CRITICAL FOR CLEARANCES	ELIZABETHAN CLASSICS / ETCB CORNER BASIN
X-26	BATHROOM VANITY	21"x42"	CENTERED WITH MIRROR WALL CABINET	CHOICE BY OWNER
X-28	BATHTUB	30"x60"x18"	INSTALL LOW-FLOW SHOWER HEAD	KOHLER / STERLING 71091120 OR EQUIVALENT
X-30	MIRROR CABINET	25"x38"x6"	WHITE FRAME, OPTIONAL CASING SURROUND, CENTERED ON SINK	IKEA / HEMNES OR EQUIVALENT
X-40	WOODSTOVE	14"x19"x22"	USE DOUBLE WALL CONNECTOR PIPE	JOTUL / F3 CB
X-42	CORNER CUPBOARD	~24"x24"x80"	GLAZED DOORS, AVOID CHEAP VENEERS, A "BOOKEND" FOR THE KITCHEN	ANTIQUE PREFERRED
X-44	WASHER / DRYER COMBO	24"x34"x23"	VENTLESS, ENERGY STAR PREFERRED, FITS BELOW STAIRCASE	HAIER / HWD1600BW
X-80	WATER HEATER	8"x7"x3"	INSTANT, TANKLESS, UNDERCOUNTER	STIEBEL / ELTRON MINI
X-84	INTERIOR CEILING FAN	48" DIA MAX	INCLUDES LIGHTING	-
X-86	EXTERIOR CEILING FAN	60" DIA MAX	INCLUDES LIGHTING	-

FOR WINDOW & DOOR SCHEDULES: SEE SHEET A4.3
PREFERENCE SHALL BE GIVEN TO LOCALLY PRODUCED OR SALVAGED ANTIQUE MATERIALS



OPEN-SOURCE ARCHITECTURAL DRAWING SET

> A M E R I C A N F A R M H O U S E FREE FILES AVAILABLE AT FREEFARMHOUSE.COM

REVISIONS

02-14-2015 FIRST ONLINE RELEASE 12-31-2019

12-31-2019 MINOR GRAPHIC EDITS 12-25-2020 RENAMED & REFINED

DATE

12-25-2020

SHEET TITLE
SCHEDULES

SHEET NO.

A5.0