

STRONGER TOGETHER • A PRACTICAL FIELD GUIDE

Build strength. Find your pace. Keep showing up.



Two shared gym days. Two individual paths.
More energy for the court, the classroom, work and family life.

YOUTH TRACK

Tennis + stamina

For a growing teen beginning structured fitness.
Build comfortable running, movement skills and confidence.

ADULT TRACK

Strength + health

For a midlife gym beginner who already runs 5 km.
Build consistent strength while maintaining aerobic fitness.

Start with a 12-week habit block. The running stages may take longer. Success means recovering well and wanting to return, with steadier tennis participation and easier everyday movement.

Before the first hard session

Because the youth is struggling to complete tennis, arrange a pediatric review before adding sprints or pushing endurance, especially if this is new or worsening. Do not assume body size explains fatigue. Tell the clinician about wheeze, cough, dizziness, chest symptoms, sleep and recent illness. Easy, symptom-free activity can be the starting point while seeking advice.

This is a suggested starting framework, not an individual medical assessment. Review it with the tennis coach and a qualified trainer experienced with adolescents. REP is the app's illustrated guide, not a credentialed human trainer. No names, exact ages, body measurements or personal health labels are included.

A week you can repeat.

Reserve two gym appointments. Fit the rest around the actual tennis calendar, homework and recovery.

DAY	YOUTH TRACK	ADULT TRACK
Monday	No structured training. Optional easy walk or play.	15-25 min brisk walk; light mobility.
Tuesday Family gym A	40-50 min total. Technique-led strength, page 3.	50-60 min total. Strength A, page 3.
Wednesday	Easy run/walk stage, page 5. Walking is welcome.	Comfortable 5 km, or 25-40 min easy if time-limited.
Thursday	Coach-adjusted tennis. Short blocks + planned recovery; page 6.	20-30 min moderate bike, elliptical or brisk walk.
Friday	No structured training. Protect sleep and downtime.	Rest or easy walk. No need to make up missed work.
Saturday Family gym B	40-50 min total. Strength B, page 4.	50-60 min total. Strength B, page 4.
Sunday	Repeat the same easy run/walk stage if legs feel normal; otherwise walk.	20-30 min easy run/walk. Stay easy after Saturday's lifting.

Make the youth load fit

This assumes **one tennis session per week**. With two tennis days, replace a run with tennis. With matches or a camp, remove the speed add-on and reduce gym sets. Ask the coach to coordinate the whole week, including demanding PE.

Keep 1-2 days free of organized sport. Avoid consecutive hard leg days. If tennis falls after a run, keep the run easy and short, or walk.

Build daily movement gradually

The longer-term youth guideline is 60 minutes of moderate-to-vigorous activity daily, including school, play and sport. Vigorous, muscle- and bone-strengthening activity belong on at least 3 days/week. This is a direction to build toward, not extra workouts to force into week one. [\[1\]](#)

Adult aerobic target: at least 150 moderate minutes/week or 75 vigorous minutes, plus strength on 2 days. [\[1\]](#)



REP'S COACHING CUE

"Train together, choose your own load. A shared appointment matters more than matching speed, weight or repetitions."

First fortnight: use one easy set per youth exercise, two per adult exercise; start running conservatively. Book a gym orientation and check youth access rules, supervision requirements and whether machines fit.

Learn the basics. Repeat well.

Legs, push, pull, hinge and trunk control. These movements align with REP's gym exercise catalog.

Warm up for 10 minutes: 5 min easy walk or cycle, then 5 controlled chair squats, 5 unloaded hip hinges, 8 calf raises and arm circles. Finish with an easy rehearsal set of the first loaded movements.

EXERCISE / ORDER	YOUTH TARGET*	ADULT TARGET*	TECHNIQUE + ALTERNATIVE
1. Leg press	1-2 × 10-12	2 × 8-12	Whole foot supported, knees follow toes, back stays on pad. Stop before pelvis curls. Use chair squats if the machine does not fit.
2. Machine chest press	1-2 × 10-12	2 × 8-12	Handles near chest level, wrists straight. Adult may use dumbbell bench press after instruction. Youth alternative: incline push-up.
3. Seated cable row	1-2 × 10-12	2 × 8-12	Tall trunk, pull toward lower ribs; no rocking. A seated row machine or securely anchored band is an alternative.
4. Hip hinge / Romanian deadlift	1-2 × 8-10 Unloaded first	2 × 8-10 Light dumbbells	Push hips back, soft knees, load close. Trainer teaches the hinge. Use floor glute bridges if control is not established.
5. Standing calf raise	1-2 × 10-15 Body weight	2 × 10-15	Hold a support; rise smoothly and lower slowly. Add adult load only when balanced. No bouncing.
6. Trunk control	Dead bug 1-2 × 5/side	Plank 2 × 15-30 sec	Keep breathing; stop before the back arches. Dead bug: move opposite arm and leg slowly. Plank may be elevated.

Youth effort

Use body weight or light resistance. Finish with **3-4 good repetitions still possible**. A qualified adult watches technique. No max testing, forced reps or lifting to failure in this plan.

Adult effort

Finish with **2-3 good repetitions still possible**. First two weeks should feel deliberately manageable. Rest 90-120 seconds; take up to 3 minutes after demanding leg work.

*Sets × repetitions. Youth: 1 set during weeks 1-2; progress to 2 only when comfortable and supervised. Rest 60-90 seconds, longer if breathing or form is not ready. Adult: keep 2 sets initially; progression is on page 7. Unloaded rehearsal sets do not count toward these targets.

Finish: 5 min easy walking + 3-5 min gentle stretches from page 8. Skip extra cardio if it would turn the visit into a tiring second workout.

Supervision and technique principles: AAP. [\[2\]](#) Exercise selections and starting doses are suggested programming for this guide.

Strong legs. Steady shoulders.

A second full-body session, with simple alternatives when equipment is busy or does not fit.

Warm up for 10 minutes: easy walk or cycle, then controlled sit-to-stands, gentle side steps, arm circles and unloaded rehearsal sets. Use the same effort and rest rules as session A.

EXERCISE / ORDER	YOUTH TARGET*	ADULT TARGET*	TECHNIQUE + ALTERNATIVE
1. Squat to a box	1-2 × 8-12 Body weight first	Goblet squat 2 × 8-12	Box at a comfortable height. Sit back under control and stand tall. Hold a light dumbbell only after the pattern is steady. Leg press is an alternative.
2. Lat pulldown	1-2 × 10-12	2 × 8-12	Comfortable grip, pull to upper chest, no behind-neck pull or swinging. Substitute a supported row if needed.
3. Seated leg curl	1-2 × 10-12	2 × 10-12	Trainer sets knee/pivot alignment and pads. Move slowly. Use glute bridges if the machine cannot be adjusted comfortably.
4. Incline push-up	1-2 × 6-10	2 × 8-12	Hands on a stable fixed rail or bench; body in one line. Raise the surface to make it easier. Machine chest press also works.
5. Control accessory	Band press-out 1-2 × 6/side	Face pull 2 × 12-15	Youth: light, securely anchored band at chest height; press forward without turning. Adult: light cable, pull toward eye level without shrugging.
6. Balance / trunk	Single-leg stand 2 × 20 sec/side	Side plank 2 × 15-25 sec/side	Youth: near a support, eyes open. Adult: start from bent knees if needed; stop before the hip drops or shoulder hurts.

*Use one youth set in weeks 1-2 except the brief balance practice; then up to two. Adult begins with two sets. Keep holds comfortably submaximal. Finish with 5 min easy walking and gentle mobility.

How to progress a youth exercise

First improve control, then repetitions, then resistance. After **two comfortable visits at the top of the range**, a trainer may select the smallest suitable load increase and return to the lower end. If the next machine plate is a big jump, stay at the same load. Increase only one variable at a time.



REP'S COACHING CUE

"Smooth repetitions are the achievement. End the set when technique changes, even if the screen still shows a target."

A parent training nearby is helpful but does not replace initial instruction from someone skilled in youth resistance training. Leave at least 48 hours between the two gym sessions. Do not perform adult loads as a family challenge. [2]

From run/walk to a comfortable 5K.

Use time and the talk test. There is no deadline and no required pace.

Entry point: first be comfortable walking briskly for 20-30 minutes without symptoms or next-day pain. If not, begin with 10-15 min walks and gradually extend them. Follow any clinician advice from page 1.

Every run: walk 5 min before and after. Jog slowly enough to speak a full sentence, about 3-4 out of 10 effort. Walk sooner if that changes. The table is the main block only; take the walk recovery after every jog, including the last.

STAGE	MAIN BLOCK: JOG / WALK	JOG TIME	MAIN BLOCK TOTAL
1	8 × (1 min / 90 sec)	8 min	20 min
2	8 × (90 sec / 90 sec)	12 min	24 min
3	6 × (2 min / 90 sec)	12 min	21 min
4	5 × (3 min / 90 sec)	15 min	22.5 min
5	4 × (4 min / 2 min)	16 min	24 min
6	3 × (6 min / 2 min)	18 min	24 min
7	3 × (8 min / 2 min)	24 min	30 min
8	2 × (12 min / 3 min)	24 min	30 min
9	20 min continuous easy jog; consolidation	20 min	20 min
10	25 min continuous, or repeat stage 9	25 min	25 min
11	30 min continuous, or repeat stage 10	30 min	30 min
12	Repeat 30 min comfortably; begin the distance bridge below	As tolerated	No race effort

Move on only after two comfortable sessions at the same stage with normal walking, stairs and energy the next day. Start with two runs/week separated by a non-running day. A stage may take several weeks; 12-24+ weeks is fine. Insert shorter intervals between stages if needed. Never advance running and add speed work in the same week.

The distance bridge: 30 minutes may be less than 5 km. After stage 11 feels routine, add only 3-5 minutes to one easy outing in a successful week, using walk breaks, until 5 km fits comfortably. Keep the other run at 20-30 minutes. Stop at the planned time even if the distance is unfinished.

How this relates to Couch to 5K

This is a custom, slower two-run framework inspired by run/walk training, not the official NHS plan or a validated pediatric protocol. The NHS version uses three runs/week across nine stages/weeks, ending at 30 minutes. If choosing that version with the coach, follow it instead of this table and reduce other training to preserve recovery. [\[3\]](#)

Build the engine. Then add a little speed.

Easy running supports endurance. Short, well-rested accelerations practice tennis movement; exhausting sprints are not the starting point.

First 2-4 weeks: finish tennis with something left

Ask the coach to shorten drills and agree on planned water/rest breaks before fatigue escalates. A starting example is 5-8 min of comfortable skill work followed by 1-2 min recovery, repeated within a shortened lesson. The coach should adjust this to the player's current tolerance and keep technique central.

Only when ready: a small speed practice

After at least 3-4 comfortable weeks, and only with normal recovery, no pain or exercise symptoms and the coach's agreement, add this **once weekly inside tennis**. It replaces part of the lesson's conditioning; it is not an extra training day.

1. Warm up 10-12 min: easy movement, marching, side steps and 2 gentle build-ups.
2. Do **4 × 5-second controlled accelerations**, around 70-80% of perceived top speed, on a dry, flat, clear surface. Walk 60-90 sec between efforts.
3. Leave plenty of space to slow down gradually. No maximal racing, sharp shuttle turns or treadmill sprints.
4. After two comfortable weekly practices, the coach may choose 5-6 efforts. Increase repetitions or speed, never both together. Skip during heavy tennis weeks.

The exact acceleration dose is a conservative coaching suggestion, not a medical threshold. It is optional: enjoyable tennis and easy aerobic work can remain the full plan.

WHAT YOU NOTICE	WHAT TO DO
Comfortable effort	Breathing settles with rest, movement stays smooth, and next-day energy is normal: repeat or progress one small step.
Recovery is falling behind	Heavy legs, mild muscle soreness, poor sleep or declining enthusiasm: remove speed work; cut the next workout roughly in half or take a rest day. Resume progression only when recovered.
Pain or recurring symptoms	Stop for sharp/localized pain, swelling, limping, wheeze, dizziness or unusual breathlessness. Seek medical advice before resuming the provoking activity; persistent or recurrent knee, heel, shin or back pain needs assessment.
Emergency signs	Chest pain with exertion, collapse/fainting, severe breathing difficulty or confusion: stop and seek urgent help. Call emergency services for severe, ongoing symptoms or collapse.



REP'S COACHING CUE

"Fast should look relaxed. Stop while the movement is still crisp, and save enough energy to enjoy the next session."

Rest, variety, appropriate equipment and stopping for pain reduce avoidable risk; no plan prevents every injury. Coordinate seasonal time away from tennis with the coach. [\[4\]](#)

Get stronger without spending every day at the gym.

Two full-body sessions and comfortable running are a strong foundation for work and family life.

TRAINING BLOCK	STRENGTH PRIORITY	AEROBIC PRIORITY
Weeks 1-2 Establish	Gym A + B, 2 sets per movement. Learn machine setup and controlled movement; leave 3 good reps possible.	Maintain one easy 5 km or equivalent time. Add the second short easy outing only if recovery is good.
Weeks 3-6 Build	Keep 2 sets. At the top of the rep range for two visits with sound form and 2-3 reps left, use the smallest load increase next time.	Use the weekly schedule. Gradually add brisk walks to approach the weekly aerobic target.
Weeks 7-10 Consolidate	If recovered and time allows, add a third set to exercises 1-3 only. Otherwise keep 2; consistency already counts.	Hold running duration steady while adding gym volume. A fast 5K is optional and outside this base block.
Weeks 11-12 Review	Compare comfortable loads and control, not maximums. If fatigued, use about half the usual sets for one week.	Repeat a familiar easy route at the same effort. Note whether it feels smoother; no all-out test required.

A usable load rule

Example: chest press target $2 \times 8-12$. When both sets reach 12 clean reps for two visits, raise by the smallest available increment. If you cannot reach 8 clean reps at the new load, return to the previous one.

Choose starting loads in person, not from age or body weight. Breathe out through the harder part; avoid prolonged breath holding. Have a trainer check unfamiliar free-weight lifts.

Count actual aerobic minutes

Example week: Wednesday 30 min + Sunday 25 min + Thursday 25 min + five 15-minute brisk walks = **155 minutes**. Use your actual times and count only walking brisk enough to be moderate.

At moderate effort you can talk but not sing. Short bouts count. If your current total is lower, build toward the target gradually. [\[1\]](#)

Health habits that support the training

Keep routine primary-care visits, blood pressure and age-appropriate preventive screening current. Discuss new exercise symptoms, known heart/lung disease or medication concerns with your clinician before harder training. Use the stop rules on page 6. Age alone does not mean every easy workout needs medical clearance.

The busy-week version

Keep two shorter gym visits: warm up, then 1-2 sets each of the first four exercises. Keep one comfortable 20-30 min run/walk and brief walking breaks. This preserves the habit; return to the full routine when the week opens up.

A missed session is not a debt. After a week off, use lighter loads and fewer sets for the first visit. After illness or injury, recovery and any clinician guidance take priority.

Change the setting. Keep the habit.

Choose by footing, visibility, air quality and comfort, not by a commitment to train outdoors.

CONDITIONS	PLAN ADJUSTMENT
Cool, dry, daylight	Use the usual easy outdoor run/walk. Wear comfortable running shoes, a wicking base layer, an adjustable warm layer and wind/rain protection as needed. Start gently. [5]
Dark, wet leaves or slippery paths	Choose a well-lit, clear route with an adult accompanying the youth, or move indoors. Use reflective clothing and lights; keep hearing/attention available for traffic. No outdoor speed work on uncertain footing.
Ice, snow, severe wind chill, storms or air-quality alerts	Use an indoor track, treadmill, stationary bike or elliptical. Follow local weather and air-quality advice; one temperature cutoff does not cover wind, wetness and individual tolerance.
Treadmill day	Use the same run/walk times at easy effort, initially flat. Staff must confirm youth use is permitted and teach controls. Attach the safety clip, change speed gradually and stop the belt before stepping off. No jumping onto side rails.
Bike, elliptical or pool day	Replace the running slot with 20-30 min at comfortable effort, or less if new to the activity. This maintains aerobic practice, not running-impact readiness. Repeat the last comfortable run stage when returning; step back after a longer break.
Stuck at home	Try 10-20 min easy dancing or walking indoors. Optional gentle chair squats, wall push-ups and balance practice. Rest is also a valid choice; do not invent sprint drills in a cramped room.

A simple mobility finish / 5-8 minutes

After training

Walk slowly until breathing settles. Then gently stretch the calf, front of hip and chest for **20-30 seconds per side**, once or twice. Add 5 slow upper-back rotations per side.

Use a wall for calf support, a comfortable split stance for hip flexors and a doorway for the chest. A trainer can demonstrate these.

Before training

Use dynamic movement: easy walking, marching, small leg swings with support, shoulder circles and controlled practice reps.

Stretch only to mild tension, never pain; no bouncing or forced partner stretches. Flexibility work can help comfort and range but does not cancel fatigue or guarantee injury prevention.

Gear + winter recovery

Use court shoes for tennis and suitable shoes for running; check fit as feet grow. Change out of wet clothes promptly. Bring water indoors as well as outdoors. Stop and get warm for numbness or persistent shivering; confusion or poor coordination in cold conditions warrants urgent help. [\[5\]](#)

Fuel the day. Make the defaults easy.

Share balanced meals. Adjust portions to appetite and activity. Food is not something to earn with exercise.

YOUTH PRIORITY

Growth + steady energy

Offer regular breakfast, lunch and dinner, with snacks as needed. Avoid calorie targets, fasting, weight-loss challenges and frequent weigh-ins. A pediatrician can assess growth and whether any weight-focused treatment is appropriate. [\[6\]](#)

ADULT PRIORITY

Strength + heart health

Include a protein food at meals, plenty of produce, fiber-rich grains and mostly unsaturated fats. Favor beans, lentils, fish, tofu, nuts and lean proteins; limit sugary drinks and frequent processed meats. [\[7\]](#)

Build a flexible plate

Include **vegetables or fruit + a carbohydrate food + a protein food**, with some healthy fat. Rice, potatoes, oats, pasta and bread can all fuel activity. Choose whole grains often. Include milk, yogurt or a suitable fortified alternative for calcium; check labels because plant drinks differ in protein and fortification.

For the growing athlete, leave room for seconds and extra carbohydrate on active days. This is a meal-building prompt, not a portion cap. For the adult, use appetite, energy and recovery to guide portions; avoid crash dieting while trying to establish training.

MOMENT	SIMPLE OPTIONS
Breakfast	Oats + milk or fortified soy drink + fruit; or eggs/tofu + whole-grain toast + fruit.
School / work lunch	Rice or grain bowl with chicken, tofu or beans and vegetables; or a sandwich/wrap with a protein filling, fruit and yogurt.
Before activity	If the last meal was several hours ago, try a banana, toast or yogurt 30-90 min beforehand. Choose familiar foods; adjust timing for stomach comfort.
After activity	A normal meal within the next couple of hours works. If dinner is delayed, use a snack such as yogurt + fruit, or milk/soy drink + toast.
Family dinner	Fish, tofu, lentils or lean meat + rice/potatoes/pasta + vegetables. Frozen produce and canned beans make busy nights easier.

Drinks + supplements

Bring a bottle, start hydrated and take regular water breaks; do not force large volumes. Water is usually sufficient for these shorter sessions. Longer, sweaty tennis may need a more specific fluid/fueling plan with the coach. Avoid energy drinks and pre-workouts for the youth. Protein powders, fat burners and muscle-building supplements are not part of this plan; discuss any supplement with a clinician or sports dietitian.

Adult: if you do not drink alcohol, do not start for health; if you do, limit it. [\[7\]](#) Seek individual nutrition support for allergies, restricted diets, persistent fatigue, poor growth, or anxiety around food. Meal and snack combinations above are practical suggestions, not a calorie prescription.

Build a life that makes training possible.

The transferable skills are planning, recovery, self-awareness and asking for help. Fitness does not need to become another exam.

YOUTH SLEEP

8-10 hours

Keep a steady wake time and work backward for bedtime. If wake-up is 6:30 am, being asleep around 9:30 pm gives 9 hours. Leave wind-down time before that. [\[8\]](#)

ADULT SLEEP

7+ hours

Protect a reliable sleep window. Switch off devices at least 30 min before bed; avoid late caffeine. Persistent snoring, gasping or daytime sleepiness deserves a clinician conversation. [\[8\]](#)

The 10-minute Sunday check-in

1. **Look ahead:** put tests, homework, work deadlines and tennis on one calendar.
2. **Book the anchors:** agree on two family gym times and the easiest run/walk slots.
3. **Prepare:** pack shoes and a bottle; choose two easy dinners and school/work snacks.
4. **Check recovery:** discuss energy, enjoyment and aches without comparing bodies or performance.

For the student: independence in small steps

Let the teen choose a route, a playlist or one exercise alternative. Practice focused study blocks of about 25-45 minutes with a brief movement break. Pack the next day's bag before winding down. Keep friendships, hobbies and unstructured play in the week.

As school demands rise, practice shopping for a simple meal, cooking it, using a calendar and recognizing when to ask a teacher, coach or counselor for help. These habits also travel well to university. Sports participation is not a guarantee of academic results or admissions outcomes.

For the adult: a routine that survives work

Protect gym appointments like other commitments, stand or walk between long periods of sitting, and keep an easy lunch available. A family walk can be a useful transition out of work. Model stopping when tired and restarting after interruptions.

During exams, deadlines or a difficult week

Use shorter visits or temporarily keep just one. Drop sprints and progression; choose walking and sleep when recovery is poor. Do not double sessions afterward. Resume the last comfortable level, stepping back if the break was longer.



REP'S COACHING CUE

"Ask: what felt better this week? Celebrate the choice to show up, the courage to ask for help, and the judgment to rest."

Track effort. Notice what gets easier.

Use REP for the strength session, and this sheet or a running timer for the rest.

01

Create routines

Create Youth A / Youth B or Adult A / Adult B using pages 3-4. Use the catalog's closest correctly matched movement.

02

Set modest targets

Enter sets and reps. Choose starting load with a trainer; leave it unspecified until assessed. Edit targets as ability changes.

03

Log what happened

Confirm actual load and completed reps. Use the rest timer. Planned numbers are suggestions, never completed work.

REP's routines support sets, reps and load targets. Its warm-up timer does not log training volume. For holds, balance, running intervals, tennis and recovery notes, use a separate timer or this sheet; do not turn seconds into fake reps or enter unrelated exercises. Do not compare the two participants' loads or personal-record estimates.

Weekly check-in / Print one copy per person; keep completed copies private

Week beginning: _____ Track: ☐ Youth ☐ Adult

SESSION	DONE / ADAPTED	TIME OR RUN STAGE	EFFORT 1-10	NEXT-DAY COMFORT
Gym A	☐ / ☐			
Easy run/walk 1	☐ / ☐			
Tennis / other cardio	☐ / ☐			
Gym B	☐ / ☐			
Easy run/walk 2	☐ / ☐			

One thing that felt better

One adjustment for next week

Recovery check

- ☐ Sleep was mostly sufficient
- ☐ Meals were regular
- ☐ No pain changing movement
- ☐ Energy and enjoyment were okay
- ☐ Rest days stayed in the plan

Review at weeks 4, 8 and 12

Youth: is the same tennis drill easier, are fewer unplanned breaks needed, and is running comfortable? **Adult:** are familiar loads more controlled, is the same easy route less tiring, and is daily energy better? If recovery or enthusiasm is declining, reduce the plan and review with the coach or clinician as appropriate.

No body photos, weight chart, calorie score or family leaderboard is needed. Keep any personal exercise records separate when sharing this guide.

The guidance behind the plan.

Public health principles, translated into a practical family starting routine.

This guide was prepared on 5 September 2026. Sources below were checked during preparation. They support the general principles; the exact weekly calendar, exercise pairings, running stages and speed doses are suggested adaptations, not an official clinical or tennis protocol.

1. **CDC / Physical activity recommendations.** Youth daily activity and adult aerobic/strength targets. Supports pages 2 and 7.
cdc.gov/physical-activity-basics/guidelines/index.html
2. **American Academy of Pediatrics / Resistance training for children; Strength Training.** Supervised, skill-appropriate resistance training. Supports gym technique and supervision guidance on pages 3-4. The detailed parent handout is older (2011); the 2020 AAP explanation provides additional context.
HealthyChildren.org / Guidance on Resistance Training for Children
HealthyChildren.org / Strength Training
3. **NHS / Couch to 5K running plan.** Official three-run progression, recovery days and 30-minute endpoint. Page 5 uses an explicitly custom two-run alternative to accommodate tennis and gym visits.
NHS / Couch to 5K running plan
4. **American Academy of Pediatrics / Tips to Prevent Sports Injuries in Children & Teens.** Rest, variety, equipment and responding to pain. Supports pages 2 and 6.
HealthyChildren.org / Tips to Prevent Sports Injuries in Children & Teens
5. **American Heart Association / How to Stay Active in Cold Weather.** Clothing layers, hydration, indoor alternatives and cold-illness signs. Supports page 8.
Heart.org / How to Stay Active in Cold Weather
6. **American Academy of Pediatrics / Weigh-Ins, Weight Gain & Rules for Teen Athletes.** Pediatric input on weight concerns and avoiding coach-led weight pressure. Supports the youth nutrition approach on page 9.
HealthyChildren.org / Weigh-Ins, Weight Gain & Rules for Teen Athletes
7. **American Heart Association / 2026 Dietary Guidance to Improve Cardiovascular Health.** Diverse produce, whole grains, healthy protein sources, unsaturated fats, and limiting added sugar, sodium and alcohol. Supports adult food principles on page 9.
Professional.Heart.org / 2026 Dietary Guidance / Top Things to Know
8. **CDC / About Sleep.** Teen and adult sleep duration, routine and sleep quality. Supports page 10.
cdc.gov/sleep/about/index.html

Make it individual before making it harder.

The plan assumes access to supervised gym instruction, a coach willing to adjust tennis, and no known condition limiting activity. Starting ability, pain history, school load and equipment fit still need an in-person check. Follow individualized clinician advice when it differs from this framework.

Design + app alignment: REP mascot adapted as a static vector from the app's existing RepMascotGeometry; ink/red palette and gold headband retained. Routine instructions follow the app's sets/reps/load target model. Educational document only; no workouts or personal records have been added to the app.

Sharing + printing: The HTML is self-contained and works offline; external links are optional reading. Print at 100% on US Letter, or use Fit on A4. The supplied PDF has 12 fixed pages. Print page 11 again for a fresh weekly check-in.