


Keycontroller

Chit-Key™ Vault and Panels — Simple in Design, Superior in Performance



Chit-Key Vaults™ and Panels provide a simple and clever technique to ensure the return of keys. All locks work in tandem so that the two keys may never be released at the same time. Securing the first position (control key) in place, the second position (user key) is mechanically free to be removed. The control key is then locked in place until the safe return of the user key.

Chit Key Vaults™ come in two sizes of 18-gauge brushed stainless steel. These vaults may be customized to any size with a variety of lock options to meet your requirements.

Versions




1 Tandem Position

Also available as 1 Tandem Position XL – Horizontal.



Six-Position Chit-Key Vault

This Chit-Vault™ holds six tandem locks. These locks may optionally be mastered to control the front door of the Chit-Vault™. Common pinning the door lock and interior locks is optional.



The Multi-Chit Panel

Multi-Chit can hold up to 50 Chit positions at one time. Mounted stand alone or housed in a SAM with optional electrical door control.

SUPPLY THROUGHOUT EUROPE, INSTALLATION IN THE NETHERLANDS AND BELGIUM

DELPHI Key Management Systems

Einsteinstraat 3e, 4207 HW Gorinchem · +31 (0)183 648851
info@sleutelbeersystemen.nl · sleutelbeersystemen.nl

Panels and key tags



Housed in a SAM™

Chit-Key Vaults™ and Multi-Chit Panels can also be used electronically with Security Asset Managers™ (SAMs™) and GFMS™.



Wall Panels

For 20 or 50 keys, in 16-gauge powder coated steel.



KSI Security Seal

Serialized Tamper Evident Key Tags are included with each of our Chit-Key™ Panels. Ensure that keys are securely sealed while stored and while in use. White and red tags highlight user or control keys to assist employees and for quick visual auditing.

SUPPLY THROUGHOUT EUROPE, INSTALLATION IN THE NETHERLANDS AND BELGIUM

DELPHI Key Management Systems

Einsteinstraat 3e, 4207 HW Gorinchem · +31 (0)183 648851
info@sleutelbeheersystemen.nl · sleutelbeheersystemen.nl

Vaults

ITEM	W × H × D (INCHES)	W × H × D (CM)	WEIGHT
1 Tandem Position	3¾ × 6 × 3¾	9,5 × 15,2 × 9,5	1,4 kg
1 Tandem Position XL – Horizontal	8 × 5¾ × 4	20,3 × 14,6 × 10,2	2,2 kg
6 Tandem Positions	11¼ × 13¼ × 5	28,6 × 33,7 × 12,7	6,8 kg

Material: 18-gauge brushed stainless steel.

Wall Panels

ITEM	W × H × D (INCHES)	W × H × D (CM)	WEIGHT
20-Key	24 × 12⅞ × 2¼	61 × 30,8 × 5,7	9,1 kg
50-Key	24 × 28⅞ × 2¼	61 × 72,7 × 5,7	20,4 kg

Both versions available with SFIC or LFIC, ¾" cam lock or mortise cylinder. Material: 16-gauge powder coated steel.

SAM Panels

ITEM	W × H × D (INCHES)	W × H × D (CM)	WEIGHT
10 Tandem Positions	18 × 18 × 6	45,7 × 45,7 × 15,2	9,1 kg
20 Tandem Positions	18 × 27⅞ × 6	45,7 × 68,9 × 15,2	20,4 kg
32 Tandem Positions	28⅞ × 27⅞ × 6	71,4 × 68,9 × 15,2	29,5 kg
48 Tandem Positions	28⅞ × 36 × 6	71,4 × 91,4 × 15,2	54,4 kg

Locks

¾" High Security cam lock (¾" standard, supports ⅝" – 1¼" L).

Interchangeable core (small or large format).

Mortise cylinder (customer supplied — call for details).

KSI Security Seal

Dimensions ¾ × 1½ × ½" · 1,9 × 3,8 × 1,3 cm

Weight 4,1 g

Capacity 1-5 Keys

Colors Red and White

Chit-Key Vaults™ and Multi-Chit Panels can also be used electronically with Security Asset Managers™ (SAMs™) and GFMS™. Dimensions converted from the manufacturer's figures in inches and pounds. Subject to change.

SUPPLY THROUGHOUT EUROPE, INSTALLATION IN THE NETHERLANDS AND BELGIUM

DELPHI Key Management Systems

Einsteinstraat 3e, 4207 HW Gorinchem · +31 (0)183 648851
info@sleutelbeersystemen.nl · sleutelbeersystemen.nl

