

Security Asset Manager™ (SAM™)



High Security Asset Control

High Security Asset Control

KSI offers several styles of electronically controlled SAMs, to store, audit, and manage your keys and assets. You can customize these devices to secure a wide variety of assets. Access configurations are assigned to one or more users through Global Facilities Management System (GFMS) software.



Securing keys



Tamper-Proof Key Rings®

Multiple keys to be secured using a single key position. Our key rings are serialized and made from durable stainless steel.



Non-electronic products

Tamper-Proof Key Rings® may also be used with our non-electronic products.



Interchangeable Cores

Interchangeable core housing options are available for Small Format, Large Format, and Mogul style keyways. We offer direct entrapment in dedicated key positions.



One management application for every cabinet

Access configurations are assigned to one or more users through Global Facilities Management System (GFMS) software, managing every cabinet and location in a single environment.

SUPPLY THROUGHOUT EUROPE, INSTALLATION IN THE NETHERLANDS AND BELGIUM

DELPHI Key Management Systems

Einsteinstraat 3e, 4207 HW Gorinchem · +31 (0)183 648851
info@sleutelbeersystemen.nl · sleutelbeersystemen.nl





KSI SmartFob SAM

Fobs contain a unique electronic ID which are continuously monitored in SAMs. Can be moved and tracked cabinet to cabinet, position to position. SmartFobs contain no batteries to maintain and are available locked in place or unlocked. Designed to be water resistant.

User ID Options



External Card Holder

Metal sleeves permanently mounted on the panel conceal and protect cards. Locking keys prevent removal.



Universal Card Holder

Directly locks and conceals rigid and semi-rigid cards without additional keys or sleeves.



Internal Card Holder

Cards are held in removable rigid plastic sleeves and concealed within the SAM cavities for added security. Card holders are securely attached to the keys that lock them in place.



Compartments

A variety of locking compartment sizes to secure assets. Charging and ID tracking available.



Door Options

Clear Lexan™ doors provide fast and easy visual audit of assets. Expansion doors increase capacity to accommodate large assets.



KSI Satellite

The KSI Satellite is a multi-function access point for GFMS and SAMs. Use for remote authorizations and to confirm assets are returned before exiting.

SUPPLY THROUGHOUT EUROPE, INSTALLATION IN THE NETHERLANDS AND BELGIUM

DELPHI Key Management Systems

Einsteinstraat 3e, 4207 HW Gorinchem · +31 (0)183 648851
info@sleutelbeheersystemen.nl · sleutelbeheersystemen.nl

Locks and camera

Locks



Our proprietary KSI cam locks are available to populate key storage positions. Retainment by most lock styles including small and large format interchangeable cores are also available.

Photo & Input Device



The camera delivers a clear 5MP resolution image of users at the asset management device. Camera is able to show a wide area of view at a short distance.

User ID options

Every Security Asset Manager can be operated with the identification method that suits your organization. Three of them are touch free.



Smartphone
TOUCH FREE



Touch Screen
Operation on the screen of the cabinet.



Capacitance / Tactile
Solid surface without moving parts, or tactile keys.



Card Swipe
TOUCH FREE



Proximity
TOUCH FREE



Scale
Weight verification of returned key bunches.



Maximum-Security Access
Maximum-security access.



Biometric
Fingerprint, combined with a PIN.

SUPPLY THROUGHOUT EUROPE, INSTALLATION IN THE NETHERLANDS AND BELGIUM

DELPHI Key Management Systems

Einsteinstraat 3e, 4207 HW Gorinchem · +31 (0)183 648851
info@sleutelbeheersystemen.nl · sleutelbeheersystemen.nl

Five standard versions

Steel housing, NEMA 3S. One cabinet runs from 8 to 96 positions; two cabinets side by side hold up to 192, with a single control panel.

VERSION	SAM 8	SAM 16	SAM 32	SAM 64	SAM 96
Positions	8	16	32	64	96
Width	33 cm	46 cm	46 cm	71 cm	71 cm
Height	46 cm	46 cm	69 cm	69 cm	91 cm
Depth	15 cm	15 cm	15 cm	15 cm	15 cm
Weight, approx.	9 kg	9 kg	20 kg	29 kg	54 kg
SRP hooks	—	94	166	306	482
KSI SmartFob	—	40	72	144	208
Multi-Chit	—	10	20	32	48
Electronic lockers	—	•	•	•	•
Multi-compartment	—	•	•	•	•

Dimensions converted from inches (13–28½" wide, 18–36" high, 6" deep). Multi-compartment on request. Dimensions subject to change.

SUPPLY THROUGHOUT EUROPE, INSTALLATION IN THE NETHERLANDS AND BELGIUM

DELPHI Sleutelbeheersystemen

Einsteinstraat 3e, 4207 HW Gorinchem, the Netherlands · +31 (0)183 648851
info@sleutelbeheersystemen.nl · sleutelbeheersystemen.nl

