


Tamper-Proof Key Rings®

The Industry Standard Among Security Professionals



Strict tolerances provide you with the ultimate in strength and durability. Our popular Tamper-Proof Key Rings® provide an added layer of protection for your most valuable assets – from keys and other property to medical equipment and cash tills. These high-security, stainless steel rings cannot be opened without detection, thus preventing asset substitution.



Rings and seal




Unique ID & Smooth Seal

Every ring is stamped with a unique serial number. This permanent ID provides a tool to audit both rings and the attached assets, preventing substitution.



Crimped to a smooth seal

All styles of Tamper-Proof Key Rings® crimp to a smooth seal. Attached keys and assets are free to rotate the full 360 degrees of the ring to prevent bunching. Once opened, the ring cannot be re-crimped.



Solid & Flexible Rings

Each size of Tamper-Proof Key Ring® is available in both solid and flexible braided stainless steel. Both solid and flex rings are sealed with our same Crimping Tool.

SUPPLY THROUGHOUT EUROPE, INSTALLATION IN THE NETHERLANDS AND BELGIUM

DELPHI Key Management Systems

Einsteinstraat 3e, 4207 HW Gorinchem · +31 (0)183 648851
info@sleutelbeheersystemen.nl · sleutelbeheersystemen.nl



Dimensions and capacity

INNER DIAMETER	IN CENTIMETRES	KEY CAPACITY*	ORDER CODE
1"	3 cm	14	KR3
1 5/8"	4 cm	22	KR4
2"	5 cm	30	KR5
3"	7 cm	46	KR7
4"	9 cm	66	KR9

* Key Capacity is in terms of standard builders hardware.

Material

Solid Rings	Stainless Steel
Ring Thickness	4 mm
Flexible Rings	Stranded Stainless Steel
Seal	4 mm

Tools

Unique tools prevent the substitution of alternative key rings.



The Closing Tool

Closes and holds solid rings in preparation for crimping.




The Crimping Tool

Clamps down to create our smooth recessed seal on both solid and flex rings.



The Knipex® Cutting Tool

Used to permanently cut open the key ring seal in order to remove keys or assets.



Crimping in practice

The seal is clamped over both ends to a smooth finish, usable all around.



Quick Start Guide

For further instructions on how to use these tools, request the manufacturer's Quick Start Guide.

SUPPLY THROUGHOUT EUROPE, INSTALLATION IN THE NETHERLANDS AND BELGIUM

DELPHI Key Management Systems

Einsteinstraat 3e, 4207 HW Gorinchem · +31 (0)183 648851
info@sleutelbeheersystemen.nl · sleutelbeheersystemen.nl

Accessories



Color Coded Control

The only plastic we use with our Tamper-Proof Key Rings® is the color coded tags. Five colors are available to help group key rings for quick identification.

Available colors: orange, yellow, green, blue, red and assorted.



Key & Fob Shield

Multiple shield sizes may be used to prevent unwanted viewing of your high security assets. Key Shields attach to any Tamper-Proof Key Ring® and slide over your assets to conceal their profile when locked in a SAM™.

Available colors: blue and red.



Starter Kit

Our patented Tamper-Proof Key Ring® technology starter kit provides your most valuable assets with an added layer of protection.

Contents include: 10 × 1" rings, 10 × 1½" rings, 10 × 2" rings, closing tool, crimping tool, cutting tool, a sample size of each key ring in solid and flex, and 50 color coded ID tags.

SUPPLY THROUGHOUT EUROPE, INSTALLATION IN THE NETHERLANDS AND BELGIUM

DELPHI Key Management Systems

Einsteinstraat 3e, 4207 HW Gorinchem · +31 (0)183 648851
info@sleutelbeheersystemen.nl · sleutelbeheersystemen.nl