PROPOSAL

Bayesian Evidence Synthesis

Thom Volker, 5868777

Methodology and Statistics for the Behavioural, Biomedical and Social Sciences

Utrecht University

Supervisor: Irene Klugkist

August 23, 2020

Word count: 172

1 Introduction

As of today, many methods for aggregating scientific evidence have been proposed. Examples are, but are not limited to, conventional (study-level) meta-analysis, individual-level meta-analysis and Bayesian updating. The advantages of such methods are numerous: (i) they enable researchers to establish effects over different studies, (ii)

As of today, many methods for aggregating scientific evidence have been proposed. Two well-known examples are meta-analysis and Bayesian sequantial updating. Both methods aim at combining the multiple sources of evidence, either from multiple studies, or from collecting additional data.

As of today, many methods for aggregating scientific evidence have been proposed. Examples are, but are not limited to, conventional (study-level) meta-analysis, individual-level meta-analysis and Bayesian updating. The advantages of such methods are numerous: (i) they enable researchers to establish effects over different studies, (ii)

As of today, many methods for aggregating scientific evidence have been proposed. Two well-known examples are meta-analysis and Bayesian sequantial updating. Both methods aim at combining the multiple sources of evidence, either from multiple studies, or from collecting additional data.