
MRCR: Cumulative match score

MRCR v1 (2 needles, 128K)




4 shown · 0 undated · 0 definition-held · sources: S003

No mean curve: Fewer than five dated model configurations.

MRCR: Cumulative average

MRCR v2 (8 needles, 128K)




4 shown · 0 undated · 0 definition-held · sources: S004, S005

No mean curve: Fewer than five dated model configurations.

MRCR: Long-context bucket score

MRCR v2 (8 needles, 256K-512K)




3 shown · 0 undated · 0 definition-held · sources: S006

No mean curve: Fewer than five dated model configurations.

MRCR: Match score (%)

Mode not specified; MC069 H10; MRCR v2; OpenAI MRCR v2 8-needle 256K-512K; ; section: ; table row context: OpenAI MRCR v2 8-needle 256K-512K




1 shown · 0 undated · 0 definition-held · sources: MC069

No mean curve: Fewer than five dated model configurations.

MRCR: Match score (%)

Mode not specified; MC069 H10; MRCR v2; OpenAI MRCR v2 8-needle 512K-1M; ; section: ; table row context: OpenAI MRCR v2 8-needle 512K-1M




4 shown · 0 undated · 0 definition-held · sources: MC069

No mean curve: Fewer than five dated model configurations.

MRCR: Match score (%)

Mode not specified; MC096 H8; MRCR v2; OpenAI MRCR v2 8-needle 256K-512K; ; section: ; table row context: OpenAI MRCR v2 8-needle 256K-512K




1 shown · 0 undated · 0 definition-held · sources: MC096

No mean curve: Fewer than five dated model configurations.

MRCR: Match score (%)

Mode not specified; MC096 H8; MRCR v2; OpenAI MRCR v2 8-needle 512K-1M; ; section: ; table row context: OpenAI MRCR v2 8-needle 512K-1M




1 shown · 0 undated · 0 definition-held · sources: MC096

No mean curve: Fewer than five dated model configurations.

MRCR: Match score (%)

64K extended thinking; MC061 Table 2.16.A; MRCR v2; 8 needles; MRCR v2; 8 needles; (128K,256K] input tokens; 64K extended thinking; mean of five trials. The 1M-bin score includes prompts beyond




1 shown · 0 undated · 0 definition-held · sources: MC061

No mean curve: Fewer than five dated model configurations.

MRCR: Match score (%)

Adaptive thinking; max effort; MC061 Table 2.16.A; MRCR v2; 8 needles; MRCR v2; 8 needles; (128K,256K] input tokens; Adaptive thinking, max effort; mean of five trials. The 1M-bin score




1 shown · 0 undated · 0 definition-held · sources: MC061

No mean curve: Fewer than five dated model configurations.

MRCR: Match score (%)

64K extended thinking; MC061 Table 2.16.A; MRCR v2; 8 needles; MRCR v2; 8 needles; (524K,1024K] input tokens; 64K extended thinking; mean of five trials. The 1M-bin score includes prompts beyond




1 shown · 0 undated · 0 definition-held · sources: MC061

No mean curve: Fewer than five dated model configurations.

MRCR: Match score (%)

Adaptive thinking; max effort; MC061 Table 2.16.A; MRCR v2; 8 needles; MRCR v2; 8 needles; (524K,1024K] input tokens; Adaptive thinking, max effort; mean of five trials. The 1M-bin score




1 shown · 0 undated · 0 definition-held · sources: MC061

No mean curve: Fewer than five dated model configurations.

MRCR: Match score (%)

64K extended thinking; MC062 Long-context table, Section 2.18; MRCR v2; 8 needles; MRCR v2; 8 needles; (128K,256K] input tokens; 64K extended thinking; mean of five trials. The 1M-bin score




1 shown · 0 undated · 0 definition-held · sources: MC062

No mean curve: Fewer than five dated model configurations.

MRCR: Match score (%)

Adaptive thinking; max effort; MC062 Long-context table, Section 2.18; MRCR v2; 8 needles; MRCR v2; 8 needles; (128K,256K] input tokens; Adaptive thinking, max effort; mean of five trials. The




1 shown · 0 undated · 0 definition-held · sources: MC062

No mean curve: Fewer than five dated model configurations.

MRCR: Match score (%)

64K extended thinking; MC062 Long-context table, Section 2.18; MRCR v2; 8 needles; MRCR v2; 8 needles; (524K,1024K] input tokens; 64K extended thinking; mean of five trials. The 1M-bin score




1 shown · 0 undated · 0 definition-held · sources: MC062

No mean curve: Fewer than five dated model configurations.

MRCR: Match score (%)

Adaptive thinking; max effort; MC062 Long-context table, Section 2.18; MRCR v2; 8 needles; MRCR v2; 8 needles; (524K,1024K] input tokens; Adaptive thinking, max effort; mean of five trials. The




1 shown · 0 undated · 0 definition-held · sources: MC062

No mean curve: Fewer than five dated model configurations.

MRCR: Match score (%)

64K extended thinking; MC061 Footnote 15; MRCR v2; 8 needles; API-reproducible subset; MRCR v2; 8 needles; API-reproducible subset; Subset within public 1M token API limit; n=54 problems; 64K




1 shown · 0 undated · 0 definition-held · sources: MC061

No mean curve: Fewer than five dated model configurations.

MRCR: Match score (%)

Adaptive thinking; max effort; MC061 Footnote 15; MRCR v2; 8 needles; API-reproducible subset; MRCR v2; 8 needles; API-reproducible subset; Subset within public 1M token API limit; n=29



1 shown · 0 undated · 0 definition-held · sources: MC061

No mean curve: Fewer than five dated model configurations.