



**XXTitle**

XXAuthor name



**Faculty of XX  
University of Iceland  
20XX**



**XXTITLE**

XXAuthor name

XX ECTS thesis submitted in partial fulfillment of a  
*Magister Scientiarum* degree in XX

Advisor

XXNN1

XXNN2

Faculty Representative

XXNN3

M.Sc. committee

XXNN4

XXNN5

Faculty of XX

School of Engineering and Natural Sciences

University of Iceland

Reykjavik, XXmonth 20XX

XXTitle

XXShort title (50 characters including spaces)

XX ECTS thesis submitted in partial fulfillment of a M.Sc. degree in XX

Copyright © 20XX XXAuthor name

All rights reserved

Faculty of XX

School of Engineering and Natural Sciences

University of Iceland

XXFaculty street address

XXFaculty postal code, Reykjavik, Reykjavik  
Iceland

Telephone: 525 4000

Bibliographic information:

XXAuthor name, 20XX, XXTitle, M.Sc. thesis, Faculty of XX, University of Iceland.

ISBN XX

Printing: Háskólaprent, Fálkagata 2, 107 Reykjavík  
Reykjavik, Iceland, XXmonth 20XX

*Dedication*



# Abstract

bla

# Útdráttur

bla





# Preface



# Contents

<b>List of Figures</b>	<b>xi</b>
<b>List of Tables</b>	<b>xiii</b>
<b>Abbreviations</b>	<b>xv</b>
<b>Acknowledgments</b>	<b>xvii</b>
<b>1 Introduction</b>	<b>1</b>
1.1 Some section . . . . .	1
1.1.1 This is some subsection . . . . .	1
<b>2 Examples</b>	<b>3</b>
2.1 R code . . . . .	3
2.2 Figures . . . . .	4
2.2.1 Discussion . . . . .	4



# List of Figures

2.1	Some boxplot . . . . .	5
-----	------------------------	---



# List of Tables

2.1	Some table . . . . .	4
-----	----------------------	---





# Abbreviations



# Acknowledgments

# **1 Introduction**

This is the introduction

## **1.1 Some section**

This is some section

### **1.1.1 This is some subsection**

This is some subsection



## 2 Examples

Here are some examples

### 2.1 R code

Load some library

```
library(tidyverse)
library(knitr)
library(kableExtra)
library(ggthemes)
theme_set(theme_tufte() +
            theme(panel.border = element_rect('black', fill = NA)))
```

Load some data and create some table.

```
mtcars %>%
  filter(row_number() <= 10) %>%
  kable(booktabs = T, 'latex',
        caption = "Some table") %>%
  kable_styling(full_width = F,
                bootstrap_options = 'striped',
                latex_options = 'hold_position')
```

## 2 Examples

Table 2.1: Some table

mpg	cyl	disp	hp	drat	wt	qsec	vs	am	gear	carb
21.0	6	160.0	110	3.90	2.620	16.46	0	1	4	4
21.0	6	160.0	110	3.90	2.875	17.02	0	1	4	4
22.8	4	108.0	93	3.85	2.320	18.61	1	1	4	1
21.4	6	258.0	110	3.08	3.215	19.44	1	0	3	1
18.7	8	360.0	175	3.15	3.440	17.02	0	0	3	2
18.1	6	225.0	105	2.76	3.460	20.22	1	0	3	1
14.3	8	360.0	245	3.21	3.570	15.84	0	0	3	4
24.4	4	146.7	62	3.69	3.190	20.00	1	0	4	2
22.8	4	140.8	95	3.92	3.150	22.90	1	0	4	2
19.2	6	167.6	123	3.92	3.440	18.30	1	0	4	4

## 2.2 Figures

Create some simple plot

```
mtcars %>%  
  select(-vs, -am) %>%  
  gather(variable, value, -cyl) %>%  
  ggplot(aes(x = factor(cyl), y = value)) +  
  geom_boxplot() +  
  facet_wrap(~variable, scales = 'free', ncol = 2)
```

### 2.2.1 Discussion

This is some subsection where we discuss this and that.




Figure 2.1: Some boxplot