IRC:67 & IRC:35 TRAFFIC SIGNS MASTER EXAMINATION

Complete 100-Question Official Test Paper & Reference Bank

SECTION 1: MANDATORY / REGULATORY SIGNS & SPECIFICATIONS (IRC:67)



1. What is the shape of the Stop sign in IRC:67?
A) Circular
B) Octagonal [✓]
C) Triangle
D) Rectangular



2. Which sign is uniquely an inverted triangle?
A) Give Way [✓]
B) Stop
C) No Entry
D) School Zone



3. Red border circle with a solid horizontal red bar?
A) Stop
B) No Entry [✓]
C) Closed
D) Customs



4. White arrow inside a blue circle indicates:
A) Mandatory Direction [✓]
B) Informational
C) Cautionary
D) Warning



5. Number 50 inside a red circle defines:
A) Min Speed 50
B) Max Speed 50 km/h [✓]
C) Distance 50km
D) Weight 50t



6. Blue circle with white number 30 signifies:
A) Minimum Speed 30 [✓]
B) Max Speed 30
C) Route 30
D) Parking 30m



7. Red circle with crossed U-turn arrow means:
A) Hairpin Bend
B) No U-Turn [✓]
C) Turn Left
D) One-Way



8. Crossed straight arrow in red ring signifies:
A) Straight Prohibited [✓]
B) One Way
C) End Speed
D) No Parking



9. Blue circle with a single red slash represents:
A) No Stopping
B) No Parking [✓]
C) No Overtaking
D) Clear Zone



10. Blue circle with red cross (X) means:
A) No Stop / Stand [✓]
B) No Parking
C) Hospital
D) Junction



11. Symbol "5t" in a red circle indicates:
A) Axle limit 5t
B) Weight Limit 5t [✓]
C) Speed 50
D) Height 5m



12. Vertical arrows with height value define:
A) Height Limit [✓]
B) Width Limit
C) Length Limit
D) Distance



13. Horizontal arrows with width value define:
A) Height Limit
B) Width Limit [✓]
C) Axle Limit
D) Margin



14. Red car next to black car in red circle:
A) No Overtaking [✓]
B) Two Way
C) Car Rally
D) Parallel Lane



15. Crossed horn symbol inside red circle:
A) Sound Horn
B) Use of Horn Prohibited [✓]
C) Low Noise Zone
D) Music System No



16. White circle with diagonal black bar:
A) End of Restrictions [✓]
B) No Entry
C) Closed Road
D) Stop Line

17. Primary category for circular signs with red borders under IRC:67?
A) Mandatory / Regulatory Signs [✓]
B) Cautionary / Warning Signs
C) Informational Signs
D) Route Markers

18. Disobeying Mandatory Signs under Motor Vehicles Act (Sec 119/177) is:
A) Optional suggestion
B) Punishable Offence [✓]
C) Civil warning
D) Valid only at night

19. Standard background color for mandatory positive direction signs (e.g. Keep Left):
A) Blue [✓]
B) Red
C) Yellow
D) Green

20. In standard urban areas, what is the default diameter for mandatory circular signs?
A) 600 mm [✓]
B) 300 mm
C) 900 mm
D) 1200 mm

21. What does a red circular border with a crossed-out bicycle mean?
A) Cycle Track Ahead
B) Bicycles Prohibited [✓]
C) Cycle Parking
D) Rental Station

22. Border color for mandatory prohibitory signs under IRC:67:
A) Red [✓]
B) Blue
C) Yellow
D) Black

23. Axle Load Limit sign specifies maximum load permitted per:
A) Gross vehicle weight
B) Individual axle unit [✓]
C) Tire set
D) Cargo area

24. Red ring containing two opposite arrows where one is crossed:
A) Priority to oncoming traffic [✓]
B) Two-way road
C) Dual carriageway
D) Overtaking allowed

25. Restriction Ends sign releases drivers from which prior limits?
A) Toll obligations
B) Previously posted prohibitions [✓]
C) Signal rules
D) Parking bans

SECTION 2: CAUTIONARY / WARNING SIGNS (IRC:67)



26. Triangle with curved arrow pointing right:
A) Right Curve Ahead [✓] B) Mandatory Right
C) Turn Right D) Side Road



27. Sharp right-angled bend symbol means:
A) Right Curve **B) Right Hairpin / Corner [✓]**
C) T-Junction D) Staggered Turn



28. S-shaped curve arrow inside triangle:
A) Reverse Bend Left/Right [✓] B) Winding Road
C) Roundabout D) Slippery Road



29. Single hump in triangle indicates:
A) Rough Road **B) Speed Breaker / Hump [✓]**
C) Bridge D) Tunnel



30. Double humps symbol in triangle means:
A) Rough / Uneven Road [✓] B) Speed Hump
C) Drain D) Cause Way



31. Lines funneling inwards inside triangle:
A) Bridge **B) Road Narrows Ahead [✓]**
C) Narrow Bridge D) Lane Ends



32. Parallel lines narrowing over structure symbol:
A) Narrow Bridge Ahead [✓] B) Culvert
C) Road Narrows D) Check Post



33. Circular rotating arrows inside triangle:
A) Ring Road **B) Roundabout Ahead [✓]**
C) U-Turn Zone D) Turning Circle



34. Fence-like barrier symbol in triangle:
A) Guarded Railway Crossing [✓] B) Unguarded Rail
C) Fence Gate D) Work Zone



35. Steam engine icon in triangle:
A) Metro Station **B) Unguarded Rail Crossing [✓]**
C) Train Depot D) Guarded Rail



36. Child carrying school bag symbol:
A) School Zone Ahead [✓] B) Pedestrian Crossing
C) Playground D) Park Entrance



37. Person walking on zebra strips in triangle:
A) Footpath **B) Pedestrian Crossing [✓]**
C) Men at Work D) Procession



38. Figure digging with a spade inside triangle:
A) Men at Work [✓] B) Quarry Ahead
C) Landslide D) Agriculture

39. Standard shape mandated for all Cautionary / Warning signs under IRC:67?
A) Equilateral Triangle pointing UP [✓] B) Circle
C) Rectangle D) Diamond

40. Background color for general Cautionary signs in standard IRC specifications:
A) White [✓] B) Yellow
C) Blue D) Green

41. Advanced distance for Cautionary signs on high-speed National Highways:
A) 15 to 30 meters **B) 120 to 180 meters [✓]**
C) 500 meters D) 10 meters

42. What does a triangle sign with falling rocks symbol alert drivers about?
A) Loose rocks or Landslide hazard [✓] B) Quarry blasting
C) Unpaved road D) Steep ascent

43. Triangle with cross symbol '+' signifies:
A) First Aid Post **B) Cross Road Junction Ahead [✓]**
C) Hospital Zone D) Danger Zone

44. A triangle displaying a cattle symbol warns of:
A) Presence of stray cattle on road [✓] B) Slaughterhouse
C) Dairy farm D) Animal transport

45. Sign indicating steep ascent / hill climb features what numerical value in IRC?
A) Height clearance **B) Gradient percentage (e.g., 10%) [✓]**
C) Speed limit D) Distance in km

46. What does a triangle with car slipping/skidding lines warn against?
A) Slippery Road surface ahead [✓] B) Fast driving lane
C) Loose gravel D) Flood area

47. Triangle showing small pebbles flying from tires means:
A) Slippery road **B) Loose Gravel hazard [✓]**
C) Muddy road D) Unpaved surface

48. Background color for temporary work zone warning signs under IRC:
A) Yellow / Fluorescent Yellow-Green [✓] B) Pure White
C) Blue D) Green

49. Triangle with gap in center median line signifies:
A) No U-Turn **B) Gap in Median ahead [✓]**
C) Dual carriageway ends D) Turn Left

SECTION 3: INFORMATIONAL SIGNS & ROAD MARKINGS (IRC:67 & IRC:35)



51. White letter 'P' on blue rectangle means:
A) Parking Permitted [✓] B) Police Station
C) Petrol Pump D) Public Phone



52. White letter 'H' on blue rectangular background:
A) Hotel **B) Hospital [✓]**
C) Highway D) Helipad



53. Fuel pump icon on blue rectangle indicates:
A) Fuel Station / Petrol Pump [✓] B) Service Center
C) EV Charger D) Toll Plaza



54. Spoon and fork symbol on blue sign means:
A) Snack Bar **B) Restaurant / Eating Place [✓]**
C) Hotel D) Picnic Spot



55. Bed symbol on blue board signifies:
A) Resting Place / Hotel [✓] B) Hospital
C) Dormitory D) Shelter



56. Green rectangular direction boards are used on:
A) City Streets **B) State / National Highways [✓]**
C) Expressways Only D) Village Roads



57. Solid continuous white line in center of road:
A) Overtaking Prohibited [✓] B) Free to cross
C) Parking zone D) Bus lane



58. Broken white center line indicates:
A) Stop line **B) Overtaking allowed if safe [✓]**
C) Speed breaker D) No entry



59. Double solid yellow lines along center mean:
A) Strict No Overtaking / Crossing [✓] B) Reversible lane
C) Parking permitted D) Taxi stand



60. Alternating thick white transverse strips:
A) Stop line **B) Zebra Crossing [✓]**
C) Rumble strip D) Yellow box



61. Criss-cross yellow grid lines at junction:
A) Yellow Box Junction (Do Not Block) [✓] B) Parking bay
C) Bus terminus D) Speed zone



62. Solid transverse white line across lane:
A) Give way line **B) Stop Line [✓]**
C) Center line D) Lane boundary

63. Blue background directional guide signs are standard on:
A) Expressways and Urban Arterials [✓] B) National Highways
C) District Roads D) Village Roads

64. Brown background guide signs indicate:
A) Industrial Zones **B) Tourist / Cultural Places [✓]**
C) Toll Plazas D) Defense Areas

65. Primary IRC standard governing Road Markings across India:
A) IRC:35 [✓] B) IRC:67
C) IRC:99 D) IRC:58

66. Solid yellow line painted on road kerb edge specifies:
A) Free parking **B) No Parking / No Standing [✓]**
C) Bus stop zone D) Taxi bay

67. Mandatory width for longitudinal lane markings on 4-lane highways per IRC:35:
A) 100 mm to 150 mm [✓] B) 500 mm
C) 50 mm D) 300 mm

68. Shark's teeth triangular yield line markings require drivers to:
A) Come to full compulsory stop **B) Give way to traffic on major road [✓]**
C) Accelerate D) Turn around

69. White reflective road studs (Cat's Eyes) mark:
A) Lane line dividers [✓] B) Left edge boundary
C) Right edge boundary D) Fire hydrants

70. Red retro-reflective road studs specify:
A) Center line **B) Left edge line (Left margin) [✓]**
C) Overtaking zone D) Pedestrian zone

71. Yellow road studs are placed along:
A) Right edge line / Central medians [✓] B) Left carriageway edge
C) Pedestrian paths D) Stop lines

72. Green retro-reflective road studs mark:
A) Danger points **B) Lay-bys and slip road entrances [✓]**
C) Central median D) No entry zones

73. Thermoplastic paint used for IRC road markings must contain:
A) Glass Beads for retro-reflection [✓] B) Metallic dust
C) Phosphorescent powder D) Sand grit

74. Combination line (Solid line paired with Broken line) means:
A) No driver can cross **B) Driver on broken side may cross [✓]**

SECTION 4: SIGNALS, ADVANCED IRC CODES & TRAFFIC RULES (Q76–Q100)

76. Flashing Red Traffic Light signal requires the driver to:
A) Stop completely, proceed when clear [✓]
B) Maintain speed
C) Turn left immediately
D) Ignore signal

77. Flashing Amber / Yellow signal indicates:
A) Full stop required
B) Slow down and proceed with caution [✓]
C) Speed up
D) Road closed

78. Solid Amber light preceding Red signal means:
A) Stop unless unsafe to do so [✓]
B) Accelerate past signal
C) Turn around
D) Flash headlights

79. Green arrow signal illuminated together with Red signal permits:
A) All movements
B) Movement only in arrow direction [✓]
C) Straight movement
D) U-turn only

80. Advanced Direction Sign (Map type) is located before junction at:
A) 200 to 500 meters [✓]
B) 10 meters
C) 1 kilometer
D) 5 meters

81. Retro-reflective sheeting Class mandated for overhead gantries on expressways (IRC:67):
A) Class A (Engineering)
B) Class C (Microprismatic Type XI) [✓]
C) Non-reflective paint
D) Class B

82. Minimum vertical clearance required from road surface to bottom of overhead gantry sign:
A) 5.5 meters [✓]
B) 3.0 meters
C) 8.0 meters
D) 4.0 meters

83. Mounting height from curb level to bottom of ground-mounted sign in urban areas:
A) 1.0 m
B) 2.0 m to 2.1 m [✓]
C) 4.0 m
D) 0.5 m

84. Chevron marker signs placed on sharp curves use background color:
A) Yellow with Black chevrons [✓]
B) Green
C) Blue
D) White

85. Blue circular sign showing bicycle icon signifies:
A) Watch for cyclists
B) Compulsory Cycle Track [✓]
C) Cycle Repair
D) Bicycles prohibited

86. High-intensity microprismatic Retro-reflective sheeting is defined under:
A) IRC:67-2012 / 2022 [✓]
B) IRC:15
C) IRC:37
D) IRC:86

87. Distance marker post installed every 100m between kilometer stones is called:
A) Boundary pillar
B) Hectometer Post [✓]
C) Delineator
D) Waymarker

88. Top band color of National Highway kilometer stone per IRC:
A) Yellow [✓]
B) Green
C) Blue
D) Black

89. Top band color of State Highway kilometer stone:
A) Yellow
B) Green [✓]
C) Blue
D) Orange

90. Top band color for Major District Road kilometer stone:
A) Black / White [✓]
B) Yellow
C) Green
D) Red

91. Top band color of Rural Road (PMGSY) kilometer stone:
A) Yellow
B) Orange [✓]
C) Blue
D) Green

92. Maximum speed limit for M1 passenger cars on Access Controlled Expressways in India:
A) 120 km/h [✓]
B) 100 km/h
C) 80 km/h
D) 140 km/h

93. Speed limit for two-wheelers on National Highways as per MoRTH notification:
A) 100 km/h
B) 80 km/h [✓]
C) 60 km/h
D) 50 km/h

94. Rule governing overtaking from left side on Indian roads:

A) Prohibited except when vehicle ahead turns right [✓]	B) Always allowed