

# Namespace Erstes\_Wiki.Controllers

## Classes

### [PageController](#)

Der PageController steuert die Startseite .

# Class PageController

Namespace: [Erstes\\_Wiki.Controllers](#)

Assembly: Erstes-Wiki.dll

Der PageController steuert die Startseite .

```
public class PageController : Controller, IActionFilter, IAsyncActionFilter,  
IFilterMetadata, IDisposable
```

## Inheritance

[object](#) ← [ControllerBase](#) ← [Controller](#) ← PageController

## Implements

[IActionFilter](#), [IAsyncActionFilter](#), [IFilterMetadata](#), [IDisposable](#)

## Inherited Members

[Controller.View\(\)](#), [Controller.View\(string\)](#), [Controller.View\(object\)](#),  
[Controller.View\(string, object\)](#), [Controller.PartialView\(\)](#), [Controller.PartialView\(string\)](#),  
[Controller.PartialView\(object\)](#), [Controller.PartialView\(string, object\)](#),  
[Controller.ViewComponent\(string\)](#), [Controller.ViewComponent\(Type\)](#),  
[Controller.ViewComponent\(string, object\)](#), [Controller.ViewComponent\(Type, object\)](#),  
[Controller.Json\(object\)](#), [Controller.Json\(object, object\)](#),  
[Controller.OnActionExecuting\(ActionExecutingContext\)](#),  
[Controller.OnActionExecuted\(ActionExecutedContext\)](#),  
[Controller.OnActionExecutionAsync\(ActionExecutingContext, ActionExecutionDelegate\)](#),  
[Controller.Dispose\(\)](#), [Controller.Dispose\(bool\)](#), [Controller.ViewData](#), [Controller.TempData](#),  
[Controller.ViewBag](#), [ControllerBase.StatusCode\(int\)](#), [ControllerBase.StatusCode\(int, object\)](#),  
[ControllerBase.Content\(string\)](#), [ControllerBase.Content\(string, string\)](#),  
[ControllerBase.Content\(string, string, Encoding\)](#),  
[ControllerBase.Content\(string, MediaTypeHeaderValue\)](#), [ControllerBase.NoContent\(\)](#),  
[ControllerBase.Ok\(\)](#), [ControllerBase.Ok\(object\)](#), [ControllerBase.Redirect\(string\)](#),  
[ControllerBase.RedirectPermanent\(string\)](#), [ControllerBase.RedirectPreserveMethod\(string\)](#),  
[ControllerBase.RedirectPermanentPreserveMethod\(string\)](#),  
[ControllerBase.LocalRedirect\(string\)](#), [ControllerBase.LocalRedirectPermanent\(string\)](#),  
[ControllerBase.LocalRedirectPreserveMethod\(string\)](#),  
[ControllerBase.LocalRedirectPermanentPreserveMethod\(string\)](#),  
[ControllerBase.RedirectToAction\(\)](#), [ControllerBase.RedirectToAction\(string\)](#),  
[ControllerBase.RedirectToAction\(string, object\)](#),  
[ControllerBase.RedirectToAction\(string, string\)](#),

[ControllerBase.RedirectToAction\(string, string, object\)](#)  ,  
 [ControllerBase.RedirectToAction\(string, string, string\)](#)  ,  
 [ControllerBase.RedirectToAction\(string, string, object, string\)](#)  ,  
 [ControllerBase.RedirectToActionPreserveMethod\(string, string, object, string\)](#)  ,  
 [ControllerBase.RedirectToActionPermanent\(string\)](#)  ,  
 [ControllerBase.RedirectToActionPermanent\(string, object\)](#)  ,  
 [ControllerBase.RedirectToActionPermanent\(string, string\)](#)  ,  
 [ControllerBase.RedirectToActionPermanent\(string, string, string\)](#)  ,  
 [ControllerBase.RedirectToActionPermanent\(string, string, object\)](#)  ,  
 [ControllerBase.RedirectToActionPermanent\(string, string, object, string\)](#)  ,  
 [ControllerBase.RedirectToActionPermanentPreserveMethod\(string, string, object, string\)](#)  ,  
 [ControllerBase.RedirectToRoute\(string\)](#)  ,  [ControllerBase.RedirectToRoute\(object\)](#)  ,  
 [ControllerBase.RedirectToRoute\(string, object\)](#)  ,  
 [ControllerBase.RedirectToRoute\(string, string\)](#)  ,  
 [ControllerBase.RedirectToRoute\(string, object, string\)](#)  ,  
 [ControllerBase.RedirectToRoutePreserveMethod\(string, object, string\)](#)  ,  
 [ControllerBase.RedirectToRoutePermanent\(string\)](#)  ,  
 [ControllerBase.RedirectToRoutePermanent\(object\)](#)  ,  
 [ControllerBase.RedirectToRoutePermanent\(string, object\)](#)  ,  
 [ControllerBase.RedirectToRoutePermanent\(string, string\)](#)  ,  
 [ControllerBase.RedirectToRoutePermanent\(string, object, string\)](#)  ,  
 [ControllerBase.RedirectToRoutePermanentPreserveMethod\(string, object, string\)](#)  ,  
 [ControllerBase.RedirectToPage\(string\)](#)  ,  [ControllerBase.RedirectToPage\(string, object\)](#)  ,  
 [ControllerBase.RedirectToPage\(string, string\)](#)  ,  
 [ControllerBase.RedirectToPage\(string, string, object\)](#)  ,  
 [ControllerBase.RedirectToPage\(string, string, string\)](#)  ,  
 [ControllerBase.RedirectToPage\(string, string, object, string\)](#)  ,  
 [ControllerBase.RedirectToPagePermanent\(string\)](#)  ,  
 [ControllerBase.RedirectToPagePermanent\(string, object\)](#)  ,  
 [ControllerBase.RedirectToPagePermanent\(string, string\)](#)  ,  
 [ControllerBase.RedirectToPagePermanent\(string, string, string\)](#)  ,  
 [ControllerBase.RedirectToPagePermanent\(string, string, object, string\)](#)  ,  
 [ControllerBase.RedirectToPagePreserveMethod\(string, string, object, string\)](#)  ,  
 [ControllerBase.RedirectToPagePermanentPreserveMethod\(string, string, object, string\)](#)  ,  
 [ControllerBase.File\(byte\[\], string\)](#)  ,  [ControllerBase.File\(byte\[\], string, bool\)](#)  ,  
 [ControllerBase.File\(byte\[\], string, string\)](#)  ,  [ControllerBase.File\(byte\[\], string, string, bool\)](#)  ,  
 [ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue\)](#)  ,  
 [ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue, bool\)](#)  ,  
 [ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue\)](#)  ,  
 [ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue, bool\)](#)  ,

[ControllerBase.File\(Stream, string\)](#)  ,  [ControllerBase.File\(Stream, string, bool\)](#)  ,  
 [ControllerBase.File\(Stream, string, string\)](#)  ,  [ControllerBase.File\(Stream, string, string, bool\)](#)  ,  
 [ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue\)](#)  ,  
 [ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue, bool\)](#)  ,  
 [ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue\)](#)  ,  
 [ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\)](#)  ,  
 [ControllerBase.File\(string, string\)](#)  ,  [ControllerBase.File\(string, string, bool\)](#)  ,  
 [ControllerBase.File\(string, string, string\)](#)  ,  [ControllerBase.File\(string, string, string, bool\)](#)  ,  
 [ControllerBase.File\(string, string, DateTimeOffset?\)](#)  ,  [EntityTagHeaderValue](#)  ,  
 [ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue\)](#)  ,  
 [ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\)](#)  ,  
 [ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\)](#)  ,  
 [ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\)](#)  ,  
 [ControllerBase.PhysicalFile\(string, string\)](#)  ,  [ControllerBase.PhysicalFile\(string, string, bool\)](#)  ,  
 [ControllerBase.PhysicalFile\(string, string, string\)](#)  ,  
 [ControllerBase.PhysicalFile\(string, string, string, bool\)](#)  ,  
 [ControllerBase.PhysicalFile\(string, string, DateTimeOffset?\)](#)  ,  [EntityTagHeaderValue](#)  ,  
 [ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue\)](#)  ,  
 [ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\)](#)  ,  
 [ControllerBase.Unauthorized\(\)](#)  ,  [ControllerBase.Unauthorized\(object\)](#)  ,  
 [ControllerBase.NotFound\(\)](#)  ,  [ControllerBase.NotFound\(object\)](#)  ,  [ControllerBase.BadRequest\(\)](#)  ,  
 [ControllerBase.BadRequest\(object\)](#)  ,  [ControllerBase.BadRequest\(ModelStateDictionary\)](#)  ,  
 [ControllerBase.UnprocessableEntity\(\)](#)  ,  [ControllerBase.UnprocessableEntity\(object\)](#)  ,  
 [ControllerBase.UnprocessableEntity\(ModelStateDictionary\)](#)  ,  [ControllerBase.Conflict\(\)](#)  ,  
 [ControllerBase.Conflict\(object\)](#)  ,  [ControllerBase.Conflict\(ModelStateDictionary\)](#)  ,  
 [ControllerBase.Problem\(string, string, int?, string, string\)](#)  ,  
 [ControllerBase.Problem\(string, string, int?, string, string, IDictionary<string, object>\)](#)  ,  
 [ControllerBase.ValidationProblem\(ValidationProblemDetails\)](#)  ,  
 [ControllerBase.ValidationProblem\(ModelStateDictionary\)](#)  ,  [ControllerBase.ValidationProblem\(\)](#)  ,  
 [ControllerBase.ValidationProblem\(string, string, int?, string, string, ModelStateDictionary\)](#)  ,  
 [ControllerBase.ValidationProblem\(string, string, int?, string, string, ModelStateDictionary, IDictionary<string, object>\)](#)  ,  
 [ControllerBase.Created\(\)](#)  ,  [ControllerBase.Created\(string, object\)](#)  ,  
 [ControllerBase.Created\(Uri, object\)](#)  ,  [ControllerBase.CreatedAtAction\(string, object\)](#)  ,  
 [ControllerBase.CreatedAtAction\(string, object, object\)](#)  ,  
 [ControllerBase.CreatedAtAction\(string, string, object, object\)](#)  ,  
 [ControllerBase.CreatedAtRoute\(string, object\)](#)  ,  [ControllerBase.CreatedAtRoute\(object, object\)](#)  ,  
 [ControllerBase.CreatedAtRoute\(string, object, object\)](#)  ,  [ControllerBase.Accepted\(\)](#)  ,  
 [ControllerBase.Accepted\(object\)](#)  ,  [ControllerBase.Accepted\(Uri\)](#)  ,  
 [ControllerBase.Accepted\(string\)](#)  ,  [ControllerBase.Accepted\(string, object\)](#)  ,

[ControllerBase.Accepted\(Uri, object\)](#) ,  [ControllerBase.AcceptedAtAction\(string\)](#) ,  
 [ControllerBase.AcceptedAtAction\(string, string\)](#) ,  
 [ControllerBase.AcceptedAtAction\(string, object\)](#) ,  
 [ControllerBase.AcceptedAtAction\(string, string, object\)](#) ,  
 [ControllerBase.AcceptedAtAction\(string, object, object\)](#) ,  
 [ControllerBase.AcceptedAtAction\(string, string, object, object\)](#) ,  
 [ControllerBase.AcceptedAtRoute\(object\)](#) ,  [ControllerBase.AcceptedAtRoute\(string\)](#) ,  
 [ControllerBase.AcceptedAtRoute\(string, object\)](#) ,  
 [ControllerBase.AcceptedAtRoute\(object, object\)](#) ,  
 [ControllerBase.AcceptedAtRoute\(string, object, object\)](#) ,  [ControllerBase.Challenge\(\)](#) ,  
 [ControllerBase.Challenge\(params string\[\]\)](#) ,  
 [ControllerBase.Challenge\(AuthenticationProperties\)](#) ,  
 [ControllerBase.Challenge\(AuthenticationProperties, params string\[\]\)](#) ,  [ControllerBase.Forbid\(\)](#) ,  
 [ControllerBase.Forbid\(params string\[\]\)](#) ,  [ControllerBase.Forbid\(AuthenticationProperties\)](#) ,  
 [ControllerBase.Forbid\(AuthenticationProperties, params string\[\]\)](#) ,  
 [ControllerBase.SignIn\(ClaimsPrincipal\)](#) ,  [ControllerBase.SignIn\(ClaimsPrincipal, string\)](#) ,  
 [ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties\)](#) ,  
 [ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties, string\)](#) ,  
 [ControllerBase.SignOut\(\)](#) ,  [ControllerBase.SignOut\(AuthenticationProperties\)](#) ,  
 [ControllerBase.SignOut\(params string\[\]\)](#) ,  
 [ControllerBase.SignOut\(AuthenticationProperties, params string\[\]\)](#) ,  
 [ControllerBase.TryUpdateModelAsync<TModel>\(TModel\)](#) ,  
 [ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string\)](#) ,  
 [ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider\)](#) ,  
 [ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, params Expression<Func<TModel, object>>\[\]\)](#) ,  
 [ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, Func<ModelMetadata, bool>\)](#) ,  
 [ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, params Expression<Func<TModel, object>>\[\]\)](#) ,  
 [ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, Func<ModelMetadata, bool>\)](#) ,  
 [ControllerBase.TryUpdateModelAsync\(object, Type, string\)](#) ,  
 [ControllerBase.TryUpdateModelAsync\(object, Type, string, IValueProvider, Func<ModelMetadata, bool>\)](#) ,  
 [ControllerBase.TryValidateModel\(object\)](#) ,  [ControllerBase.TryValidateModel\(object, string\)](#) ,  
 [ControllerBase.HttpContext](#) ,  [ControllerBase.Request](#) ,  [ControllerBase.Response](#) ,  
 [ControllerBase.RouteData](#) ,  [ControllerBase.ModelState](#) ,  [ControllerBase.ControllerContext](#) ,  
 [ControllerBase.MetadataProvider](#) ,  [ControllerBase.ModelBinderFactory](#) ,  [ControllerBase.Url](#) ,  
 [ControllerBase.ObjectValidator](#) ,  [ControllerBase.ProblemDetailsFactory](#) ,  
 [ControllerBase.User](#) ,  [ControllerBase.Empty](#) ,  [object.Equals\(object\)](#) ,

[object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) ,  
[object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#)

## Methods

### Index(string)

```
public ActionResult Index(string slug)
```

#### Parameters

slug [string](#)

#### Returns

[ActionResult](#)

# Namespace Erstes\_Wiki.Data

## Classes

[ApplicationDbContext](#)

# Class ApplicationDbContext

Namespace: [Erstes\\_Wiki.Data](#)

Assembly: Erstes-Wiki.dll

```
public class ApplicationDbContext : IdentityDbContext,
    IInfrastructure<IServiceProvider>, IDbContextDependencies, IDbSetCache,
    IDbContextPoolable, IResettableService, IDisposable, IAsyncDisposable
```

## Inheritance

```
object ↳ DbContext ↳
IdentityUserContext<IdentityUser, string, IdentityUserClaim<string>, IdentityUserLogin<string>,
IdentityUserToken<string>, IdentityUserPasskey<string>> <
IdentityDbContext<IdentityUser, IdentityRole, string, IdentityUserClaim<string>,
IdentityUserRole<string>, IdentityUserLogin<string>, IdentityRoleClaim<string>,
IdentityUserToken<string>, IdentityUserPasskey<string>> <
IdentityDbContext<IdentityUser, IdentityRole, string, IdentityUserClaim<string>,
IdentityUserRole<string>, IdentityUserLogin<string>, IdentityRoleClaim<string>,
IdentityUserToken<string>> <
IdentityDbContext<IdentityUser, IdentityRole, string> < IdentityDbContext <
ApplicationDbContext
```

## Implements

```
IInfrastructure<IServiceProvider>, IDbContextDependencies, IDbSetCache,
IDbContextPoolable, IResettableService, IDisposable, IAsyncDisposable
```

## Inherited Members

```
IdentityDbContext<IdentityUser, IdentityRole, string, IdentityUserClaim<string>,
IdentityUserRole<string>, IdentityUserLogin<string>, IdentityRoleClaim<string>,
IdentityUserToken<string>, IdentityUserPasskey<string>>.OnModelCreating(ModelBuilder) ,
IdentityDbContext<IdentityUser, IdentityRole, string, IdentityUserClaim<string>,
IdentityUserRole<string>, IdentityUserLogin<string>, IdentityRoleClaim<string>,
IdentityUserToken<string>, IdentityUserPasskey<string>>.UserRoles ,
IdentityDbContext<IdentityUser, IdentityRole, string, IdentityUserClaim<string>,
IdentityUserRole<string>, IdentityUserLogin<string>, IdentityRoleClaim<string>,
IdentityUserToken<string>, IdentityUserPasskey<string>>.Roles ,
IdentityDbContext<IdentityUser, IdentityRole, string, IdentityUserClaim<string>,
IdentityUserRole<string>, IdentityUserLogin<string>, IdentityRoleClaim<string>,
IdentityUserToken<string>, IdentityUserPasskey<string>>.RoleClaims ,
```

[IdentityUserContext<IdentityUser, string, IdentityUserClaim<string>, IdentityUserLogin<string>, IdentityUserToken<string>, IdentityUserPasskey<string>>.OnModelCreating\(ModelBuilder\)](#) ,  
[IdentityUserContext<IdentityUser, string, IdentityUserClaim<string>, IdentityUserLogin<string>, IdentityUserToken<string>, IdentityUserPasskey<string>>.Users](#) ,  
[IdentityUserContext<IdentityUser, string, IdentityUserClaim<string>, IdentityUserLogin<string>, IdentityUserToken<string>, IdentityUserPasskey<string>>.UserClaims](#) ,  
[IdentityUserContext<IdentityUser, string, IdentityUserClaim<string>, IdentityUserLogin<string>, IdentityUserToken<string>, IdentityUserPasskey<string>>.UserLogins](#) ,  
[IdentityUserContext<IdentityUser, string, IdentityUserClaim<string>, IdentityUserLogin<string>, IdentityUserToken<string>, IdentityUserPasskey<string>>.UserTokens](#) ,  
[IdentityUserContext<IdentityUser, string, IdentityUserClaim<string>, IdentityUserLogin<string>, IdentityUserToken<string>, IdentityUserPasskey<string>>.UserPasskeys](#) ,  
[IdentityUserContext<IdentityUser, string, IdentityUserClaim<string>, IdentityUserLogin<string>, IdentityUserToken<string>, IdentityUserPasskey<string>>.SchemaVersion](#) ,  
[DbContext.Set< TEntity >\(\)](#) , [DbContext.Set< TEntity >\(string\)](#) ,  
[DbContext.OnConfiguring\(DbContextOptionsBuilder\)](#) ,  
[DbContext.ConfigureConventions\(ModelConfigurationBuilder\)](#) ,  
[DbContext.OnModelCreating\(ModelBuilder\)](#) , [DbContext.SaveChanges\(\)](#) ,  
[DbContext.SaveChanges\(bool\)](#) , [DbContext.SaveChangesAsync\(CancellationToken\)](#) ,  
[DbContext.SaveChangesAsync\(bool, CancellationToken\)](#) , [DbContext.Dispose\(\)](#) ,  
[DbContext.DisposeAsync\(\)](#) , [DbContext.Entry< TEntity >\(TEntity\)](#) , [DbContext.Entry\(object\)](#) ,  
[DbContext.Add< TEntity >\(TEntity\)](#) , [DbContext.AddAsync< TEntity >\(TEntity, CancellationToken\)](#) ,  
[DbContext.Attach< TEntity >\(TEntity\)](#) , [DbContext.Update< TEntity >\(TEntity\)](#) ,  
[DbContext.Remove< TEntity >\(TEntity\)](#) , [DbContext.Add\(object\)](#) ,  
[DbContext.AddAsync\(object, CancellationToken\)](#) , [DbContext.Attach\(object\)](#) ,  
[DbContext.Update\(object\)](#) , [DbContext.Remove\(object\)](#) ,  
[DbContext.AddRange\(params object\[\]\)](#) , [DbContext.AddRangeAsync\(params object\[\]\)](#) ,  
[DbContext.AttachRange\(params object\[\]\)](#) , [DbContext.UpdateRange\(params object\[\]\)](#) ,  
[DbContext.RemoveRange\(params object\[\]\)](#) , [DbContext.AddRange\(IEnumerable< object >\)](#) ,  
[DbContext.AddRangeAsync\(IEnumerable< object >, CancellationToken\)](#) ,  
[DbContext.AttachRange\(IEnumerable< object >\)](#) ,  
[DbContext.UpdateRange\(IEnumerable< object >\)](#) ,  
[DbContext.RemoveRange\(IEnumerable< object >\)](#) , [DbContext.Find\(Type, params object\[\]\)](#) ,  
[DbContext.FindAsync\(Type, params object\[\]\)](#) ,  
[DbContext.FindAsync\(Type, object\[\], CancellationToken\)](#) ,  
[DbContext.Find< TEntity >\(params object\[\]\)](#) , [DbContext.FindAsync< TEntity >\(params object\[\]\)](#) ,  
[DbContext.FindAsync< TEntity >\(object\[\], CancellationToken\)](#) ,  
[DbContext.FromExpression< TResult >\(Expression< Func< IQueryble< TResult > > \)](#) ,  
[DbContext.Database](#) , [DbContext.ChangeTracker](#) , [DbContext.Model](#) ,  
[DbContext.ContextId](#) , [DbContext.SavingChanges](#) , [DbContext.SavedChanges](#) ,

[DbContext.SaveChangesFailed](#) , [object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) ,  
[object.GetHashCode\(\)](#) , [object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#) ,  
[object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#)

## Constructors

ApplicationDbContext(DbContextOptions<ApplicationContext>)

```
public ApplicationDbContext(DbContextOptions<ApplicationContext> options)
```

## Parameters

options [DbContextOptions](#)<ApplicationContext>

# Namespace Erstes\_Wiki.Data.Migrations

## Classes

[CreateIdentitySchema](#)

# Class CreateIdentitySchema

Namespace: [Erstes\\_Wiki.Data.Migrations](#)

Assembly: Erstes-Wiki.dll

```
[DbContext(typeof(ApplicationDbContext))]
[Migration("0000000000000000_CreateIdentitySchema")]
public class CreateIdentitySchema : Migration
```

## Inheritance

[object](#) ← [Migration](#) ← CreateIdentitySchema

## Inherited Members

[Migration.InitialDatabase](#) , [Migration.TargetModel](#) , [Migration.UpOperations](#) ,  
[Migration.DownOperations](#) , [Migration.ActiveProvider](#) , [object.Equals\(object\)](#) ,  
[object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) ,  
[object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#)

## Methods

### BuildTargetModel(ModelBuilder)

Implemented to build the [TargetModel](#).

```
protected override void BuildTargetModel(ModelBuilder modelBuilder)
```

## Parameters

[modelBuilder](#) [ModelBuilder](#)

The [ModelBuilder](#) to use to build the model.

## Remarks

See [Database migrations](#) for more information and examples.

### Down(MigrationBuilder)

Builds the operations that will migrate the database 'down'.

```
protected override void Down(MigrationBuilder migrationBuilder)
```

## Parameters

`migrationBuilder` [MigrationBuilder](#)

The [MigrationBuilder](#) that will build the operations.

## Remarks

That is, builds the operations that will take the database from the state left in by this migration so that it returns to the state that it was in before this migration was applied.

This method must be overridden in each class that inherits from [Migration](#) if both 'up' and 'down' migrations are to be supported. If it is not overridden, then calling it will throw and it will not be possible to migrate in the 'down' direction.

See [Database migrations](#) for more information and examples.

## Up(MigrationBuilder)

Builds the operations that will migrate the database 'up'.

```
protected override void Up(MigrationBuilder migrationBuilder)
```

## Parameters

`migrationBuilder` [MigrationBuilder](#)

The [MigrationBuilder](#) that will build the operations.

## Remarks

That is, builds the operations that will take the database from the state left in by the previous migration so that it is up-to-date with regard to this migration.

This method must be overridden in each class that inherits from [Migration](#).

See [Database migrations](#) for more information and examples.

# Namespace Erstes\_Wiki.Models

## Classes

[ErrorViewModel](#)

# Class ErrorViewModel

Namespace: [Erstes\\_Wiki.Models](#)

Assembly: Erstes-Wiki.dll

```
public class ErrorViewModel
```

## Inheritance

[object](#) ← ErrorViewModel

## Inherited Members

[object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) ,  
[object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) ,  
[object.ToString\(\)](#)

# Properties

## RequestId

```
public string? RequestId { get; set; }
```

## Property Value

[string](#)

## ShowRequestId

```
public bool ShowRequestId { get; }
```

## Property Value

[bool](#)