

Namespace Erstes_Wiki.Controllers

Classes

[HomeController](#)

Der HomeController steuert die Startseite und die Datenschutzseite.

Class HomeController

Namespace: [Erstes Wiki.Controllers](#)

Assembly: Erstes-Wiki.dll

Der HomeController steuert die Startseite und die Datenschutzseite.

```
public class HomeController : Controller, IActionFilter, IAsyncActionFilter,
    IFilterMetadata, IDisposable
```

Inheritance

[object](#) ← [ControllerBase](#) ← [Controller](#) ← HomeController

Implements

[IActionFilter](#), [IAsyncActionFilter](#), [IFilterMetadata](#), [IDisposable](#)

Inherited Members

[Controller.View\(\)](#), [Controller.View\(string\)](#), [Controller.View\(object\)](#),
[Controller.View\(string, object\)](#), [Controller.PartialView\(\)](#), [Controller.PartialView\(string\)](#),
[Controller.PartialView\(object\)](#), [Controller.PartialView\(string, object\)](#),
[Controller.ViewComponent\(string\)](#), [Controller.ViewComponent\(Type\)](#),
[Controller.ViewComponent\(string, object\)](#), [Controller.ViewComponent\(Type, object\)](#),
[Controller.Json\(object\)](#), [Controller.Json\(object, object\)](#),
[Controller.OnActionExecuting\(ActionExecutingContext\)](#),
[Controller.OnActionExecuted\(ActionExecutedContext\)](#),
[Controller.OnActionExecutionAsync\(ActionExecutingContext, ActionExecutionDelegate\)](#),
[Controller.Dispose\(\)](#), [Controller.Dispose\(bool\)](#), [Controller.ViewData](#), [Controller.TempData](#),
[Controller.ViewBag](#), [ControllerBase.StatusCode\(int\)](#), [ControllerBase.StatusCode\(int, object\)](#),
[ControllerBase.Content\(string\)](#), [ControllerBase.Content\(string, string\)](#),
[ControllerBase.Content\(string, string, Encoding\)](#),
[ControllerBase.Content\(string, MediaTypeHeaderValue\)](#), [ControllerBase.NoContent\(\)](#),
[ControllerBase.Ok\(\)](#), [ControllerBase.Ok\(object\)](#), [ControllerBase.Redirect\(string\)](#),
[ControllerBase.RedirectPermanent\(string\)](#), [ControllerBase.RedirectPreserveMethod\(string\)](#),
[ControllerBase.RedirectPermanentPreserveMethod\(string\)](#),
[ControllerBase.LocalRedirect\(string\)](#), [ControllerBase.LocalRedirectPermanent\(string\)](#),
[ControllerBase.LocalRedirectPreserveMethod\(string\)](#),
[ControllerBase.LocalRedirectPermanentPreserveMethod\(string\)](#),
[ControllerBase.RedirectToAction\(\)](#), [ControllerBase.RedirectToAction\(string\)](#),
[ControllerBase.RedirectToAction\(string, object\)](#),
[ControllerBase.RedirectToAction\(string, string\)](#),

[ControllerBase.RedirectToAction\(string, string, object\)](#) ,
[ControllerBase.RedirectToAction\(string, string, string\)](#) ,
[ControllerBase.RedirectToAction\(string, string, object, string\)](#) ,
[ControllerBase.RedirectToActionPreserveMethod\(string, string, object, string\)](#) ,
[ControllerBase.RedirectToActionPermanent\(string\)](#) ,
[ControllerBase.RedirectToActionPermanent\(string, object\)](#) ,
[ControllerBase.RedirectToActionPermanent\(string, string\)](#) ,
[ControllerBase.RedirectToActionPermanent\(string, string, string\)](#) ,
[ControllerBase.RedirectToActionPermanent\(string, string, object\)](#) ,
[ControllerBase.RedirectToActionPermanent\(string, string, object, string\)](#) ,
[ControllerBase.RedirectToActionPermanentPreserveMethod\(string, string, object, string\)](#) ,
[ControllerBase.RedirectToRoute\(string\)](#) , [ControllerBase.RedirectToRoute\(object\)](#) ,
[ControllerBase.RedirectToRoute\(string, object\)](#) ,
[ControllerBase.RedirectToRoute\(string, string\)](#) ,
[ControllerBase.RedirectToRoute\(string, object, string\)](#) ,
[ControllerBase.RedirectToRoutePreserveMethod\(string, object, string\)](#) ,
[ControllerBase.RedirectToRoutePermanent\(string\)](#) ,
[ControllerBase.RedirectToRoutePermanent\(object\)](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object\)](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, string\)](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object, string\)](#) ,
[ControllerBase.RedirectToRoutePermanentPreserveMethod\(string, object, string\)](#) ,
[ControllerBase.RedirectToPage\(string\)](#) , [ControllerBase.RedirectToPage\(string, object\)](#) ,
[ControllerBase.RedirectToPage\(string, string\)](#) ,
[ControllerBase.RedirectToPage\(string, string, object\)](#) ,
[ControllerBase.RedirectToPage\(string, string, string\)](#) ,
[ControllerBase.RedirectToPage\(string, string, object, string\)](#) ,
[ControllerBase.RedirectToPagePermanent\(string\)](#) ,
[ControllerBase.RedirectToPagePermanent\(string, object\)](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string\)](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, string\)](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, object, string\)](#) ,
[ControllerBase.RedirectToPagePreserveMethod\(string, string, object, string\)](#) ,
[ControllerBase.RedirectToPagePermanentPreserveMethod\(string, string, object, string\)](#) ,
[ControllerBase.File\(byte\[\], string\)](#) , [ControllerBase.File\(byte\[\], string, bool\)](#) ,
[ControllerBase.File\(byte\[\], string, string\)](#) , [ControllerBase.File\(byte\[\], string, string, bool\)](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue\)](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue, bool\)](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue\)](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue, bool\)](#) ,

[ControllerBase.File\(Stream, string\)](#) , [ControllerBase.File\(Stream, string, bool\)](#) ,
[ControllerBase.File\(Stream, string, string\)](#) , [ControllerBase.File\(Stream, string, string, bool\)](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue\)](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue, bool\)](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue\)](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\)](#) ,
[ControllerBase.File\(string, string\)](#) , [ControllerBase.File\(string, string, bool\)](#) ,
[ControllerBase.File\(string, string, string\)](#) , [ControllerBase.File\(string, string, string, bool\)](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue\)](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\)](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\)](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\)](#) ,
[ControllerBase.PhysicalFile\(string, string\)](#) , [ControllerBase.PhysicalFile\(string, string, bool\)](#) ,
[ControllerBase.PhysicalFile\(string, string, string\)](#) ,
[ControllerBase.PhysicalFile\(string, string, string, bool\)](#) ,
[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue\)](#) ,
[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\)](#) ,
[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\)](#) ,
[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\)](#) ,
[ControllerBase.Unauthorized\(\)](#) , [ControllerBase.Unauthorized\(object\)](#) ,
[ControllerBase.NotFound\(\)](#) , [ControllerBase.NotFound\(object\)](#) , [ControllerBase.BadRequest\(\)](#) ,
[ControllerBase.BadRequest\(object\)](#) , [ControllerBase.BadRequest\(ModelStateDictionary\)](#) ,
[ControllerBase.UnprocessableEntity\(\)](#) , [ControllerBase.UnprocessableEntity\(object\)](#) ,
[ControllerBase.UnprocessableEntity\(ModelStateDictionary\)](#) , [ControllerBase.Conflict\(\)](#) ,
[ControllerBase.Conflict\(object\)](#) , [ControllerBase.Conflict\(ModelStateDictionary\)](#) ,
[ControllerBase.Problem\(string, string, int?, string, string\)](#) ,
[ControllerBase.Problem\(string, string, int?, string, string, IDictionary<string, object>\)](#) ,
[ControllerBase.ValidationProblem\(ValidationProblemDetails\)](#) ,
[ControllerBase.ValidationProblem\(ModelStateDictionary\)](#) , [ControllerBase.ValidationProblem\(\)](#) ,
[ControllerBase.ValidationProblem\(string, string, int?, string, string, ModelStateDictionary\)](#) ,
[ControllerBase.ValidationProblem\(string, string, int?, string, string, ModelStateDictionary, IDictionary<string, object>\)](#) ,
[ControllerBase.Created\(\)](#) , [ControllerBase.Created\(string, object\)](#) ,
[ControllerBase.Created\(Uri, object\)](#) , [ControllerBase.CreatedAtAction\(string, object\)](#) ,
[ControllerBase.CreatedAtAction\(string, object, object\)](#) ,
[ControllerBase.CreatedAtAction\(string, string, object, object\)](#) ,
[ControllerBase.CreatedAtRoute\(string, object\)](#) , [ControllerBase.CreatedAtRoute\(object, object\)](#) ,
[ControllerBase.CreatedAtRoute\(string, object, object\)](#) , [ControllerBase.Accepted\(\)](#) ,
[ControllerBase.Accepted\(object\)](#) , [ControllerBase.Accepted\(Uri\)](#) ,
[ControllerBase.Accepted\(string\)](#) , [ControllerBase.Accepted\(string, object\)](#) ,

[ControllerBase.Accepted\(Uri, object\)](#), [ControllerBase.AcceptedAtAction\(string\)](#),
[ControllerBase.AcceptedAtAction\(string, string\)](#),
[ControllerBase.AcceptedAtAction\(string, object\)](#),
[ControllerBase.AcceptedAtAction\(string, string, object\)](#),
[ControllerBase.AcceptedAtAction\(string, object, object\)](#),
[ControllerBase.AcceptedAtAction\(string, string, object, object\)](#),
[ControllerBase.AcceptedAtRoute\(object\)](#), [ControllerBase.AcceptedAtRoute\(string\)](#),
[ControllerBase.AcceptedAtRoute\(string, object\)](#),
[ControllerBase.AcceptedAtRoute\(object, object\)](#),
[ControllerBase.AcceptedAtRoute\(string, object, object\)](#), [ControllerBase.Challenge\(\)](#),
[ControllerBase.Challenge\(params string\[\]\)](#),
[ControllerBase.Challenge\(AuthenticationProperties\)](#),
[ControllerBase.Challenge\(AuthenticationProperties, params string\[\]\)](#), [ControllerBase.Forbid\(\)](#),
[ControllerBase.Forbid\(params string\[\]\)](#), [ControllerBase.Forbid\(AuthenticationProperties\)](#),
[ControllerBase.Forbid\(AuthenticationProperties, params string\[\]\)](#),
[ControllerBase.SignIn\(ClaimsPrincipal\)](#), [ControllerBase.SignIn\(ClaimsPrincipal, string\)](#),
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties\)](#),
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties, string\)](#),
[ControllerBase.SignOut\(\)](#), [ControllerBase.SignOut\(AuthenticationProperties\)](#),
[ControllerBase.SignOut\(params string\[\]\)](#),
[ControllerBase.SignOut\(AuthenticationProperties, params string\[\]\)](#),
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel\)](#),
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string\)](#),
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider\)](#),
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, params Expression<Func<TModel, object>>\[\]\)](#),
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, Func<ModelMetadata, bool>\)](#),
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, params Expression<Func<TModel, object>>\[\]\)](#),
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, Func<ModelMetadata, bool>\)](#),
[ControllerBase.TryUpdateModelAsync\(object, Type, string\)](#),
[ControllerBase.TryUpdateModelAsync\(object, Type, string, IValueProvider, Func<ModelMetadata, bool>\)](#),
[ControllerBase.TryValidateModel\(object\)](#), [ControllerBase.TryValidateModel\(object, string\)](#),
[ControllerBase.HttpContext](#), [ControllerBase.Request](#), [ControllerBase.Response](#),
[ControllerBase.RouteData](#), [ControllerBase.ModelState](#), [ControllerBase.ControllerContext](#),
[ControllerBase.MetadataProvider](#), [ControllerBase.ModelBinderFactory](#), [ControllerBase.Url](#),
[ControllerBase.ObjectValidator](#), [ControllerBase.ProblemDetailsFactory](#),
[ControllerBase.User](#), [ControllerBase.Empty](#), [object.Equals\(object\)](#),

[object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) ,
[object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#)

Methods

Error()

Zeigt die Fehlerseite an.

```
[ResponseCache(Duration = 0, Location = ResponseCacheLocation.None, NoStore = true)]  
public IActionResult Error()
```

Returns

[IActionResult](#)

Index()

Zeigt die Startseite an.

```
public IActionResult Index()
```

Returns

[IActionResult](#)

Privacy()

Zeigt die Datenschutzseite an.

```
public IActionResult Privacy()
```

Returns

[IActionResult](#)

Namespace Erstes_Wiki.Data

Classes

[ApplicationDbContext](#)

Class ApplicationDbContext































Namespace: [Erstes Wiki.Data](#)

Assembly: Erstes-Wiki.dll

```
public class ApplicationDbContext : IdentityDbContext,  
IInfrastructure<IServiceProvider>, IDbContextDependencies, IDbSetCache,  
IDbContextPoolable, IResettableService, IDisposable, IAsyncDisposable
```

Inheritance






[object](#)  ← [DbContext](#)  ←

[IdentityUserContext](#)  <[IdentityUser](#) , [string](#) , [IdentityUserClaim](#)  <[string](#) >, [IdentityUserLogin](#) 
<[string](#) >, [IdentityUserToken](#)  <[string](#) >, [IdentityUserPasskey](#) <[string](#) >> ←
[IdentityDbContext](#)  <[IdentityUser](#) , [IdentityRole](#) , [string](#) , [IdentityUserClaim](#)  <[string](#) >,
[IdentityUserRole](#)  <[string](#) >, [IdentityUserLogin](#)  <[string](#) >, [IdentityRoleClaim](#)  <[string](#) >,
[IdentityUserToken](#)  <[string](#) >, [IdentityUserPasskey](#) <[string](#) >> ←
[IdentityDbContext](#)  <[IdentityUser](#) , [IdentityRole](#) , [string](#) , [IdentityUserClaim](#)  <[string](#) >,
[IdentityUserRole](#)  <[string](#) >, [IdentityUserLogin](#)  <[string](#) >, [IdentityRoleClaim](#)  <[string](#) >,
[IdentityUserToken](#)  <[string](#) >> ←

































[IdentityDbContext](#)  <[IdentityUser](#) , [IdentityRole](#) , [string](#) > ← [IdentityDbContext](#)  ←

ApplicationDbContext

Implements

[IInfrastructure](#)  <[IServiceProvider](#) >, [IDbContextDependencies](#) , [IDbSetCache](#) ,
[IDbContextPoolable](#) , [IResettableService](#) , [IDisposable](#) , [IAsyncDisposable](#) 

Inherited Members

[IdentityDbContext](#)  <[IdentityUser](#), [IdentityRole](#), [string](#), [IdentityUserClaim](#)  <[string](#)>,
[IdentityUserRole](#)  <[string](#)>, [IdentityUserLogin](#)  <[string](#)>, [IdentityRoleClaim](#)  <[string](#)>,
[IdentityUserToken](#)  <[string](#)>, [IdentityUserPasskey](#)  <[string](#)>>.OnModelCreating(ModelBuilder)  ,
[IdentityDbContext](#)  <[IdentityUser](#), [IdentityRole](#), [string](#), [IdentityUserClaim](#)  <[string](#)>,
[IdentityUserRole](#)  <[string](#)>, [IdentityUserLogin](#)  <[string](#)>, [IdentityRoleClaim](#)  <[string](#)>,
[IdentityUserToken](#)  <[string](#)>, [IdentityUserPasskey](#)  <[string](#)>>.UserRoles  ,
[IdentityDbContext](#)  <[IdentityUser](#), [IdentityRole](#), [string](#), [IdentityUserClaim](#)  <[string](#)>,
[IdentityUserRole](#)  <[string](#)>, [IdentityUserLogin](#)  <[string](#)>, [IdentityRoleClaim](#)  <[string](#)>,
[IdentityUserToken](#)  <[string](#)>, [IdentityUserPasskey](#)  <[string](#)>>.Roles  ,
[IdentityDbContext](#)  <[IdentityUser](#), [IdentityRole](#), [string](#), [IdentityUserClaim](#)  <[string](#)>,
[IdentityUserRole](#)  <[string](#)>, [IdentityUserLogin](#)  <[string](#)>, [IdentityRoleClaim](#)  <[string](#)>,
[IdentityUserToken](#)  <[string](#)>, [IdentityUserPasskey](#)  <[string](#)>>.RoleClaims  ,

[IdentityUserContext<IdentityUser, string, IdentityUserClaim<string>, IdentityUserLogin<string>, IdentityUserToken<string>, IdentityUserPasskey<string>>.OnModelCreating\(ModelBuilder\)](#) ,
[IdentityUserContext<IdentityUser, string, IdentityUserClaim<string>, IdentityUserLogin<string>, IdentityUserToken<string>, IdentityUserPasskey<string>>.Users](#) ,
[IdentityUserContext<IdentityUser, string, IdentityUserClaim<string>, IdentityUserLogin<string>, IdentityUserToken<string>, IdentityUserPasskey<string>>.UserClaims](#) ,
[IdentityUserContext<IdentityUser, string, IdentityUserClaim<string>, IdentityUserLogin<string>, IdentityUserToken<string>, IdentityUserPasskey<string>>.UserLogins](#) ,
[IdentityUserContext<IdentityUser, string, IdentityUserClaim<string>, IdentityUserLogin<string>, IdentityUserToken<string>, IdentityUserPasskey<string>>.UserTokens](#) ,
[IdentityUserContext<IdentityUser, string, IdentityUserClaim<string>, IdentityUserLogin<string>, IdentityUserToken<string>, IdentityUserPasskey<string>>.UserPasskeys](#) ,
[IdentityUserContext<IdentityUser, string, IdentityUserClaim<string>, IdentityUserLogin<string>, IdentityUserToken<string>, IdentityUserPasskey<string>>.SchemaVersion](#) ,
[DbContext.Set<TEntity>\(\)](#) , [DbContext.Set<TEntity>\(string\)](#) ,
[DbContext.OnConfiguring\(DbContextOptionsBuilder\)](#) ,
[DbContext.ConfigureConventions\(ModelConfigurationBuilder\)](#) ,
[DbContext.OnModelCreating\(ModelBuilder\)](#) , [DbContext.SaveChanges\(\)](#) ,
[DbContext.SaveChanges\(bool\)](#) , [DbContext.SaveChangesAsync\(CancellationTokens\)](#) ,
[DbContext.SaveChangesAsync\(bool, CancellationTokens\)](#) , [DbContext.Dispose\(\)](#) ,
[DbContext.DisposeAsync\(\)](#) , [DbContext.Entry<TEntity>\(TEntity\)](#) , [DbContext.Entry\(object\)](#) ,
[DbContext.Add<TEntity>\(TEntity\)](#) , [DbContext.AddAsync<TEntity>\(TEntity, CancellationTokens\)](#) ,
[DbContext.Attach<TEntity>\(TEntity\)](#) , [DbContext.Update<TEntity>\(TEntity\)](#) ,
[DbContext.Remove<TEntity>\(TEntity\)](#) , [DbContext.Add\(object\)](#) ,
[DbContext.AddAsync\(object, CancellationTokens\)](#) , [DbContext.Attach\(object\)](#) ,
[DbContext.Update\(object\)](#) , [DbContext.Remove\(object\)](#) ,
[DbContext.AddRange\(params object\[\]\)](#) , [DbContext.AddRangeAsync\(params object\[\]\)](#) ,
[DbContext.AttachRange\(params object\[\]\)](#) , [DbContext.UpdateRange\(params object\[\]\)](#) ,
[DbContext.RemoveRange\(params object\[\]\)](#) , [DbContext.AddRange\(IEnumerable<object>\)](#) ,
[DbContext.AddRangeAsync\(IEnumerable<object>, CancellationTokens\)](#) ,
[DbContext.AttachRange\(IEnumerable<object>\)](#) ,
[DbContext.UpdateRange\(IEnumerable<object>\)](#) ,
[DbContext.RemoveRange\(IEnumerable<object>\)](#) , [DbContext.Find\(Type, params object\[\]\)](#) ,
[DbContext.FindAsync\(Type, params object\[\]\)](#) ,
[DbContext.FindAsync\(Type, object\[\], CancellationTokens\)](#) ,
[DbContext.Find<TEntity>\(params object\[\]\)](#) , [DbContext.FindAsync<TEntity>\(params object\[\]\)](#) ,
[DbContext.FindAsync<TEntity>\(object\[\], CancellationTokens\)](#) ,
[DbContext.FromExpression<TResult>\(Expression<Func<IQueryable<TResult>>>\)](#) ,
[DbContext.Database](#) , [DbContext.ChangeTracker](#) , [DbContext.Model](#) ,
[DbContext.ContextId](#) , [DbContext.SavingChanges](#) , [DbContext.SavedChanges](#) ,

[DbContext.SaveChangesFailed](#) , [object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#)

Constructors

ApplicationDbContext(DbContextOptions<ApplicationDbContext> options)

```
public ApplicationDbContext(DbContextOptions<ApplicationDbContext> options)
```

Parameters

options [DbContextOptions](#) <[ApplicationDbContext](#)>

Namespace Erstes_Wiki.Data.Migrations

Classes

[CreateIdentitySchema](#)

Class CreateIdentitySchema

Namespace: [Erstes Wiki.Data.Migrations](#)













Assembly: Erstes-Wiki.dll

```
[DbContext(typeof(ApplicationDbContext))]  
[Migration("0000000000000000_CreateIdentitySchema")]  
public class CreateIdentitySchema : Migration
```

Inheritance

[object](#)  ← [Migration](#)  ← CreateIdentitySchema

Inherited Members

[Migration.InitialDatabase](#)  , [Migration.TargetModel](#)  , [Migration.UpOperations](#)  ,
[Migration.DownOperations](#)  , [Migration.ActiveProvider](#)  , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Methods

BuildTargetModel(ModelBuilder)

Implemented to build the [TargetModel](#) .


```
protected override void BuildTargetModel(ModelBuilder modelBuilder)
```

Parameters

modelBuilder [ModelBuilder](#) 

The [ModelBuilder](#)  to use to build the model.

Remarks

See [Database migrations](#)  for more information and examples.

Down(MigrationBuilder)

Builds the operations that will migrate the database 'down'.

```
protected override void Down(MigrationBuilder migrationBuilder)
```

Parameters

`migrationBuilder` [MigrationBuilder](#)

The [MigrationBuilder](#) that will build the operations.

Remarks

That is, builds the operations that will take the database from the state left in by this migration so that it returns to the state that it was in before this migration was applied.

This method must be overridden in each class that inherits from [Migration](#) if both 'up' and 'down' migrations are to be supported. If it is not overridden, then calling it will throw and it will not be possible to migrate in the 'down' direction.

See [Database migrations](#) for more information and examples.

Up(MigrationBuilder)

Builds the operations that will migrate the database 'up'.

```
protected override void Up(MigrationBuilder migrationBuilder)
```

Parameters

`migrationBuilder` [MigrationBuilder](#)

The [MigrationBuilder](#) that will build the operations.

Remarks

That is, builds the operations that will take the database from the state left in by the previous migration so that it is up-to-date with regard to this migration.

This method must be overridden in each class that inherits from [Migration](#).

See [Database migrations](#) for more information and examples.

Namespace Erstes_Wiki.Models

Classes

[ErrorViewModel](#)


Class ErrorViewModel

Namespace: [Erstes Wiki.Models](#)








Assembly: Erstes-Wiki.dll

```
public class ErrorViewModel
```

Inheritance

[object](#)  ← ErrorViewModel

Inherited Members

[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  ,
[object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  ,
[object.ToString\(\)](#) 

Properties

RequestId

```
public string? RequestId { get; set; }
```

Property Value

[string](#) 

ShowRequestId

```
public bool ShowRequestId { get; }
```

Property Value

[bool](#) 