ICPSR 34296

Older Drug Users: A Life Course Study of Turning Points in Drug Use [in a large Southeastern Metropolitan Area], 2009-2010

Miriam Boeri Kennesaw State University

Thor Whalen
Kennesaw State University

Frequency File: Substance Use -- By Year

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at: http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/34296/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 34296

Older Drug Users: A Life Course Study of Turning Points in Drug Use [in a large Southeastern Metropolitan Area]; 2009-2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Older Drug Users: A Life Course Study of Turning Points in Drug Use [in a large Southeastern Metropolitan Area]; 2009-2010

Substance Use - By Year

Variable Groups			
Variable Groups Conta	ining Variables		
	Variable Group Nar	ne Variable Group Label	Page
	SECTION 1	CASE IDENTIFICATION	2
	SECTION 2	YEAR OF INTERVIEW	2
	SECTION 3	CALENDAR YEAR	3
	SECTION 4	ANY DRUG USE	3
	SECTION 5	TOBACCO USE	3
	SECTION 6	ALCOHOL USE	4
	SECTION 7	MARIJUANA USE	5
	SECTION 8	HALLUCINOGENS / LSD / ECSTASY / CLUB DRUGS	5
	SECTION 9	PRESCRIPTION PILL USE	6
	SECTION 10	COCAINE USE	7
	SECTION 11	CRACK USE	8
	SECTION 12	HEROIN USE	9
	SECTION 13	AMPHETAMINES USE	9
	SECTION 14	METHAMPHETAMINE USE	10
	SECTION 15	DRUG USE OUT OF CONTROL	11
	SECTION 16	DRUG USE CAUSED PROBLEMS IN LIFE	11
	SECTION 17	EFFECTIVENESS OF DRUGS	12
	SECTION 18	SUBSTANCE ABUSE TREATMENT	12
	SECTION 19	GEOGRAPHIC	12
	SECTION 20	FAMILY ROLES DURING THE YEAR	12
	SECTION 21	EMPLOYMENT	13
	SECTION 22	DRUG ROLES DURING THE YEAR	13
	SECTION 23	PRISON	13
	SECTION 24	SEXUAL ACTIVITY	13
SECTION 1	CASE IDENTIFICA	TION	
	Variables within this	s Variable Group	
	Variable	Variable Label	Page
	CASEID	Case Identification Number	14
	RESPID	Unique Respondent ID Number	14
SECTION 2	YEAR OF INTERV	EW	
	Variables within this	s Variable Group	
	Variable	Variable Label	Page
	INTYEAR	Year interview was conducted	14

		- Study 34296 -	
	Variables within this Variable Group		
	Variable	Variable Label	Page
SECTION 3	CALENDAR YEA	R	
	Variables within th	nis Variable Group	
	Variable	Variable Label	Page
	YEAR	Calendar year for this set of questions	15
SECTION 4	ANY DRUG USE		
	Variables within th	nis Variable Group	
	Variable	Variable Label	Page
	DRUGUSE_1	During this year, did you use tobacco?	16
	DRUGUSE_2	During this year, did you use alcohol?	17
	DRUGUSE_3	During this year, did you use marijuana?	17
	DRUGUSE_4	During this year, did you use hallucinogens/LSD/ecstasy/club drugs?	17
	DRUGUSE_5	During this year, did you use prescription pills?	17
	DRUGUSE_6	During this year, did you use cocaine?	18
	DRUGUSE_7	During this year, did you use crack?	18
	DRUGUSE_8	During this year, did you use heroin?	18
	DRUGUSE_9	During this year, did you use amphetamines?	18
	DRUGUSE_10	During this year, did you use methamphetamine?	18
SECTION 5	TOBACCO USE		
	Variables within th	nis Variable Group	
	Variable	Variable Label	Page
	TOBRT_1	Did you use tobacco orally this year?	19
	TOBRT_2	Did you use tobacco nasally this year?	19
	TOBRT_3	Did you use tobacco by injecting this year?	19
	TOBRT 4	Did you use tobacco by smoking this year?	19

Variable	Variable Label	Page
TOBRT_1	Did you use tobacco orally this year?	19
TOBRT_2	Did you use tobacco nasally this year?	19
TOBRT_3	Did you use tobacco by injecting this year?	19
TOBRT_4	Did you use tobacco by smoking this year?	19
TOBRT_5	Did you use tobacco by some other means this year?	20
TOBOFT_1	In the past year, did you use tobacco several times a day (3 or more times a day only)?	20
TOBOFT_2	In the past year, did you use tobacco about once a day (1-2 times a day only)?	20
TOBOFT_3	In the past year, did you use tobacco several times a week (3 or more times a week only)?	20
TOBOFT_4	In the past year, did you use tobacco about once a week (1-2 times a week only)?	21
TOBOFT_5	In the past year, did you use tobacco several times a month (3 or more times a month only)?	21
TOBOFT_6	In the past year, did you use tobacco about once a month (1-2 times a month only)?	21
TOBOFT_7	In the past year, did you use tobacco less than once a month (about 3-11 times yearly only)?	21
TOBOFTCO	Comments:	22

Variables within this Variable Group		
Variable	Variable Label	Page
TOBTREAT	Did you have any treatment for tobacco use this year?	22
TOBTRTYP_1	Was the treatment for tobacco use a 12-step program?	22
TOBTRTYP_2	Was the treatment for tobacco use an outpatient program?	22
TOBTRTYP_3	Was the treatment for tobacco use a residential program?	23
TOBTRTYP_4	Was the treatment for tobacco use detoxification in a hospital or clinic?	23
TOBTRTYP_5	Was the treatment for tobacco use some type of treatment, but you don't know the type?	23
TOBTRTYP_6	Was the treatment for tobacco use some other type of treatment?	24
<u>TOBTRTYPA</u>	Other (specify)	24

SECTION 6 ALCOHOL USE

Variables within th	is Variable Group	
Variable	Variable Label	Page
ALCRT_1	Did you use alcohol orally this year?	24
ALCRT_2	Did you use alcohol nasally this year?	24
ALCRT_3	Did you use alcohol by injecting this year?	24
ALCRT_4	Did you use alcohol by smoking this year?	25
ALCRT_5	Did you use alcohol by some other means this year?	25
ALCOFT_1	In the past year, did you use alcohol several times a day (3 or more times a day only)?	25
ALCOFT_2	In the past year, did you use alcohol about once a day (1-2 times a day only)?	25
ALCOFT_3	In the past year, did you use alcohol several times a week (3 or more times a week only)?	26
ALCOFT_4	In the past year, did you use alcohol about once a week (1-2 times a week only)?	26
ALCOFT_5	In the past year, did you use alcohol several times a month (3 or more times a month only)?	26
ALCOFT_6	In the past year, did you use alcohol about once a month (1-2 times a month only)?	26
ALCOFT_7	In the past year, did you use alcohol less than once a month (about 3-11 times yearly only)?	27
<u>ALCOFTCO</u>	Comments:	27
<u>ALCTREAT</u>	Did you have any treatment for alcohol use this year?	27
ALCTRTYP_1	Was the treatment for alcohol use a 12-step program?	27
ALCTRTYP_2	Was the treatment for alcohol use an outpatient program?	28
ALCTRTYP_3	Was the treatment for alcohol use a residential program?	28
ALCTRTYP_4	Was the treatment for alcohol use detoxification in a hospital or clinic?	28
ALCTRTYP_5	Was the treatment for alcohol use some type of treatment, but you don't know the type?	29
ALCTRTYP_6	Was the treatment for alcohol use some other type of treatment?	29
<u>ALCTRTYPA</u>	Other (specify)	29

SECTION 7 MARIJUANA USE

Variables within thi	is Variable Group	
Variable	Variable Label	Page
MARRT_1	Did you use marijuana orally this year?	29
MARRT_2	Did you use marijuana nasally this year?	30
MARRT_3	Did you use marijuana by injecting this year?	30
MARRT_4	Did you use marijuana by smoking this year?	30
MARRT_5	Did you use marijuana by some other means this year?	30
MAROFT_1	In the past year, did you use marijuana several times a day (3 or more times a day only)?	31
MAROFT_2	In the past year, did you use marijuana about once a day (1-2 times a day only)?	31
MAROFT_3	In the past year, did you use marijuana several times a week (3 or more times a week only)?	31
MAROFT_4	In the past year, did you use marijuana about once a week (1-2 times a week only)?	31
MAROFT_5	In the past year, did you use marijuana several times a month (3 or more times a month only)?	32
MAROFT_6	In the past year, did you use marijuana about once a month (1-2 times a month only)?	32
MAROFT_7	In the past year, did you use marijuana less than once a month (about 3-11 times yearly only)?	32
<u>MAROFTCO</u>	Comments:	32
MARTREAT	Did you have any treatment for marijuana use this year?	33
MARTRTYP_1	Was the treatment for marijuana use a 12-step program?	33
MARTRTYP_2	Was the treatment for marijuana use an outpatient program?	33
MARTRTYP_3	Was the treatment for marijuana use a residential program?	34
MARTRTYP_4	Was the treatment for marijuana use detoxification in a hospital or clinic?	34
MARTRTYP_5	Was the treatment for marijuana use some type of treatment, but you don't know the type?	34
MARTRTYP_6	Was the treatment for marijuana use some other type of treatment?	34
<u>MARTRTYPA</u>	Other (specify)	35

SECTION 8 HALLUCINOGENS / LSD / ECSTASY / CLUB DRUGS

Variables within this Variable Group		
Variable	Variable Label	Page
HALRT_1	Did you use Hallucinogens/LSD/Ecstasy/Club Drug orally this year?	35
HALRT_2	Did you use Hallucinogens/LSD/Ecstasy?Club Drug nasally this year?	35
HALRT_3	Did you use Hallucinogens/LSD/Ecstasy/CLub Drug by injecting this year?	35
HALRT_4	Did you use Hallucinogens/LSD/Ecstasy/Club Drug by smoking this year?	36
HALRT_5	Did you use Hallucinogens/LSD/Ecstasy/Club Drug by some other means this year?	36

Variables within thi	is Variable Group	
Variable	Variable Label	Page
HALOFT_1	In the past year, did you use Hallucinogens/LSD/Ecstasy/Club Drug several times a day (3 or more times a day only)?	36
HALOFT_2	In the past year, did you use Hallucinogens/LSD/Ecstasy/Club Drug about once a day (1-2 times a day only)?	36
HALOFT_3	In the past year, did you use Hallucinogens/LSD/Ecstasy/Club Drug several times a week (3 or more times a week only)?	37
HALOFT_4	In the past year, did you use Hallucinogens/LSD/Ecstasy/Club Drug about once a week (1-2 times a week only)?	37
HALOFT_5	In the past year, did you use Hallucinogens/LSD/Ecstasy/Club Drug several times a month (3 or more times a month only)?	37
HALOFT_6	In the past year, did you use Hallucinogens/LSD/Ecstasy/Club Drug about once a month (1-2 times a month only)?	38
HALOFT_7	In the past year, did you use Hallucinogens/LSD/Exstasy/Club Drug less than once a month (about 3-11 times yearly only)?	38
<u>HALOFTCO</u>	Comments:	38
<u>HALTREAT</u>	Did you have any treatment for Hallucinogens/LSD/Ecstasy/Club Drug use this year?	38
HALTRTYP_1	Was the treatment for Hallucinogens/LSD/Ecstasy/Club Drug use a 12-step program?	39
HALTRTYP_2	Was the treatment for Hallucinogens/LSD/Ecstasy/Club Drug use an outpatient program?	39
HALTRTYP_3	Was the treatment for Hallucinogens/LSD/Ecstasy/Club Drug use a residential program?	39
HALTRTYP_4	Was the treatment for Hallucinogens/LSDEcstasy/Club Drug use detoxification in a hospital or clinic?	39
HALTRTYP_5	Was the treatment for Hallucinogens/LSD/Ecstasy/Club Drug use some type of treatment, but you don't know the type?	40
HALTRTYP_6	Was the treatment for Hallucingoens/LSD/Ecstasy/Club Drug use some other type of treatment?	40
<u>HALTRTYPA</u>	Other (specify)	40

SECTION 9 PRESCRIPTION PILL USE

Variables within this Variable Group		
Variable	Variable Label	Page
PRPRT_1	Did you use Prescription Pills orally this year?	41
PRPRT_2	Did you use Prescription Pills nasally this year?	41
PRPRT_3	Did you use Prescription Pills by injecting this year?	41
PRPRT_4	Did you use Prescription Pills by smoking this year?	41
PRPRT_5	Did you use Prescription Pills by some other means this year?	42
PRPOFT_1	In the past year, did you use Prescription Pills several times a day (3 or more times a day only)?	42
PRPOFT_2	In the past year, did you use Prescription Pills about once a day (1-2 times a day only)?	42
PRPOFT_3	In the past year, did you use Prescription Pills several times a week (3 or more times a week only)?	42

Variables within thi	is Variable Group	
Variable	Variable Label	Page
PRPOFT_4	In the past year, did you use Prescription Pills about once a week (1-2 times a week only)?	43
PRPOFT_5	In the past year, did you use Prescription Pills several times a month (3 or more times a month only)?	43
PRPOFT_6	In the past year, did you use Prescription Pills about once a month (1-2 times a month only)?	43
PRPOFT_7	In the past year, did you use Prescription Pills less than once a month (about 3-11 times yearly only)?	43
<u>PRPOFTCO</u>	Comments:	44
PRPTREAT	Did you have any treatment for Prescription Pill use this year?	44
PRPTRTYP_1	Was the treatment for Prescription Pills use a 12-step program?	44
PRPTRTYP_2	Was the treatment for Prescription Pills use an outpatient program?	44
PRPTRTYP_3	Was the treatment for Prescription Pills use a residential program?	45
PRPTRTYP_4	Was the treatment for Prescription Pills use detoxification in a hospital or clinic?	45
PRPTRTYP_5	Was the treatment for Prescription Pills use some type of treatment, but you don't know the type?	45
PRPTRTYP_6	Was the treatment for Prescription Pills use some other type of treatment?	46
PRPTRTYPA	Other (specify)	46

SECTION 10 COCAINE USE

Variables within this Variable Group		
Variable	Variable Label	Page
COCRT_1	Did you use Cocaine orally this year?	46
COCRT_2	Did you use Cocaine nasally this year?	46
COCRT_3	Did you use Cocaine by injecting this year?	47
COCRT_4	Did you use Cocaine by smoking this year?	47
COCRT_5	Did you use Cocaine by some other means this year?	47
COCOFT_1	In the past year, did you use Cocaine several times a day (3 or more times a day only)?	47
COCOFT_2	In the past year, did you use Cocaine about once a day (1-2 times a day only)?	48
COCOFT_3	In the past year, did you use Cocaine several times a week (3 or more times a week only)?	48
COCOFT_4	In the past year, did you use Cocaine about once a week (1-2 times a week only)?	48
COCOFT_5	In the past year, did you use Cocaine several times a month (3 or more times a month only)?	48
COCOFT_6	In the past year, did you use Cocaine about once a month (1-2 times a month only)?	49
COCOFT_7	In the past year, did you use Cocaine less than once a month (about 3-11 times yearly only)?	49
COCOFTCO	Comments:	49

Variables within this Variable Group		
Variable	Variable Label	Page
COCTREAT	Did you have any treatment for Cocaine use this year?	49
COCTRTYP_1	Was the treatment for Cocaine use a 12-step program?	50
COCTRTYP_2	Was the treatment for Cocaine use an outpatient program?	50
COCTRTYP_3	Was the treatment for Cocaine use a residential program?	50
COCTRTYP_4	Was the treatment for Cocaine use detoxification in a hospital or clinic?	51
COCTRTYP_5	Was the treatment for Cocaine use some type of treatment, but you don't know the type?	51
COCTRTYP_6	Was the treatment for Cocaine use some other type of treatment?	51
<u>COCTRTYPA</u>	Other (specify)	51

SECTION 11 CRACK USE

Variables within this	Variable Group	
Variable	Variable Label	Page
CRKRT_1	Did you use Crack orally this year?	52
CRKRT_2	Did you use Crack nasally this year?	52
CRKRT_3	Did you use Crack by injecting this year?	52
CRKRT_4	Did you use Crack by smoking this year?	52
CRKRT_5	Did you use Crack by some other means this year?	53
CRKOFT_1	In the past year, did you use Crack several times a day (3 or more times a day only)?	53
CRKOFT_2	In the past year, did you use Crack about once a day (1-2 times a day only)?	53
CRKOFT_3	In the past year, did you use Crack several times a week (3 or more times a week only)?	53
CRKOFT_4	In the past year, did you use Crack about once a week (1-2 times a week only)?	54
CRKOFT_5	In the past year, did you use Crack several times a month (3 or more times a month only)?	54
CRKOFT_6	In the past year, did you use Crack about once a month (1-2 times a month only)?	54
CRKOFT_7	In the past year, did you use Crack less than once a month (about 3-11 times yearly only)?	54
<u>CRKOFTCO</u>	Comments:	55
CRKTREAT	Did you have any treatment for Crack use this year?	55
CRKTRTYP_1	Was the treatment for Crack use a 12-step program?	55
CRKTRTYP_2	Was the treatment for Crack use an outpatient program?	55
CRKTRTYP_3	Was the treatment for Crack use a residential program?	56
CRKTRTYP_4	Was the treatment for Crack use detoxification in a hospital or clinic?	56
CRKTRTYP_5	Was the treatment for Crack use some type of treatment, but you don't know the type?	56
CRKTRTYP_6	Was the treatment for Crack use some other type of treatment?	57
CRKTRTYPA	Other (specify)	57

SECTION 12 HEROIN USE

Variables within this V	ariable Group	
Variable	Variable Label	Page
HERRT_1	Did you use Heroin orally this year?	57
HERRT_2	Did you use Heroin nasally this year?	57
HERRT_3	Did you use Heroin by injecting this year?	58
HERRT_4	Did you use Heroin by smoking this year?	58
HERRT_5	Did you use Heroin by some other means this year?	58
HEROFT_1	In the past year, did you use Heroin several times a day (3 or more times a day only)?	58
HEROFT_2	In the past year, did you use Heroin about once a day (1-2 times a day only)?	59
HEROFT_3	In the past year, did you use Heroin several times a week (3 or more times a week only)?	59
HEROFT_4	In the past year, did you use Heroin about once a week (1-2 times a week only)?	59
HEROFT_5	In the past year, did you use Heroin several times a month (3 or more times a month only)?	59
HEROFT_6	In the past year, did you use Heroin about once a month (1-2 times a month only)?	60
HEROFT_7	In the past year, did you use Heroin less than once a month (about 3-11 times yearly only)?	60
<u>HEROFTCO</u>	Comments:	60
HERTREAT	Did you have any treatment for Heroin use this year?	60
HERTRTYP_1	Was the treatment for Heroin use a 12-step program?	61
HERTRTYP_2	Was the treatment for Heroin use an outpatient program?	61
HERTRTYP_3	Was the treatment for Heroin use a residential program?	61
HERTRTYP_4	Was the treatment for Heroin use detoxification in a hospital or clinic?	62
HERTRTYP_5	Was the treatment for Heroin use some type of treatment, but you don't know the type?	62
HERTRTYP_6	Was the treatment for Heroin use some other type of treatment?	62
<u>HERTRTYPA</u>	Other (specify)	62

SECTION 13 AMPHETAMINES USE

Variables within this Variable Group			
Variable	Variable Label	Page	
AMPRT_1	Did you use Amphetamines orally this year?	63	
AMPRT_2	Did you use Amphetamines nasally this year?	63	
AMPRT_3	Did you use Amphetamines by injecting this year?	63	
AMPRT_4	Did you use Amphetamines by smoking this year?	63	
AMPRT_5	Did you use Amphetamines by some other means this year?	64	
AMPOFT_1	In the past year, did you use Amphetamines several times a day (3 or more times a day only)?	64	
AMPOFT_2	In the past year, did you use Amphetamines about once a day (1-2 times a day only)?	64	

Variables within this Variable Group			
Variable	Variable Label	Page	
AMPOFT_3	In the past year, did you use Amphetamines several times a week (3 or more times a week only)?	64	
AMPOFT_4	In the past year, did you use Amphetamines about once a week (1-2 times a week only)?	65	
AMPOFT_5	In the past year, did you use Amphetamines several times a month (3 or more times a month only)?	65	
AMPOFT_6	In the past year, did you use Amphetamines about once a month (1-2 times a month only)?	65	
AMPOFT_7	In the past year, did you use Amphetamines less than once a month (about 3-11 times yearly only)?	66	
<u>AMPOFTCO</u>	Comments:	66	
<u>AMPTREAT</u>	Did you have any treatment for Amphetamine use this year?	66	
AMPTRTYP_1	Was the treatment for Amphetamine use a 12-step program?	66	
AMPTRTYP_2	Was the treatment for Amphetamine use an outpatient program?	67	
AMPTRTYP_3	Was the treatment for Amphetamine use a residential program?	67	
AMPTRTYP_4	Was the treatment for Amphetamine use detoxification in a hospital or clinic?	67	
AMPTRTYP_5	Was the treatment for Amphetamine use some type of treatment, but you don't know the type?	67	
AMPTRTYP_6	Was the treatment for Amphetamine use some other type of treatment?	68	
<u>AMPTRTYPA</u>	Other (specify)	68	

SECTION 14 METHAMPHETAMINE USE

Variables within this Variable Group			
Variable	Variable Label	Page	
METRT_1	Did you use Methamphetamines orally this year?	68	
METRT_2	Did you use Methamphetamines nasally this year?	68	
METRT_3	Did you use Methamphetamines by injecting this year?	69	
METRT_4	Did you use Methamphetamines by smoking this year?	69	
METRT_5	Did you use Methamphetamines by some other means this year?	69	
METOFT_1	In the past year, did you use Methamphetamines several times a day (3 or more times a day only)?	70	
METOFT_2	In the past year, did you use Methamphetamines about once a day (1-2 times a day only)?	70	
METOFT_3	In the past year, did you use Methamphetamines several times a week (3 or more times a week only)?	70	
METOFT_4	In the past year, did you use Methamphetamines about once a week (1-2 times a week only)?	70	
METOFT_5	In the past year, did you use Methamphetamines several times a month (3 or more times a month only)?	71	
METOFT_6	In the past year, did you use Methamphetamines about once a month (1-2 times a month only)?	71	
METOFT_7	In the past year, did you use Methamphetamines less than once a month (about 3-11 times yearly only)?	71	

Variables within this Variable Group		
Variable	Variable Label	Page
<u>METOFTCO</u>	Comments:	71
METTREAT	Did you have any treatment for Methamphetamine use this year?	72
METTRTYP_1	Was the treatment for Methamphetamine use a 12-step program?	72
METTRTYP_2	Was the treatment for Methamphetamine use an outpatient program?	72
METTRTYP_3	Was the treatment for Methamphetamine use a residential program?	73
METTRTYP_4	Was the treatment for Methamphetamine use detoxification in a hospital or clinic?	73
METTRTYP_5	Was the treatment for Methamphetamine use some type of treatment, but you don't know the type?	73
METTRTYP_6	Was the treatment for Methamphetamine use some other type of treatment?	73
<u>METTRTYPA</u>	Other (specify)	74

SECTION 15 DRUG USE OUT OF CONTROL

Variables within this	s Variable Group	
Variable	Variable Label	Page
<u>OUTCTRL</u>	During this year, how often did you feel your drug use was out of control?	74
OUTCTLDR_1	During this year, was it your tobacco use that was out of control?	74
OUTCTLDR_2	During this year, was it your alcohol use that was out of control?	75
OUTCTLDR_3	During this year, was it your marijuana use that was out of control?	75
OUTCTLDR_4	During this year, was it your use of hallucinogens/ecstasy/club drugs that was out of control?	75
OUTCTLDR_5	During this year, was it your prescription pill use that was out of control?	75
OUTCTLDR_6	During this year, was it your cocaine use that was out of control?	76
OUTCTLDR_7	During this year, was it your crack use that was out of control?	76
OUTCTLDR_8	During this year, was it your heroin use that was out of control?	76
OUTCTLDR_9	During this year, was it your amphetamine use that was out of control?	76
OUTCTLDR_10	During this year, was it your methamphetamine use that was out of control?	77
<u>OUTCTLCO</u>	Comments about this question:	77

SECTION 16 DRUG USE CAUSED PROBLEMS IN LIFE

Variables within this Variable Group		
Variable	Variable Label	Page
<u>LIFPRB</u>	During this year, how often did you feel that your drug use caused problems in your life?	77
LIFPRBDR_1	During this year, was it your tobacco use that caused problems in your life?	78
LIFPRBDR_2	During this year, was it your alcohol use that caused problems in your life?	78

Variables within thi	is Variable Group	
Variable	Variable Label	Page
LIFPRBDR_3	During this year, was it your marijuana use that caused problems in your life?	78
LIFPRBDR_4	During this year, was it your hallucinogens/ecstasy/club drugs use that caused problems in your life?	78
LIFPRBDR_5	During this year, was it your prescription pill use that caused problems in your life?	79
LIFPRBDR_6	During this year, was it your cocaine use that caused problems in your life?	79
LIFPRBDR_7	During this year, was it your crack use that caused problems in your life?	79
LIFPRBDR_8	During this year, was it your heroin use that caused problems in your life?	80
LIFPRBDR_9	During this year, was it your amphetamine use that caused problems in your life?	80
LIFPRBDR_10	During this year, was it your methamphetamine use that caused problems in your life?	80
<u>LIFPRBCO</u>	Comments about this question:	80

SECTION 17 EFFECTIVENESS OF DRUGS

Variables within this Variable Group			
Variable	Variable Label	Page	
DSMCTRL1	During this year, had there been a period when you spent a great deal of time using drugs, getting drugs or getting over its effects?	81	
DSMCTRL2	During this year, had you often used larger amounts of drugs or used drugs for a longer period of time than you intended to?	81	
DSMCTRL3	During this year, had you often wanted to cut down on or control your drug use or had you tried to cut down but you couldn't?	81	
DSMCTRL4	During this year, had you found that you had to take a lot more drugs to get the same effect?	81	

SECTION 18 SUBSTANCE ABUSE TREATMENT

Variables within this Variable Group		
Variable Variable Label Pa		
TREATANY	During this year, were you in any kind of treatment?	82
TREATANYA	Other (specify)	82

SECTION 19 GEOGRAPHIC

Variables within this Variable Group		
Variable	Variable Label	Page
<u>GEOAREA</u>	What type of geographic area did you live in during this year?	82
RESSTAT	What was your type of residence status for the majority of this year?	82
RESSTATA	Other (specify)	83

SECTION 20 FAMILY ROLES DURING THE YEAR

Variables within this Variable Group			
Variable	Variable Label	Page	
FAMROLE_1	During this year, was your family role that of a son or daughter?	83	
FAMROLE_2	During this year, was your family role that of a sibling?	83	
FAMROLE_3	During this year, was your family role that of a father or mother?	83	
FAMROLE_4	During this year, was your family role that of a partner?	84	
FAMROLE_5	During this year, was your family role that of a spouse?	84	
FAMROLE_6	During this year, was your family role N/A?	84	
FAMROLE_7	During this year, was your family role that of some other role?	84	
<u>FAMROLEA</u>	Other (specify)	85	

SECTION 21 EMPLOYMENT

Variables within this Variable Group			
Variable Variable Label Page 1			
WRKROLE	What was you major work role during this year?	85	
WRKROLEA	Other (specify)	85	

SECTION 22 DRUG ROLES DURING THE YEAR

Variables within this Variable Group			
Variable	Variable Label	Page	
DRGROLE_1	Was one of the drug roles you had this year that of a user?	86	
DRGROLE_2	Was one of the drug roles you had this year that of a runner?	86	
DRGROLE_3	Was one of the drug roles you had this year that of a dealer?	86	
DRGROLE_4	Was one of the drug roles you had this year that of a producer?	86	
DRGROLE_5	Was one of the drug roles you had this year that of a person who engages in sex work for drugs?	86	
DRGROLE_6	Was one of the drug roles you had this year that of a person who hustles for drugs?	87	
DRGROLE_7	Was one of the drug roles you had this year N/A?	87	
DRGROLE_8	Was one of the drug roles you had this year some other role?	87	
DRGROLEA	Other (specify)	87	

SECTION 23 PRISON

Variables within this Variable Group			
Variable	Variable Label	Page	
PRISON	Were you in prison/jail/youth detention at any time this year?	88	

SECTION 24 SEXUAL ACTIVITY

Variables within this Variable Group			
Variable	Variable Label	Page	
SEXINT	Did you have sexual intercourse this year?	88	
SEXPART_1	Was one of your sexual partners that you had this year your spouse?	88	
SEXPART_2	Was one of your sexual partners that you had this year a steady partner?	88	

	•	
Variable	Variable Label	Page
SEXPART_3	Was one of your sexual partners that you had this year an occasional partner?	89
SEXPART_4	Was one of your sexual partners that you had this year a friend?	89
SEXPART_5	Was one of your sexual partners that you had this year an acquaintance?	89
SEXPART_6	Was one of your sexual partners that you had this year someone who was paying you for sex or someone you paid to have sex with?	89
SEXPART_7	Was one of your sexual partners that you had this year a stranger?	90
SEXPART_8	Was one of your sexual partners that you had this year some other form of a sexual parnter that was not listed previously?	90
<u>SEXPARTA</u>	Other (specify)	90
<u>SEXSPS</u>	How many of this type of partner did you have: Spouse	90
<u>SEXSTP</u>	How many of this type of partner did you have: Steady partner	91
<u>SEXOCP</u>	How many of this type of partner did you have: Occasional partner	91
<u>SEXFRN</u>	How many of this type of partner did you have: Friend	92
<u>SEXACQ</u>	How many of this type of partner did you have: Acquaintance	92
<u>SEXPAY</u>	How many of this type of partner did you have: Paying or paid sex	93
<u>SEXSTRN</u>	How many of this type of partner did you have: Stranger	94
<u>SEXOTH</u>	How many of this type of partner did you have: Other	95
CONDOM	How often did you use a condom while having sex this year?	95
SEXTYPE_1	What was the type of sexual relation you had this year "heterosexual"?	95
SEXTYPE_2	What was the type of sexual relation you had this year "male sex with male"?	96
SEXTYPE_3	What was the type of sexual relation you had this year "female sex with female"?	96
SEXTYPE_4	What was the type of sexual relation you had this year some type other than heterosexual, male-male, or female-female?	96
SEXTYPEA	Other (specify)	97

CASEID Case Identification Number

Location: 1-4 (width: 4; decimal: 0)

Variable Type: numeric

Based upon 4846 valid cases out of 4846 total cases.

RESPID Unique Respondent ID Number

Location: 5-8 (width: 4; decimal: 0)

Variable Type: numeric

Based upon 4846 valid cases out of 4846 total cases.

INTYEAR Year interview was conducted

Location: 9-12 (width: 4; decimal: 0)

Variable Type: numeric

Value	Unweighted Frequency	%	Valid %
2009	2078	42.9 %	42.9%
2010	2768	57.1 %	57.1%

Based upon 4846 valid cases out of 4846 total cases.

YEAR

Calendar year for this set of questions

Location:

13-16 (width: 4; decimal: 0)

Variable Type:

numeric

Value	Unweighted Frequency	%	Valid %
1944	1	0.0 %	0.0%
1945	1	0.0 %	0.0%
1946	1	0.0 %	0.0%
1947	1	0.0 %	0.0%
1948	4	0.1 %	0.1%
1949	5	0.1 %	0.1%
1950	8	0.2 %	0.2%
1951	10	0.2 %	0.2%
1952	11	0.2 %	0.2%
1953	18	0.4 %	0.4%
1954	22	0.5 %	0.5%
1955	28	0.6 %	0.6%
1956	39	0.8 %	0.8%
1957	42	0.9 %	0.9%
1958	48	1.0 %	1.0%
1959	55	1.1 %	1.1%
1960	62	1.3 %	1.3%
1961	68	1.4 %	1.4%
1962	77	1.6 %	1.6%
1963	84	1.7 %	1.7%
1964	92	1.9 %	1.9%
1965	92	1.9 %	1.9%
1966	92	1.9 %	1.9%
1967	92	1.9 %	1.9%
1968	92	1.9 %	1.9%
1969	92	1.9 %	1.9%
1970	92	1.9 %	1.9%
1971	92	1.9 %	1.9%
1972	92	1.9 %	1.9%
1973	92	1.9 %	1.9%
1974	92	1.9 %	1.9%

- Study 34296 -

Value	Unweighted Frequency	%	Valid %
1975	92	1.9 %	1.9%
1976	92	1.9 %	1.9%
1977	92	1.9 %	1.9%
1978	92	1.9 %	1.9%
1979	92	1.9 %	1.9%
1980	92	1.9 %	1.9%
1981	92	1.9 %	1.9%
1982	92	1.9 %	1.9%
1983	92	1.9 %	1.9%
1984	92	1.9 %	1.9%
1985	92	1.9 %	1.9%
1986	92	1.9 %	1.9%
1987	92	1.9 %	1.9%
1988	92	1.9 %	1.9%
1989	92	1.9 %	1.9%
1990	92	1.9 %	1.9%
1991	92	1.9 %	1.9%
1992	92	1.9 %	1.9%
1993	92	1.9 %	1.9%
1994	92	1.9 %	1.9%
1995	92	1.9 %	1.9%
1996	92	1.9 %	1.9%
1997	92	1.9 %	1.9%
1998	92	1.9 %	1.9%
1999	92	1.9 %	1.9%
2000	92	1.9 %	1.9%
2001	92	1.9 %	1.9%
2002	92	1.9 %	1.9%
2003	92	1.9 %	1.9%
2004	92	1.9 %	1.9%
2005	92	1.9 %	1.9%
2006	92	1.9 %	1.9%
2007	92	1.9 %	1.9%
2008	92	1.9 %	1.9%
2009	92	1.9 %	1.9%
2010	29	0.6 %	0.6%

Based upon 4846 valid cases out of 4846 total cases.

DRUGUSE_1 During this year, did you use tobacco?

Location: 17-17 (width: 1; decimal: 0)

Variable Type:

numeric

Value	Label	Unweighted Frequency	%	Valid %
0	No	2069	42.7 %	42.7%
1	Yes	2777	57.3 %	57.3%

Based upon 4846 valid cases out of 4846 total cases.

DRUGUSE_2 During this year, did you use alcohol?

Location: 18-18 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%	Valid %
0	No	2347	48.4 %	48.4%
1	Yes	2499	51.6 %	51.6%

Based upon 4846 valid cases out of 4846 total cases.

DRUGUSE_3 During this year, did you use marijuana?

Location: 19-19 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%	Valid %
0	No	2965	61.2 %	61.2%
1	Yes	1881	38.8 %	38.8%

Based upon 4846 valid cases out of 4846 total cases.

DRUGUSE_4 During this year, did you use hallucinogens/LSD/ecstasy/club drugs?

Location: 20-20 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%	Valid %
0	No	4446	91.7 %	91.7%
1	Yes	400	8.3 %	8.3%

Based upon 4846 valid cases out of 4846 total cases.

DRUGUSE_5 During this year, did you use prescription pills?

Location: 21-21 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%	Valid %
0	No	4029	83.1 %	83.1%
1	Yes	817	16.9 %	16.9%

Based upon 4846 valid cases out of 4846 total cases.

DRUGUSE_6 During this year, did you use cocaine?

Location: 22-22 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%	Valid %
0	No	3632	74.9 %	74.9%
1	Yes	1214	25.1 %	25.1%

Based upon 4846 valid cases out of 4846 total cases.

DRUGUSE_7 During this year, did you use crack?

Location: 23-23 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%	Valid %
0	No	3917	80.8 %	80.8%
1	Yes	929	19.2 %	19.2%

Based upon 4846 valid cases out of 4846 total cases.

DRUGUSE_8 During this year, did you use heroin?

Location: 24-24 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%	Valid %
0	No	3973	82.0 %	82.0%
1	Yes	873	18.0 %	18.0%

Based upon 4846 valid cases out of 4846 total cases.

DRUGUSE_9 During this year, did you use amphetamines?

Location: 25-25 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%	Valid %
0	No	4583	94.6 %	94.6%
1	Yes	263	5.4 %	5.4%

Based upon 4846 valid cases out of 4846 total cases.

DRUGUSE_10 During this year, did you use methamphetamine?

Location: 26-26 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%	Valid %
0	No	4418	91.2 %	91.2%

Value	Label	Unweighted Frequency	%	Valid %
1	Yes	428	8.8 %	8.8%

Based upon 4846 valid cases out of 4846 total cases.

TOBRT_1 Did you use tobacco orally this year?

Location: 27-27 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2744	56.6 %	98.8%
1	Yes	33	0.7 %	1.2%
9 (M)	NA: Did not use tobacco	2069	42.7 %	-

Based upon 2777 valid cases out of 4846 total cases.

TOBRT_2 Did you use tobacco nasally this year?

Location: 28-28 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2777	57.3 %	100.0%
9 (M)	NA: Did not use tobacco	2069	42.7 %	-

Based upon 2777 valid cases out of 4846 total cases.

TOBRT_3 Did you use tobacco by injecting this year?

Location: 29-29 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2777	57.3 %	100.0%
9 (M)	NA: Did not use tobacco	2069	42.7 %	-

Based upon 2777 valid cases out of 4846 total cases.

TOBRT_4 Did you use tobacco by smoking this year?

Location: 30-30 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
1	Yes	2777	57.3 %	100.0%

Value	Label	Unweighted Frequency	%	Valid %
9 (M)	NA: Did not use tobacco	2069	42.7 %	-

Based upon 2777 valid cases out of 4846 total cases.

TOBRT_5 Did you use tobacco by some other means this year?

Location: 31-31 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2777	57.3 %	100.0%
9 (M)	NA: Did not use tobacco	2069	42.7 %	-

Based upon 2777 valid cases out of 4846 total cases.

TOBOFT_1 In the past year, did you use tobacco several times a day (3 or more times a day only)?

Location: 32-32 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	294	6.1 %	10.6%
1	Yes	2483	51.2 %	89.4%
9 (M)	NA: Did not use tobacco	2069	42.7 %	-

Based upon 2777 valid cases out of 4846 total cases.

TOBOFT_2 In the past year, did you use tobacco about once a day (1-2 times a day only)?

Location: 33-33 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2663	55.0 %	95.9%
1	Yes	114	2.4 %	4.1%
9 (M)	NA: Did not use tobacco	2069	42.7 %	-

Based upon 2777 valid cases out of 4846 total cases.

TOBOFT_3 In the past year, did you use tobacco several times a week (3 or more times a week only)?

Location: 34-34 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2705	55.8 %	97.4%
1	Yes	72	1.5 %	2.6%
9 (M)	NA: Did not use tobacco	2069	42.7 %	-

Based upon 2777 valid cases out of 4846 total cases.

TOBOFT_4 In the past year, did you use tobacco about once a week (1-2 times a week only)?

Location: 35-35 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2745	56.6 %	98.8%
1	Yes	32	0.7 %	1.2%
9 (M)	NA: Did not use tobacco	2069	42.7 %	-

Based upon 2777 valid cases out of 4846 total cases.

TOBOFT_5 In the past year, did you use tobacco several times a month (3 or more times a month only)?

Location: 36-36 (width: 1; decimal: 0)

9

Variable Type: numeric

Range of Missing Values (M):

Value	Label	Unweighted Frequency	%	Valid %
0	No	2764	57.0 %	99.5%
1	Yes	13	0.3 %	0.5%
9 (M)	NA: Did not use tobacco	2069	42.7 %	-

Based upon 2777 valid cases out of 4846 total cases.

TOBOFT_6 In the past year, did you use tobacco about once a month (1-2 times a month only)?

Location: 37-37 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2769	57.1 %	99.7%
1	Yes	8	0.2 %	0.3%
9 (M)	NA: Did not use tobacco	2069	42.7 %	-

Based upon 2777 valid cases out of 4846 total cases.

TOBOFT_7 In the past year, did you use tobacco less than once a month (about 3-11 times yearly only)?

Location: 38-38 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2722	56.2 %	98.0%
1	Yes	55	1.1 %	2.0%
9 (M)	NA: Did not use tobacco	2069	42.7 %	-

Based upon 2777 valid cases out of 4846 total cases.

TOBOFTCO Comments:

Location: 39-138 (width: 100; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%	Valid %
	4827	99.6 %	99.6%
Masked for Confidentiality	19	0.4 %	0.4%

Based upon 4846 valid cases out of 4846 total cases.

TOBTREAT Did you have any treatment for tobacco use this year?

Location: 139-139 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2759	56.9 %	99.7%
1	Yes	9	0.2 %	0.3%
9 (M)	NA: Did not use tobacco	2078	42.9 %	-

Based upon 2768 valid cases out of 4846 total cases.

TOBTRTYP_1 Was the treatment for tobacco use a 12-step program?

Location: 140-140 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8 , 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1	0.0 %	11.1%
1	Yes	8	0.2 %	88.9%
8 (M)	NA: Did not receive treatment for tobacco	2759	56.9 %	-
9 (M)	NA: Did not use tobacco	2078	42.9 %	-

Based upon 9 valid cases out of 4846 total cases.

TOBTRTYP_2 Was the treatment for tobacco use an outpatient program?

Location: 141-141 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	6	0.1 %	66.7%
1	Yes	3	0.1 %	33.3%
8 (M)	NA: Did not receive treatment for tobacco	2759	56.9 %	-
9 (M)	NA: Did not use tobacco	2078	42.9 %	-

Based upon 9 valid cases out of 4846 total cases.

TOBTRTYP_3 Was the treatment for tobacco use a residential program?

Location: 142-142 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	5	0.1 %	55.6%
1	Yes	4	0.1 %	44.4%
8 (M)	NA: Did not receive treatment for tobacco	2759	56.9 %	-
9 (M)	NA: Did not use tobacco	2078	42.9 %	-

Based upon 9 valid cases out of 4846 total cases.

TOBTRTYP_4 Was the treatment for tobacco use detoxification in a hospital or clinic?

Location: 143-143 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8 , 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	9	0.2 %	100.0%
8 (M)	NA: Did not receive treatment for tobacco	2759	56.9 %	-
9 (M)	NA: Did not use tobacco	2078	42.9 %	-

Based upon 9 valid cases out of 4846 total cases.

TOBTRTYP_5 Was the treatment for tobacco use some type of treatment, but you don't know the type?

Location: 144-144 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8 , 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	9	0.2 %	100.0%
8 (M)	NA: Did not receive treatment for tobacco	2759	56.9 %	-
9 (M)	NA: Did not use tobacco	2078	42.9 %	-

Based upon 9 valid cases out of 4846 total cases.

TOBTRTYP_6 Was the treatment for tobacco use some other type of treatment?

Location: 145-145 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	9	0.2 %	100.0%
8 (M)	NA: Did not receive treatment for tobacco	2759	56.9 %	-
9 (M)	NA: Did not use tobacco	2078	42.9 %	-

Based upon 9 valid cases out of 4846 total cases.

TOBTRTYPA Other (specify)

Location: 146-263 (width: 118; decimal: 0)

Variable Type: character

Unweighted Frequency	%	Valid %
4846	100.0 %	100.0%

Based upon 4846 valid cases out of 4846 total cases.

ALCRT_1 Did you use alcohol orally this year?

Location: 264-264 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
1	Yes	2499	51.6 %	100.0%
9 (M)	NA: Did not use alcohol	2347	48.4 %	-

Based upon 2499 valid cases out of 4846 total cases.

ALCRT_2 Did you use alcohol nasally this year?

Location: 265-265 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2499	51.6 %	100.0%
9 (M)	NA: Did not use alcohol	2347	48.4 %	-

Based upon 2499 valid cases out of 4846 total cases.

ALCRT_3 Did you use alcohol by injecting this year?

Location: 266-266 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2499	51.6 %	100.0%
9 (M)	NA: Did not use alcohol	2347	48.4 %	-

Based upon 2499 valid cases out of 4846 total cases.

ALCRT_4 Did you use alcohol by smoking this year?

Location: 267-267 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2499	51.6 %	100.0%
9 (M)	NA: Did not use alcohol	2347	48.4 %	-

Based upon 2499 valid cases out of 4846 total cases.

ALCRT_5 Did you use alcohol by some other means this year?

Location: 268-268 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2499	51.6 %	100.0%
9 (M)	NA: Did not use alcohol	2347	48.4 %	-

Based upon 2499 valid cases out of 4846 total cases.

ALCOFT_1 In the past year, did you use alcohol several times a day (3 or more times a day only)?

Location: 269-269 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1681	34.7 %	67.3%
1	Yes	818	16.9 %	32.7%
9 (M)	NA: Did not use alcohol	2347	48.4 %	-

Based upon 2499 valid cases out of 4846 total cases.

ALCOFT_2 In the past year, did you use alcohol about once a day (1-2 times a day only)?

Location: 270-270 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):

Value	Label	Unweighted Frequency	%	Valid %
0	No	2159	44.6 %	86.4%
1	Yes	340	7.0 %	13.6%
9 (M)	NA: Did not use alcohol	2347	48.4 %	-

Based upon 2499 valid cases out of 4846 total cases.

ALCOFT_3 In the past year, did you use alcohol several times a week (3 or more times a week only)?

Location: 271-271 (width: 1; decimal: 0)

9

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1964	40.5 %	78.6%
1	Yes	535	11.0 %	21.4%
9 (M)	NA: Did not use alcohol	2347	48.4 %	-

Based upon 2499 valid cases out of 4846 total cases.

ALCOFT_4 In the past year, did you use alcohol about once a week (1-2 times a week only)?

Location: 272-272 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2195	45.3 %	87.8%
1	Yes	304	6.3 %	12.2%
9 (M)	NA: Did not use alcohol	2347	48.4 %	-

Based upon 2499 valid cases out of 4846 total cases.

ALCOFT_5 In the past year, did you use alcohol several times a month (3 or more times a month only)?

Location: 273-273 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2369	48.9 %	94.8%
1	Yes	130	2.7 %	5.2%
9 (M)	NA: Did not use alcohol	2347	48.4 %	-

Based upon 2499 valid cases out of 4846 total cases.

ALCOFT_6 In the past year, did you use alcohol about once a month (1-2 times a month only)?

Location: 274-274 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2360	48.7 %	94.4%
1	Yes	139	2.9 %	5.6%
9 (M)	NA: Did not use alcohol	2347	48.4 %	-

Based upon 2499 valid cases out of 4846 total cases.

ALCOFT_7 In the past year, did you use alcohol less than once a month (about 3-11 times yearly only)?

Location: 275-275 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2266	46.8 %	90.7%
1	Yes	233	4.8 %	9.3%
9 (M)	NA: Did not use alcohol	2347	48.4 %	-

Based upon 2499 valid cases out of 4846 total cases.

ALCOFTCO Comments:

Location: 276-375 (width: 100; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%	Valid %
	4815	99.4 %	99.4%
Masked for Confidentiality	31	0.6 %	0.6%

Based upon 4846 valid cases out of 4846 total cases.

ALCTREAT Did you have any treatment for alcohol use this year?

Location: 376-376 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2398	49.5 %	96.2%
1	Yes	96	2.0 %	3.8%
9 (M)	NA: Did not use alcohol	2352	48.5 %	-

Based upon 2494 valid cases out of 4846 total cases.

ALCTRTYP_1 Was the treatment for alcohol use a 12-step program?

Location: 377-377 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	16	0.3 %	16.5%
1	Yes	81	1.7 %	83.5%
8 (M)	NA: Did not receive treatment for alcohol	2397	49.5 %	-
9 (M)	NA: Did not use alcohol	2352	48.5 %	-

Based upon 97 valid cases out of 4846 total cases.

ALCTRTYP_2 Was the treatment for alcohol use an outpatient program?

Location: 378-378 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	82	1.7 %	84.5%
1	Yes	15	0.3 %	15.5%
8 (M)	NA: Did not receive treatment for alcohol	2397	49.5 %	-
9 (M)	NA: Did not use alcohol	2352	48.5 %	-

Based upon 97 valid cases out of 4846 total cases.

ALCTRTYP_3 Was the treatment for alcohol use a residential program?

Location: 379-379 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	58	1.2 %	59.8%
1	Yes	39	0.8 %	40.2%
8 (M)	NA: Did not receive treatment for alcohol	2397	49.5 %	-
9 (M)	NA: Did not use alcohol	2352	48.5 %	-

Based upon 97 valid cases out of 4846 total cases.

ALCTRTYP_4 Was the treatment for alcohol use detoxification in a hospital or clinic?

Location: 380-380 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	85	1.8 %	87.6%
1	Yes	12	0.2 %	12.4%

Value	Label	Unweighted Frequency	%	Valid %
8 (M)	NA: Did not receive treatment for alcohol	2397	49.5 %	-
9 (M)	NA: Did not use alcohol	2352	48.5 %	-

Based upon 97 valid cases out of 4846 total cases.

ALCTRTYP_5 Was the treatment for alcohol use some type of treatment, but you don't know the type?

Location: 381-381 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	97	2.0 %	100.0%
8 (M)	NA: Did not receive treatment for alcohol	2397	49.5 %	-
9 (M)	NA: Did not use alcohol	2352	48.5 %	-

Based upon 97 valid cases out of 4846 total cases.

ALCTRTYP_6 Was the treatment for alcohol use some other type of treatment?

Location: 382-382 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8 , 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	93	1.9 %	95.9%
1	Yes	4	0.1 %	4.1%
8 (M)	NA: Did not receive treatment for alcohol	2397	49.5 %	-
9 (M)	NA: Did not use alcohol	2352	48.5 %	-

Based upon 97 valid cases out of 4846 total cases.

ALCTRTYPA Other (specify)

Location: 383-500 (width: 118; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%	Valid %
	4816	99.4 %	99.4%
Masked for Confidentiality	30	0.6 %	0.6%

Based upon 4846 valid cases out of 4846 total cases.

MARRT_1 Did you use marijuana orally this year?

Location: 501-501 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1878	38.8 %	99.8%
1	Yes	3	0.1 %	0.2%
9 (M)	NA: Did not use marijuana	2965	61.2 %	-

Based upon 1881 valid cases out of 4846 total cases.

MARRT_2 Did you use marijuana nasally this year?

Location: 502-502 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1881	38.8 %	100.0%
9 (M)	NA: Did not use marijuana	2965	61.2 %	-

Based upon 1881 valid cases out of 4846 total cases.

MARRT_3 Did you use marijuana by injecting this year?

Location: 503-503 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1881	38.8 %	100.0%
9 (M)	NA: Did not use marijuana	2965	61.2 %	-

Based upon 1881 valid cases out of 4846 total cases.

MARRT_4 Did you use marijuana by smoking this year?

Location: 504-504 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
1	Yes	1881	38.8 %	100.0%
9 (M)	NA: Did not use marijuana	2965	61.2 %	-

Based upon 1881 valid cases out of 4846 total cases.

MARRT_5 Did you use marijuana by some other means this year?

Location: 505-505 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1881	38.8 %	100.0%
9 (M)	NA: Did not use marijuana	2965	61.2 %	-

Based upon 1881 valid cases out of 4846 total cases.

MAROFT_1 In the past year, did you use marijuana several times a day (3 or more times a day only)?

Location: 506-506 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1258	26.0 %	66.9%
1	Yes	623	12.9 %	33.1%
9 (M)	NA: Did not use marijuana	2965	61.2 %	-

Based upon 1881 valid cases out of 4846 total cases.

MAROFT_2 In the past year, did you use marijuana about once a day (1-2 times a day only)?

Location: 507-507 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1576	32.5 %	83.8%
1	Yes	305	6.3 %	16.2%
9 (M)	NA: Did not use marijuana	2965	61.2 %	-

Based upon 1881 valid cases out of 4846 total cases.

MAROFT_3 In the past year, did you use marijuana several times a week (3 or more times a week only)?

Location: 508-508 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1587	32.7 %	84.4%
1	Yes	294	6.1 %	15.6%
9 (M)	NA: Did not use marijuana	2965	61.2 %	-

Based upon 1881 valid cases out of 4846 total cases.

MAROFT_4 In the past year, did you use marijuana about once a week (1-2 times a week only)?

Location: 509-509 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):

9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1649	34.0 %	87.7%
1	Yes	232	4.8 %	12.3%
9 (M)	NA: Did not use marijuana	2965	61.2 %	-

Based upon 1881 valid cases out of 4846 total cases.

MAROFT_5 In the past year, did you use marijuana several times a month (3 or more times a month only)?

Location: 510-510 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1773	36.6 %	94.3%
1	Yes	108	2.2 %	5.7%
9 (M)	NA: Did not use marijuana	2965	61.2 %	-

Based upon 1881 valid cases out of 4846 total cases.

MAROFT_6 In the past year, did you use marijuana about once a month (1-2 times a month only)?

Location: 511-511 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1750	36.1 %	93.0%
1	Yes	131	2.7 %	7.0%
9 (M)	NA: Did not use marijuana	2965	61.2 %	-

Based upon 1881 valid cases out of 4846 total cases.

MAROFT_7 In the past year, did you use marijuana less than once a month (about 3-11 times yearly only)?

Location: 512-512 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1693	34.9 %	90.0%
1	Yes	188	3.9 %	10.0%
9 (M)	NA: Did not use marijuana	2965	61.2 %	-

Based upon 1881 valid cases out of 4846 total cases.

MAROFTCO Comments:

Location: 513-612 (width: 100; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%	Valid %
	4833	99.7 %	99.7%
Masked for Confidentiality	13	0.3 %	0.3%

Based upon 4846 valid cases out of 4846 total cases.

MARTREAT Did you have any treatment for marijuana use this year?

Location: 613-613 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1854	38.3 %	98.9%
1	Yes	21	0.4 %	1.1%
9 (M)	NA: Did not use marijuana	2971	61.3 %	-

Based upon 1875 valid cases out of 4846 total cases.

MARTRTYP_1 Was the treatment for marijuana use a 12-step program?

Location: 614-614 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	10	0.2 %	47.6%
1	Yes	11	0.2 %	52.4%
8 (M)	NA: Did not receive treatment for marijuana	1854	38.3 %	-
9 (M)	NA: Did not use marijuana	2971	61.3 %	-

Based upon 21 valid cases out of 4846 total cases.

MARTRTYP_2 Was the treatment for marijuana use an outpatient program?

Location: 615-615 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8 , 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	20	0.4 %	95.2%
1	Yes	1	0.0 %	4.8%
8 (M)	NA: Did not receive treatment for marijuana	1854	38.3 %	-
9 (M)	NA: Did not use marijuana	2971	61.3 %	-

Based upon 21 valid cases out of 4846 total cases.

MARTRTYP_3 Was the treatment for marijuana use a residential program?

Location: 616-616 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	6	0.1 %	28.6%
1	Yes	15	0.3 %	71.4%
8 (M)	NA: Did not receive treatment for marijuana	1854	38.3 %	-
9 (M)	NA: Did not use marijuana	2971	61.3 %	-

Based upon 21 valid cases out of 4846 total cases.

MARTRTYP_4 Was the treatment for marijuana use detoxification in a hospital or clinic?

Location: 617-617 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8,9

Value	Label	Unweighted Frequency	%	Valid %
0	No	19	0.4 %	90.5%
1	Yes	2	0.0 %	9.5%
8 (M)	NA: Did not receive treatment for marijuana	1854	38.3 %	-
9 (M)	NA: Did not use marijuana	2971	61.3 %	-

Based upon 21 valid cases out of 4846 total cases.

MARTRTYP_5 Was the treatment for marijuana use some type of treatment, but you don't know the type?

Location: 618-618 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8 , 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	21	0.4 %	100.0%
8 (M)	NA: Did not receive treatment for marijuana	1854	38.3 %	-
9 (M)	NA: Did not use marijuana	2971	61.3 %	-

Based upon 21 valid cases out of 4846 total cases.

MARTRTYP_6 Was the treatment for marijuana use some other type of treatment?

Location: 619-619 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	21	0.4 %	100.0%

Value	Label	Unweighted Frequency	%	Valid %
8 (M)	NA: Did not receive treatment for marijuana	1854	38.3 %	-
9 (M)	NA: Did not use marijuana	2971	61.3 %	-

Based upon 21 valid cases out of 4846 total cases.

MARTRTYPA Other (specify)

Location: 620-737 (width: 118; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%	Valid %
	4844	100.0 %	100.0%
Masked for Confidentiality	2	0.0 %	0.0%

Based upon 4846 valid cases out of 4846 total cases.

HALRT_1 Did you use Hallucinogens/LSD/Ecstasy/Club Drug orally this year?

Location: 738-738 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	10	0.2 %	2.5%
1	Yes	390	8.0 %	97.5%
9 (M)	NA: Did not use hallucinogens	4446	91.7 %	-

Based upon 400 valid cases out of 4846 total cases.

HALRT_2 Did you use Hallucinogens/LSD/Ecstasy?Club Drug nasally this year?

Location: 739-739 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	389	8.0 %	97.2%
1	Yes	11	0.2 %	2.8%
9 (M)	NA: Did not use hallucinogens	4446	91.7 %	-

Based upon 400 valid cases out of 4846 total cases.

HALRT_3 Did you use Hallucinogens/LSD/Ecstasy/CLub Drug by injecting this year?

Location: 740-740 (width: 1; decimal: 0)

9

Variable Type: numeric

Range of Missing Values (M):

Value	Label	Unweighted Frequency	%	Valid %
0	No	376	7.8 %	94.0%
1	Yes	24	0.5 %	6.0%
9 (M)	NA: Did not use hallucinogens	4446	91.7 %	-

Based upon 400 valid cases out of 4846 total cases.

HALRT_4 Did you use Hallucinogens/LSD/Ecstasy/Club Drug by smoking this year?

Location: 741-741 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	394	8.1 %	98.5%
1	Yes	6	0.1 %	1.5%
9 (M)	NA: Did not use hallucinogens	4446	91.7 %	-

Based upon 400 valid cases out of 4846 total cases.

HALRT_5 Did you use Hallucinogens/LSD/Ecstasy/Club Drug by some other means this year?

Location: 742-742 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	394	8.1 %	98.5%
1	Yes	6	0.1 %	1.5%
9 (M)	NA: Did not use hallucinogens	4446	91.7 %	-

Based upon 400 valid cases out of 4846 total cases.

HALOFT_1 In the past year, did you use Hallucinogens/LSD/Ecstasy/Club Drug several times a day (3 or more times a day only)?

Location: 743-743 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	400	8.3 %	100.0%
9 (M)	NA: Did not use hallucinogens	4446	91.7 %	-

Based upon 400 valid cases out of 4846 total cases.

HALOFT_2 In the past year, did you use Hallucinogens/LSD/Ecstasy/Club Drug about once a day (1-2 times a day only)?

Location: 744-744 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	385	7.9 %	96.2%
1	Yes	15	0.3 %	3.8%
9 (M)	NA: Did not use hallucinogens	4446	91.7 %	-

Based upon 400 valid cases out of 4846 total cases.

HALOFT_3 In the past year, did you use Hallucinogens/LSD/Ecstasy/Club Drug several times a week (3 or more times a week only)?

Location: 745-745 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	324	6.7 %	81.0%
1	Yes	76	1.6 %	19.0%
9 (M)	NA: Did not use hallucinogens	4446	91.7 %	-

Based upon 400 valid cases out of 4846 total cases.

HALOFT_4 In the past year, did you use Hallucinogens/LSD/Ecstasy/Club Drug about once a week (1-2 times a week only)?

Location: 746-746 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	353	7.3 %	88.2%
1	Yes	47	1.0 %	11.8%
9 (M)	NA: Did not use hallucinogens	4446	91.7 %	-

Based upon 400 valid cases out of 4846 total cases.

HALOFT_5 In the past year, did you use Hallucinogens/LSD/Ecstasy/Club Drug several times a month (3 or more times a month only)?

Location: 747-747 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 9

> Unweighted Value % Valid % Label Frequency No 333 6.9 % 83.2% Yes 67 1.4 % 16.8% 91.7 % 9 (M) NA: Did not use hallucinogens 4446

Based upon 400 valid cases out of 4846 total cases.

HALOFT_6 In the past year, did you use Hallucinogens/LSD/Ecstasy/Club Drug about once a month (1-2 times a month only)?

Location: 748-748 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	335	6.9 %	83.8%
1	Yes	65	1.3 %	16.2%
9 (M)	NA: Did not use hallucinogens	4446	91.7 %	-

Based upon 400 valid cases out of 4846 total cases.

HALOFT_7 In the past year, did you use Hallucinogens/LSD/Exstasy/Club Drug less than once a month (about 3-11 times yearly only)?

Location: 749-749 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	270	5.6 %	67.5%
1	Yes	130	2.7 %	32.5%
9 (M)	NA: Did not use hallucinogens	4446	91.7 %	-

Based upon 400 valid cases out of 4846 total cases.

HALOFTCO Comments:

Location: 750-849 (width: 100; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%	Valid %
	4801	99.1 %	99.1%
Masked for Confidentiality	45	0.9 %	0.9%

Based upon 4846 valid cases out of 4846 total cases.

HALTREAT Did you have any treatment for Hallucinogens/LSD/Ecstasy/Club Drug use this year?

Location: 850-850 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	394	8.1 %	98.5%
1	Yes	6	0.1 %	1.5%

Value	Label	Unweighted Frequency	%	Valid %
9 (M)	NA: Did not use hallucinogens	4446	91.7 %	-

Based upon 400 valid cases out of 4846 total cases.

HALTRTYP_1 Was the treatment for Hallucinogens/LSD/Ecstasy/Club Drug use a 12-step program?

Location: 851-851 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	3	0.1 %	50.0%
1	Yes	3	0.1 %	50.0%
8 (M)	NA: Did not receive treatment for hallucinogens	394	8.1 %	-
9 (M)	NA: Did not use hallucinogens	4446	91.7 %	-

Based upon 6 valid cases out of 4846 total cases.

HALTRTYP_2 Was the treatment for Hallucinogens/LSD/Ecstasy/Club Drug use an outpatient program?

Location: 852-852 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8 , 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	5	0.1 %	83.3%
1	Yes	1	0.0 %	16.7%
8 (M)	NA: Did not receive treatment for hallucinogens	394	8.1 %	-
9 (M)	NA: Did not use hallucinogens	4446	91.7 %	-

Based upon 6 valid cases out of 4846 total cases.

HALTRTYP_3 Was the treatment for Hallucinogens/LSD/Ecstasy/Club Drug use a residential program?

Location: 853-853 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2	0.0 %	33.3%
1	Yes	4	0.1 %	66.7%
8 (M)	NA: Did not receive treatment for hallucinogens	394	8.1 %	-
9 (M)	NA: Did not use hallucinogens	4446	91.7 %	-

Based upon 6 valid cases out of 4846 total cases.

HALTRTYP_4 Was the treatment for Hallucinogens/LSDEcstasy/Club Drug use detoxification in a hospital or clinic?

- 39 -

Location: 854-854 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2	0.0 %	33.3%
1	Yes	4	0.1 %	66.7%
8 (M)	NA: Did not receive treatment for hallucinogens	394	8.1 %	-
9 (M)	NA: Did not use hallucinogens	4446	91.7 %	-

Based upon 6 valid cases out of 4846 total cases.

HALTRTYP_5 Was the treatment for Hallucinogens/LSD/Ecstasy/Club Drug use some type of treatment, but you don't know the type?

Location: 855-855 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8 , 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	6	0.1 %	100.0%
8 (M)	NA: Did not receive treatment for hallucinogens	394	8.1 %	-
9 (M)	NA: Did not use hallucinogens	4446	91.7 %	-

Based upon 6 valid cases out of 4846 total cases.

HALTRTYP_6 Was the treatment for Hallucingoens/LSD/Ecstasy/Club Drug use some other type of treatment?

Location: 856-856 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8 , 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	6	0.1 %	100.0%
8 (M)	NA: Did not receive treatment for hallucinogens	394	8.1 %	-
9 (M)	NA: Did not use hallucinogens	4446	91.7 %	-

Based upon 6 valid cases out of 4846 total cases.

HALTRTYPA Other (specify)

Location: 857-974 (width: 118; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%	Valid %
	4844	100.0 %	100.0%
Masked for Confidentiality	2	0.0 %	0.0%

Based upon 4846 valid cases out of 4846 total cases.

PRPRT_1 Did you use Prescription Pills orally this year?

Location: 975-975 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	91	1.9 %	11.1%
1	Yes	726	15.0 %	88.9%
9 (M)	NA: Did not use prescription pills	4029	83.1 %	-

Based upon 817 valid cases out of 4846 total cases.

PRPRT_2 Did you use Prescription Pills nasally this year?

Location: 976-976 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	791	16.3 %	96.8%
1	Yes	26	0.5 %	3.2%
9 (M)	NA: Did not use prescription pills	4029	83.1 %	-

Based upon 817 valid cases out of 4846 total cases.

PRPRT_3 Did you use Prescription Pills by injecting this year?

Location: 977-977 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	676	13.9 %	82.7%
1	Yes	141	2.9 %	17.3%
9 (M)	NA: Did not use prescription pills	4029	83.1 %	-

Based upon 817 valid cases out of 4846 total cases.

PRPRT_4 Did you use Prescription Pills by smoking this year?

Location: 978-978 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	817	16.9 %	100.0%
9 (M)	NA: Did not use prescription pills	4029	83.1 %	-

Based upon 817 valid cases out of 4846 total cases.

PRPRT_5 Did you use Prescription Pills by some other means this year?

Location: 979-979 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	817	16.9 %	100.0%
9 (M)	NA: Did not use prescription pills	4029	83.1 %	-

Based upon 817 valid cases out of 4846 total cases.

PRPOFT_1 In the past year, did you use Prescription Pills several times a day (3 or more times a day only)?

Location: 980-980 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	538	11.1 %	65.9%
1	Yes	279	5.8 %	34.1%
9 (M)	NA: Did not use prescription pills	4029	83.1 %	-

Based upon 817 valid cases out of 4846 total cases.

PRPOFT_2 In the past year, did you use Prescription Pills about once a day (1-2 times a day only)?

Location: 981-981 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	689	14.2 %	84.3%
1	Yes	128	2.6 %	15.7%
9 (M)	NA: Did not use prescription pills	4029	83.1 %	-

Based upon 817 valid cases out of 4846 total cases.

PRPOFT_3 In the past year, did you use Prescription Pills several times a week (3 or more times a week only)?

Location: 982-982 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	681	14.1 %	83.4%
1	Yes	136	2.8 %	16.6%

Value	Label	Unweighted Frequency	%	Valid %
9 (M)	NA: Did not use prescription pills	4029	83.1 %	-

Based upon 817 valid cases out of 4846 total cases.

PRPOFT_4 In the past year, did you use Prescription Pills about once a week (1-2 times a week only)?

Location: 983-983 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):

Value	Label	Unweighted Frequency	%	Valid %
0	No	769	15.9 %	94.1%
1	Yes	48	1.0 %	5.9%
9 (M)	NA: Did not use prescription pills	4029	83.1 %	-

Based upon 817 valid cases out of 4846 total cases.

PRPOFT_5 In the past year, did you use Prescription Pills several times a month (3 or more times a month only)?

Location: 984-984 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	728	15.0 %	89.1%
1	Yes	89	1.8 %	10.9%
9 (M)	NA: Did not use prescription pills	4029	83.1 %	-

Based upon 817 valid cases out of 4846 total cases.

PRPOFT_6 In the past year, did you use Prescription Pills about once a month (1-2 times a month only)?

Location: 985-985 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	760	15.7 %	93.0%
1	Yes	57	1.2 %	7.0%
9 (M)	NA: Did not use prescription pills	4029	83.1 %	-

Based upon 817 valid cases out of 4846 total cases.

PRPOFT_7 In the past year, did you use Prescription Pills less than once a month (about 3-11 times yearly only)?

Location: 986-986 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):

9

Value	Label	Unweighted Frequency	%	Valid %
0	No	737	15.2 %	90.2%
1	Yes	80	1.7 %	9.8%
9 (M)	NA: Did not use prescription pills	4029	83.1 %	-

Based upon 817 valid cases out of 4846 total cases.

PRPOFTCO Comments:

Location: 987-1086 (width: 100; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%	Valid %
	4785	98.7 %	98.7%
Masked for Confidentiality	61	1.3 %	1.3%

Based upon 4846 valid cases out of 4846 total cases.

PRPTREAT Did you have any treatment for Prescription Pill use this year?

Location: 1087-1087 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	762	15.7 %	93.4%
1	Yes	54	1.1 %	6.6%
9 (M)	NA: Did not use prescription pills	4030	83.2 %	-

Based upon 816 valid cases out of 4846 total cases.

PRPTRTYP_1 Was the treatment for Prescription Pills use a 12-step program?

Location: 1088-1088 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8 , 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	33	0.7 %	61.1%
1	Yes	21	0.4 %	38.9%
8 (M)	NA: Did not receive treatment for prescription pills	762	15.7 %	-
9 (M)	NA: Did not use prescription pills	4030	83.2 %	-

Based upon 54 valid cases out of 4846 total cases.

PRPTRTYP_2 Was the treatment for Prescription Pills use an outpatient program?

Location: 1089-1089 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	46	0.9 %	85.2%
1	Yes	8	0.2 %	14.8%
8 (M)	NA: Did not receive treatment for prescription pills	762	15.7 %	-
9 (M)	NA: Did not use prescription pills	4030	83.2 %	-

Based upon 54 valid cases out of 4846 total cases.

PRPTRTYP_3 Was the treatment for Prescription Pills use a residential program?

Location: 1090-1090 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	39	0.8 %	72.2%
1	Yes	15	0.3 %	27.8%
8 (M)	NA: Did not receive treatment for prescription pills	762	15.7 %	-
9 (M)	NA: Did not use prescription pills	4030	83.2 %	-

Based upon 54 valid cases out of 4846 total cases.

PRPTRTYP_4 Was the treatment for Prescription Pills use detoxification in a hospital or clinic?

Location: 1091-1091 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8 , 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	41	0.8 %	75.9%
1	Yes	13	0.3 %	24.1%
8 (M)	NA: Did not receive treatment for prescription pills	762	15.7 %	-
9 (M)	NA: Did not use prescription pills	4030	83.2 %	-

Based upon 54 valid cases out of 4846 total cases.

PRPTRTYP_5 Was the treatment for Prescription Pills use some type of treatment, but you don't know the

Location: 1092-1092 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	54	1.1 %	100.0%
8 (M)	NA: Did not receive treatment for prescription pills	762	15.7 %	-

Value	Label	Unweighted Frequency	%	Valid %
9 (M)	NA: Did not use prescription pills	4030	83.2 %	-

Based upon 54 valid cases out of 4846 total cases.

PRPTRTYP_6 Was the treatment for Prescription Pills use some other type of treatment?

Location: 1093-1093 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	29	0.6 %	53.7%
1	Yes	25	0.5 %	46.3%
8 (M)	NA: Did not receive treatment for prescription pills	762	15.7 %	-
9 (M)	NA: Did not use prescription pills	4030	83.2 %	-

Based upon 54 valid cases out of 4846 total cases.

PRPTRTYPA Other (specify)

Location: 1094-1211 (width: 118; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%	Valid %
	4807	99.2 %	99.2%
Masked for Confidentiality	39	0.8 %	0.8%

Based upon 4846 valid cases out of 4846 total cases.

COCRT_1 Did you use Cocaine orally this year?

Location: 1212-1212 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1207	24.9 %	99.4%
1	Yes	7	0.1 %	0.6%
9 (M)	NA: Did not use cocaine	3632	74.9 %	-

Based upon 1214 valid cases out of 4846 total cases.

COCRT_2 Did you use Cocaine nasally this year?

Location: 1213-1213 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	399	8.2 %	32.9%
1	Yes	815	16.8 %	67.1%
9 (M)	NA: Did not use cocaine	3632	74.9 %	-

Based upon 1214 valid cases out of 4846 total cases.

COCRT_3 Did you use Cocaine by injecting this year?

Location: 1214-1214 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	729	15.0 %	60.0%
1	Yes	485	10.0 %	40.0%
9 (M)	NA: Did not use cocaine	3632	74.9 %	-

Based upon 1214 valid cases out of 4846 total cases.

COCRT_4 Did you use Cocaine by smoking this year?

Location: 1215-1215 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1105	22.8 %	91.0%
1	Yes	109	2.2 %	9.0%
9 (M)	NA: Did not use cocaine	3632	74.9 %	-

Based upon 1214 valid cases out of 4846 total cases.

COCRT_5 Did you use Cocaine by some other means this year?

Location: 1216-1216 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1214	25.1 %	100.0%
9 (M)	NA: Did not use cocaine	3632	74.9 %	-

Based upon 1214 valid cases out of 4846 total cases.

COCOFT_1 In the past year, did you use Cocaine several times a day (3 or more times a day only)?

Location: 1217-1217 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):

9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1000	20.6 %	82.4%
1	Yes	214	4.4 %	17.6%
9 (M)	NA: Did not use cocaine	3632	74.9 %	-

Based upon 1214 valid cases out of 4846 total cases.

COCOFT_2 In the past year, did you use Cocaine about once a day (1-2 times a day only)?

Location: 1218-1218 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1057	21.8 %	87.1%
1	Yes	157	3.2 %	12.9%
9 (M)	NA: Did not use cocaine	3632	74.9 %	-

Based upon 1214 valid cases out of 4846 total cases.

COCOFT_3 In the past year, did you use Cocaine several times a week (3 or more times a week only)?

Location: 1219-1219 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1003	20.7 %	82.6%
1	Yes	211	4.4 %	17.4%
9 (M)	NA: Did not use cocaine	3632	74.9 %	-

Based upon 1214 valid cases out of 4846 total cases.

COCOFT_4 In the past year, did you use Cocaine about once a week (1-2 times a week only)?

Location: 1220-1220 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1030	21.3 %	84.8%
1	Yes	184	3.8 %	15.2%
9 (M)	NA: Did not use cocaine	3632	74.9 %	-

Based upon 1214 valid cases out of 4846 total cases.

COCOFT_5 In the past year, did you use Cocaine several times a month (3 or more times a month only)?

Location: 1221-1221 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value Label Unweighted % Valid % Frequency No 22.5 % 89.6% 1088 1 Yes 126 2.6 % 10.4% NA: Did not use cocaine 9 (M) 3632 74.9 %

Based upon 1214 valid cases out of 4846 total cases.

COCOFT_6 In the past year, did you use Cocaine about once a month (1-2 times a month only)?

Location: 1222-1222 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1076	22.2 %	88.6%
1	Yes	138	2.8 %	11.4%
9 (M)	NA: Did not use cocaine	3632	74.9 %	-

Based upon 1214 valid cases out of 4846 total cases.

COCOFT_7 In the past year, did you use Cocaine less than once a month (about 3-11 times yearly only)?

Location: 1223-1223 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1030	21.3 %	84.8%
1	Yes	184	3.8 %	15.2%
9 (M)	NA: Did not use cocaine	3632	74.9 %	-

Based upon 1214 valid cases out of 4846 total cases.

COCOFTCO Comments:

Location: 1224-1323 (width: 100; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%	Valid %
	4819	99.4 %	99.4%
Masked for Confidentiality	27	0.6 %	0.6%

Based upon 4846 valid cases out of 4846 total cases.

COCTREAT Did you have any treatment for Cocaine use this year?

Location: 1324-1324 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value Label Unweighted % Valid % Frequency 0 No 1160 23.9 % 95.6% Yes 54 4.4% 1 1.1 % 9 (M) NA: Did not use cocaine 3632 74.9 %

Based upon 1214 valid cases out of 4846 total cases.

COCTRTYP_1 Was the treatment for Cocaine use a 12-step program?

Location: 1325-1325 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	20	0.4 %	37.0%
1	Yes	34	0.7 %	63.0%
8 (M)	NA: Did not receive treatment for cocaine	1160	23.9 %	-
9 (M)	NA: Did not use cocaine	3632	74.9 %	-

Based upon 54 valid cases out of 4846 total cases.

COCTRTYP_2 Was the treatment for Cocaine use an outpatient program?

Location: 1326-1326 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8 , 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	45	0.9 %	83.3%
1	Yes	9	0.2 %	16.7%
8 (M)	NA: Did not receive treatment for cocaine	1160	23.9 %	-
9 (M)	NA: Did not use cocaine	3632	74.9 %	-

Based upon 54 valid cases out of 4846 total cases.

COCTRTYP_3 Was the treatment for Cocaine use a residential program?

Location: 1327-1327 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8 , 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	26	0.5 %	48.1%
1	Yes	28	0.6 %	51.9%
8 (M)	NA: Did not receive treatment for cocaine	1160	23.9 %	-

Value	Label	Unweighted Frequency	%	Valid %
9 (M)	NA: Did not use cocaine	3632	74.9 %	-

Based upon 54 valid cases out of 4846 total cases.

COCTRTYP_4 Was the treatment for Cocaine use detoxification in a hospital or clinic?

Location: 1328-1328 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	47	1.0 %	87.0%
1	Yes	7	0.1 %	13.0%
8 (M)	NA: Did not receive treatment for cocaine	1160	23.9 %	-
9 (M)	NA: Did not use cocaine	3632	74.9 %	-

Based upon 54 valid cases out of 4846 total cases.

COCTRTYP_5 Was the treatment for Cocaine use some type of treatment, but you don't know the type?

Location: 1329-1329 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8 , 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	54	1.1 %	100.0%
8 (M)	NA: Did not receive treatment for cocaine	1160	23.9 %	-
9 (M)	NA: Did not use cocaine	3632	74.9 %	-

Based upon 54 valid cases out of 4846 total cases.

COCTRTYP_6 Was the treatment for Cocaine use some other type of treatment?

Location: 1330-1330 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8 , 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	46	0.9 %	85.2%
1	Yes	8	0.2 %	14.8%
8 (M)	NA: Did not receive treatment for cocaine	1160	23.9 %	-
9 (M)	NA: Did not use cocaine	3632	74.9 %	-

Based upon 54 valid cases out of 4846 total cases.

COCTRTYPA Other (specify)

Location: 1331-1448 (width: 118; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%	Valid %
	4829	99.6 %	99.6%
Masked for Confidentiality	17	0.4 %	0.4%

Based upon 4846 valid cases out of 4846 total cases.

CRKRT_1 Did you use Crack orally this year?

Location: 1449-1449 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	929	19.2 %	100.0%
9 (M)	NA: Did not use crack	3917	80.8 %	-

Based upon 929 valid cases out of 4846 total cases.

CRKRT_2 Did you use Crack nasally this year?

Location: 1450-1450 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	929	19.2 %	100.0%
9 (M)	NA: Did not use crack	3917	80.8 %	-

Based upon 929 valid cases out of 4846 total cases.

CRKRT_3 Did you use Crack by injecting this year?

Location: 1451-1451 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	884	18.2 %	95.2%
1	Yes	45	0.9 %	4.8%
9 (M)	NA: Did not use crack	3917	80.8 %	-

Based upon 929 valid cases out of 4846 total cases.

CRKRT_4 Did you use Crack by smoking this year?

Location: 1452-1452 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	39	0.8 %	4.2%
1	Yes	890	18.4 %	95.8%
9 (M)	NA: Did not use crack	3917	80.8 %	-

Based upon 929 valid cases out of 4846 total cases.

CRKRT_5 Did you use Crack by some other means this year?

Location: 1453-1453 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	929	19.2 %	100.0%
9 (M)	NA: Did not use crack	3917	80.8 %	-

Based upon 929 valid cases out of 4846 total cases.

CRKOFT_1 In the past year, did you use Crack several times a day (3 or more times a day only)?

Location: 1454-1454 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	520	10.7 %	56.0%
1	Yes	409	8.4 %	44.0%
9 (M)	NA: Did not use crack	3917	80.8 %	-

Based upon 929 valid cases out of 4846 total cases.

CRKOFT_2 In the past year, did you use Crack about once a day (1-2 times a day only)?

Location: 1455-1455 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	826	17.0 %	88.9%
1	Yes	103	2.1 %	11.1%
9 (M)	NA: Did not use crack	3917	80.8 %	-

Based upon 929 valid cases out of 4846 total cases.

CRKOFT_3 In the past year, did you use Crack several times a week (3 or more times a week only)?

Location: 1456-1456 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):

9

Value	Label	Unweighted Frequency	%	Valid %
0	No	783	16.2 %	84.3%
1	Yes	146	3.0 %	15.7%
9 (M)	NA: Did not use crack	3917	80.8 %	-

Based upon 929 valid cases out of 4846 total cases.

CRKOFT_4 In the past year, did you use Crack about once a week (1-2 times a week only)?

Location: 1457-1457 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	810	16.7 %	87.2%
1	Yes	119	2.5 %	12.8%
9 (M)	NA: Did not use crack	3917	80.8 %	-

Based upon 929 valid cases out of 4846 total cases.

CRKOFT_5 In the past year, did you use Crack several times a month (3 or more times a month only)?

Location: 1458-1458 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	864	17.8 %	93.0%
1	Yes	65	1.3 %	7.0%
9 (M)	NA: Did not use crack	3917	80.8 %	-

Based upon 929 valid cases out of 4846 total cases.

CRKOFT_6 In the past year, did you use Crack about once a month (1-2 times a month only)?

Location: 1459-1459 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	892	18.4 %	96.0%
1	Yes	37	0.8 %	4.0%
9 (M)	NA: Did not use crack	3917	80.8 %	-

Based upon 929 valid cases out of 4846 total cases.

CRKOFT_7 In the past year, did you use Crack less than once a month (about 3-11 times yearly only)?

Location: 1460-1460 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value Label Unweighted % Valid % Frequency 0 No 18.1 % 94.6% 879 50 1.0 % 5.4% 1 Yes 9 (M) NA: Did not use crack 3917 80.8 %

Based upon 929 valid cases out of 4846 total cases.

CRKOFTCO Comments:

Location: 1461-1560 (width: 100; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%	Valid %
	4816	99.4 %	99.4%
Masked for Confidentiality	30	0.6 %	0.6%

Based upon 4846 valid cases out of 4846 total cases.

CRKTREAT Did you have any treatment for Crack use this year?

Location: 1561-1561 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	811	16.7 %	87.7%
1	Yes	114	2.4 %	12.3%
9 (M)	NA: Did not use crack	3921	80.9 %	-

Based upon 925 valid cases out of 4846 total cases.

CRKTRTYP_1 Was the treatment for Crack use a 12-step program?

Location: 1562-1562 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8 , 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	17	0.4 %	14.9%
1	Yes	97	2.0 %	85.1%
8 (M)	NA: Did not receive treatment for crack	811	16.7 %	-
9 (M)	NA: Did not use crack	3921	80.9 %	-

Based upon 114 valid cases out of 4846 total cases.

CRKTRTYP_2 Was the treatment for Crack use an outpatient program?

Location: 1563-1563 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	81	1.7 %	71.1%
1	Yes	33	0.7 %	28.9%
8 (M)	NA: Did not receive treatment for crack	811	16.7 %	-
9 (M)	NA: Did not use crack	3921	80.9 %	-

Based upon 114 valid cases out of 4846 total cases.

CRKTRTYP_3 Was the treatment for Crack use a residential program?

Location: 1564-1564 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8 , 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	58	1.2 %	50.9%
1	Yes	56	1.2 %	49.1%
8 (M)	NA: Did not receive treatment for crack	811	16.7 %	-
9 (M)	NA: Did not use crack	3921	80.9 %	-

Based upon 114 valid cases out of 4846 total cases.

CRKTRTYP_4 Was the treatment for Crack use detoxification in a hospital or clinic?

Location: 1565-1565 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	103	2.1 %	90.4%
1	Yes	11	0.2 %	9.6%
8 (M)	NA: Did not receive treatment for crack	811	16.7 %	-
9 (M)	NA: Did not use crack	3921	80.9 %	-

Based upon 114 valid cases out of 4846 total cases.

CRKTRTYP_5 Was the treatment for Crack use some type of treatment, but you don't know the type?

Location: 1566-1566 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	114	2.4 %	100.0%

Value	Label	Unweighted Frequency	%	Valid %
8 (M)	NA: Did not receive treatment for crack	811	16.7 %	-
9 (M)	NA: Did not use crack	3921	80.9 %	-

Based upon 114 valid cases out of 4846 total cases.

CRKTRTYP_6 Was the treatment for Crack use some other type of treatment?

Location: 1567-1567 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8,9

Value	Label	Unweighted Frequency	%	Valid %
0	No	101	2.1 %	88.6%
1	Yes	13	0.3 %	11.4%
8 (M)	NA: Did not receive treatment for crack	811	16.7 %	-
9 (M)	NA: Did not use crack	3921	80.9 %	-

Based upon 114 valid cases out of 4846 total cases.

CRKTRTYPA Other (specify)

Location: 1568-1685 (width: 118; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%	Valid %
	4816	99.4 %	99.4%
Masked for Confidentiality	30	0.6 %	0.6%

Based upon 4846 valid cases out of 4846 total cases.

HERRT_1 Did you use Heroin orally this year?

Location: 1686-1686 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	871	18.0 %	99.8%
1	Yes	2	0.0 %	0.2%
9 (M)	NA: Did not use heroin	3973	82.0 %	-

Based upon 873 valid cases out of 4846 total cases.

HERRT_2 Did you use Heroin nasally this year?

Location: 1687-1687 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	622	12.8 %	71.2%
1	Yes	251	5.2 %	28.8%
9 (M)	NA: Did not use heroin	3973	82.0 %	-

Based upon 873 valid cases out of 4846 total cases.

HERRT_3 Did you use Heroin by injecting this year?

Location: 1688-1688 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	241	5.0 %	27.6%
1	Yes	632	13.0 %	72.4%
9 (M)	NA: Did not use heroin	3973	82.0 %	-

Based upon 873 valid cases out of 4846 total cases.

HERRT_4 Did you use Heroin by smoking this year?

Location: 1689-1689 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	854	17.6 %	97.8%
1	Yes	19	0.4 %	2.2%
9 (M)	NA: Did not use heroin	3973	82.0 %	-

Based upon 873 valid cases out of 4846 total cases.

HERRT_5 Did you use Heroin by some other means this year?

Location: 1690-1690 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	873	18.0 %	100.0%
9 (M)	NA: Did not use heroin	3973	82.0 %	-

Based upon 873 valid cases out of 4846 total cases.

HEROFT_1 In the past year, did you use Heroin several times a day (3 or more times a day only)?

Location: 1691-1691 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):

9

Value	Label	Unweighted Frequency	%	Valid %
0	No	581	12.0 %	66.6%
1	Yes	292	6.0 %	33.4%
9 (M)	NA: Did not use heroin	3973	82.0 %	-

Based upon 873 valid cases out of 4846 total cases.

HEROFT_2 In the past year, did you use Heroin about once a day (1-2 times a day only)?

Location: 1692-1692 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	747	15.4 %	85.6%
1	Yes	126	2.6 %	14.4%
9 (M)	NA: Did not use heroin	3973	82.0 %	-

Based upon 873 valid cases out of 4846 total cases.

HEROFT_3 In the past year, did you use Heroin several times a week (3 or more times a week only)?

Location: 1693-1693 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	762	15.7 %	87.3%
1	Yes	111	2.3 %	12.7%
9 (M)	NA: Did not use heroin	3973	82.0 %	-

Based upon 873 valid cases out of 4846 total cases.

HEROFT_4 In the past year, did you use Heroin about once a week (1-2 times a week only)?

Location: 1694-1694 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	766	15.8 %	87.7%
1	Yes	107	2.2 %	12.3%
9 (M)	NA: Did not use heroin	3973	82.0 %	-

Based upon 873 valid cases out of 4846 total cases.

HEROFT_5 In the past year, did you use Heroin several times a month (3 or more times a month only)?

Location: 1695-1695 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	774	16.0 %	88.7%
1	Yes	99	2.0 %	11.3%
9 (M)	NA: Did not use heroin	3973	82.0 %	-

Based upon 873 valid cases out of 4846 total cases.

HEROFT_6 In the past year, did you use Heroin about once a month (1-2 times a month only)?

Location: 1696-1696 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	852	17.6 %	97.6%
1	Yes	21	0.4 %	2.4%
9 (M)	NA: Did not use heroin	3973	82.0 %	-

Based upon 873 valid cases out of 4846 total cases.

HEROFT_7 In the past year, did you use Heroin less than once a month (about 3-11 times yearly only)?

Location: 1697-1697 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	756	15.6 %	86.6%
1	Yes	117	2.4 %	13.4%
9 (M)	NA: Did not use heroin	3973	82.0 %	-

Based upon 873 valid cases out of 4846 total cases.

HEROFTCO Comments:

Location: 1698-1797 (width: 100; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%	Valid %
	4807	99.2 %	99.2%
Masked for Confidentiality	39	0.8 %	0.8%

Based upon 4846 valid cases out of 4846 total cases.

HERTREAT Did you have any treatment for Heroin use this year?

Location: 1798-1798 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value Label Unweighted % Valid % Frequency 0 No 15.1 % 84.1% 734 Yes 139 2.9 % 15.9% 1 9 (M) NA: Did not use heroin 3973 82.0 %

Based upon 873 valid cases out of 4846 total cases.

HERTRTYP_1 Was the treatment for Heroin use a 12-step program?

Location: 1799-1799 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8,9

Value	Label	Unweighted Frequency	%	Valid %
0	No	81	1.7 %	58.3%
1	Yes	58	1.2 %	41.7%
8 (M)	NA: Did not receive treatment for heroin	734	15.1 %	-
9 (M)	NA: Did not use heroin	3973	82.0 %	-

Based upon 139 valid cases out of 4846 total cases.

HERTRTYP_2 Was the treatment for Heroin use an outpatient program?

Location: 1800-1800 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8 , 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	112	2.3 %	80.6%
1	Yes	27	0.6 %	19.4%
8 (M)	NA: Did not receive treatment for heroin	734	15.1 %	-
9 (M)	NA: Did not use heroin	3973	82.0 %	-

Based upon 139 valid cases out of 4846 total cases.

HERTRTYP_3 Was the treatment for Heroin use a residential program?

Location: 1801-1801 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8 , 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	113	2.3 %	81.3%
1	Yes	26	0.5 %	18.7%
8 (M)	NA: Did not receive treatment for heroin	734	15.1 %	-

Value	Label	Unweighted Frequency	%	Valid %
9 (M)	NA: Did not use heroin	3973	82.0 %	-

Based upon 139 valid cases out of 4846 total cases.

HERTRTYP_4 Was the treatment for Heroin use detoxification in a hospital or clinic?

Location: 1802-1802 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	127	2.6 %	91.4%
1	Yes	12	0.2 %	8.6%
8 (M)	NA: Did not receive treatment for heroin	734	15.1 %	-
9 (M)	NA: Did not use heroin	3973	82.0 %	-

Based upon 139 valid cases out of 4846 total cases.

HERTRTYP_5 Was the treatment for Heroin use some type of treatment, but you don't know the type?

Location: 1803-1803 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8 , 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	139	2.9 %	100.0%
8 (M)	NA: Did not receive treatment for heroin	734	15.1 %	-
9 (M)	NA: Did not use heroin	3973	82.0 %	-

Based upon 139 valid cases out of 4846 total cases.

HERTRTYP_6 Was the treatment for Heroin use some other type of treatment?

Location: 1804-1804 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	47	1.0 %	33.8%
1	Yes	92	1.9 %	66.2%
8 (M)	NA: Did not receive treatment for heroin	734	15.1 %	-
9 (M)	NA: Did not use heroin	3973	82.0 %	-

Based upon 139 valid cases out of 4846 total cases.

HERTRTYPA Other (specify)

Location: 1805-1922 (width: 118; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%	Valid %
	4731	97.6 %	97.6%
Masked for Confidentiality	115	2.4 %	2.4%

Based upon 4846 valid cases out of 4846 total cases.

AMPRT_1 Did you use Amphetamines orally this year?

Location: 1923-1923 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	55	1.1 %	20.9%
1	Yes	208	4.3 %	79.1%
9 (M)	NA: Did not use amphetamines	4583	94.6 %	-

Based upon 263 valid cases out of 4846 total cases.

AMPRT_2 Did you use Amphetamines nasally this year?

Location: 1924-1924 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	229	4.7 %	87.1%
1	Yes	34	0.7 %	12.9%
9 (M)	NA: Did not use amphetamines	4583	94.6 %	-

Based upon 263 valid cases out of 4846 total cases.

AMPRT_3 Did you use Amphetamines by injecting this year?

Location: 1925-1925 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	185	3.8 %	70.3%
1	Yes	78	1.6 %	29.7%
9 (M)	NA: Did not use amphetamines	4583	94.6 %	-

Based upon 263 valid cases out of 4846 total cases.

AMPRT_4 Did you use Amphetamines by smoking this year?

Location: 1926-1926 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	262	5.4 %	99.6%
1	Yes	1	0.0 %	0.4%
9 (M)	NA: Did not use amphetamines	4583	94.6 %	-

Based upon 263 valid cases out of 4846 total cases.

AMPRT_5 Did you use Amphetamines by some other means this year?

Location: 1927-1927 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	263	5.4 %	100.0%
9 (M)	NA: Did not use amphetamines	4583	94.6 %	-

Based upon 263 valid cases out of 4846 total cases.

AMPOFT_1 In the past year, did you use Amphetamines several times a day (3 or more times a day only)?

Location: 1928-1928 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	259	5.3 %	98.5%
1	Yes	4	0.1 %	1.5%
9 (M)	NA: Did not use amphetamines	4583	94.6 %	-

Based upon 263 valid cases out of 4846 total cases.

AMPOFT_2 In the past year, did you use Amphetamines about once a day (1-2 times a day only)?

Location: 1929-1929 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	234	4.8 %	89.0%
1	Yes	29	0.6 %	11.0%
9 (M)	NA: Did not use amphetamines	4583	94.6 %	-

Based upon 263 valid cases out of 4846 total cases.

AMPOFT_3 In the past year, did you use Amphetamines several times a week (3 or more times a week

only)?

Location: 1930-1930 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	194	4.0 %	73.8%
1	Yes	69	1.4 %	26.2%
9 (M)	NA: Did not use amphetamines	4583	94.6 %	-

Based upon 263 valid cases out of 4846 total cases.

AMPOFT_4 In the past year, did you use Amphetamines about once a week (1-2 times a week only)?

Location: 1931-1931 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	223	4.6 %	84.8%
1	Yes	40	0.8 %	15.2%
9 (M)	NA: Did not use amphetamines	4583	94.6 %	-

Based upon 263 valid cases out of 4846 total cases.

AMPOFT_5 In the past year, did you use Amphetamines several times a month (3 or more times a month

Location: 1932-1932 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	230	4.7 %	87.5%
1	Yes	33	0.7 %	12.5%
9 (M)	NA: Did not use amphetamines	4583	94.6 %	-

Based upon 263 valid cases out of 4846 total cases.

AMPOFT_6 In the past year, did you use Amphetamines about once a month (1-2 times a month only)?

Location: 1933-1933 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	205	4.2 %	77.9%
1	Yes	58	1.2 %	22.1%
9 (M)	NA: Did not use amphetamines	4583	94.6 %	-

Based upon 263 valid cases out of 4846 total cases.

AMPOFT_7 In the past year, did you use Amphetamines less than once a month (about 3-11 times yearly

only)?

Location: 1934-1934 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	233	4.8 %	88.6%
1	Yes	30	0.6 %	11.4%
9 (M)	NA: Did not use amphetamines	4583	94.6 %	-

Based upon 263 valid cases out of 4846 total cases.

AMPOFTCO Comments:

Location: 1935-2034 (width: 100; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%	Valid %
	4831	99.7 %	99.7%
Masked for Confidentiality	15	0.3 %	0.3%

Based upon 4846 valid cases out of 4846 total cases.

AMPTREAT Did you have any treatment for Amphetamine use this year?

Location: 2035-2035 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	252	5.2 %	96.2%
1	Yes	10	0.2 %	3.8%
9 (M)	NA: Did not use amphetamines	4584	94.6 %	-

Based upon 262 valid cases out of 4846 total cases.

AMPTRTYP_1 Was the treatment for Amphetamine use a 12-step program?

Location: 2036-2036 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2	0.0 %	20.0%
1	Yes	8	0.2 %	80.0%
8 (M)	NA: Did not receive treatment for amphetamines	252	5.2 %	-

Value	Label	Unweighted Frequency	%	Valid %
9 (M)	NA: Did not use amphetamines	4584	94.6 %	-

Based upon 10 valid cases out of 4846 total cases.

AMPTRTYP_2 Was the treatment for Amphetamine use an outpatient program?

Location: 2037-2037 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	9	0.2 %	90.0%
1	Yes	1	0.0 %	10.0%
8 (M)	NA: Did not receive treatment for amphetamines	252	5.2 %	-
9 (M)	NA: Did not use amphetamines	4584	94.6 %	-

Based upon 10 valid cases out of 4846 total cases.

AMPTRTYP_3 Was the treatment for Amphetamine use a residential program?

Location: 2038-2038 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8 , 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	6	0.1 %	60.0%
1	Yes	4	0.1 %	40.0%
8 (M)	NA: Did not receive treatment for amphetamines	252	5.2 %	-
9 (M)	NA: Did not use amphetamines	4584	94.6 %	-

Based upon 10 valid cases out of 4846 total cases.

AMPTRTYP_4 Was the treatment for Amphetamine use detoxification in a hospital or clinic?

Location: 2039-2039 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	8	0.2 %	80.0%
1	Yes	2	0.0 %	20.0%
8 (M)	NA: Did not receive treatment for amphetamines	252	5.2 %	-
9 (M)	NA: Did not use amphetamines	4584	94.6 %	-

Based upon 10 valid cases out of 4846 total cases.

AMPTRTYP_5 Was the treatment for Amphetamine use some type of treatment, but you don't know the type?

Location: 2040-2040 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	10	0.2 %	100.0%
8 (M)	NA: Did not receive treatment for amphetamines	252	5.2 %	-
9 (M)	NA: Did not use amphetamines	4584	94.6 %	-

Based upon 10 valid cases out of 4846 total cases.

AMPTRTYP_6 Was the treatment for Amphetamine use some other type of treatment?

Location: 2041-2041 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	10	0.2 %	100.0%
8 (M)	NA: Did not receive treatment for amphetamines	252	5.2 %	-
9 (M)	NA: Did not use amphetamines	4584	94.6 %	-

Based upon 10 valid cases out of 4846 total cases.

AMPTRTYPA Other (specify)

Location: 2042-2159 (width: 118; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%	Valid %
	4844	100.0 %	100.0%
Masked for Confidentiality	2	0.0 %	0.0%

Based upon 4846 valid cases out of 4846 total cases.

METRT_1 Did you use Methamphetamines orally this year?

Location: 2160-2160 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	299	6.2 %	69.9%
1	Yes	129	2.7 %	30.1%

91.2 %

4418

Based upon 428 valid cases out of 4846 total cases.

NA: Did not use methamphetamine

METRT_2 Did you use Methamphetamines nasally this year?

9 (M)

Location: 2161-2161 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	210	4.3 %	49.1%
1	Yes	218	4.5 %	50.9%
9 (M)	NA: Did not use methamphetamine	4418	91.2 %	-

Based upon 428 valid cases out of 4846 total cases.

METRT_3 Did you use Methamphetamines by injecting this year?

Location: 2162-2162 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	265	5.5 %	61.9%
1	Yes	163	3.4 %	38.1%
9 (M)	NA: Did not use methamphetamine	4418	91.2 %	-

Based upon 428 valid cases out of 4846 total cases.

METRT_4 Did you use Methamphetamines by smoking this year?

Location: 2163-2163 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	317	6.5 %	74.1%
1	Yes	111	2.3 %	25.9%
9 (M)	NA: Did not use methamphetamine	4418	91.2 %	-

Based upon 428 valid cases out of 4846 total cases.

METRT_5 Did you use Methamphetamines by some other means this year?

Location: 2164-2164 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	428	8.8 %	100.0%
9 (M)	NA: Did not use methamphetamine	4418	91.2 %	-

Based upon 428 valid cases out of 4846 total cases.

METOFT_1 In the past year, did you use Methamphetamines several times a day (3 or more times a day

only)?

Location: 2165-2165 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):

Value	Label	Unweighted Frequency	%	Valid %
0	No	338	7.0 %	79.0%
1	Yes	90	1.9 %	21.0%
9 (M)	NA: Did not use methamphetamine	4418	91.2 %	-

Based upon 428 valid cases out of 4846 total cases.

METOFT_2 In the past year, did you use Methamphetamines about once a day (1-2 times a day only)?

Location: 2166-2166 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	379	7.8 %	88.6%
1	Yes	49	1.0 %	11.4%
9 (M)	NA: Did not use methamphetamine	4418	91.2 %	-

Based upon 428 valid cases out of 4846 total cases.

METOFT_3 In the past year, did you use Methamphetamines several times a week (3 or more times a week only)?

Location: 2167-2167 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	347	7.2 %	81.1%
1	Yes	81	1.7 %	18.9%
9 (M)	NA: Did not use methamphetamine	4418	91.2 %	-

Based upon 428 valid cases out of 4846 total cases.

METOFT_4 In the past year, did you use Methamphetamines about once a week (1-2 times a week only)?

Location: 2168-2168 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	366	7.6 %	85.5%
1	Yes	62	1.3 %	14.5%

Value	Label	Unweighted Frequency	%	Valid %
9 (M)	NA: Did not use methamphetamine	4418	91.2 %	-

Based upon 428 valid cases out of 4846 total cases.

METOFT_5 In the past year, did you use Methamphetamines several times a month (3 or more times a month only)?

Location: 2169-2169 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	375	7.7 %	87.6%
1	Yes	53	1.1 %	12.4%
9 (M)	NA: Did not use methamphetamine	4418	91.2 %	-

Based upon 428 valid cases out of 4846 total cases.

METOFT_6 In the past year, did you use Methamphetamines about once a month (1-2 times a month only)?

Location: 2170-2170 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	405	8.4 %	94.6%
1	Yes	23	0.5 %	5.4%
9 (M)	NA: Did not use methamphetamine	4418	91.2 %	-

Based upon 428 valid cases out of 4846 total cases.

METOFT_7 In the past year, did you use Methamphetamines less than once a month (about 3-11 times yearly only)?

Location: 2171-2171 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	358	7.4 %	83.6%
1	Yes	70	1.4 %	16.4%
9 (M)	NA: Did not use methamphetamine	4418	91.2 %	-

Based upon 428 valid cases out of 4846 total cases.

METOFTCO Comments:

Location: 2172-2271 (width: 100; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%	Valid %
	4825	99.6 %	99.6%
Masked for Confidentiality	21	0.4 %	0.4%

Based upon 4846 valid cases out of 4846 total cases.

METTREAT Did you have any treatment for Methamphetamine use this year?

Location: 2272-2272 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	412	8.5 %	96.3%
1	Yes	16	0.3 %	3.7%
9 (M)	NA: Did not use methamphetamine	4418	91.2 %	-

Based upon 428 valid cases out of 4846 total cases.

METTRTYP_1 Was the treatment for Methamphetamine use a 12-step program?

Location: 2273-2273 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8,9

Value	Label	Unweighted Frequency	%	Valid %
0	No	4	0.1 %	25.0%
1	Yes	12	0.2 %	75.0%
8 (M)	NA: Did not receive treatment for methamphetamine	412	8.5 %	-
9 (M)	NA: Did not use methamphetamine	4418	91.2 %	-

Based upon 16 valid cases out of 4846 total cases.

METTRTYP_2 Was the treatment for Methamphetamine use an outpatient program?

Location: 2274-2274 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	11	0.2 %	68.8%
1	Yes	5	0.1 %	31.2%
8 (M)	NA: Did not receive treatment for methamphetamine	412	8.5 %	-
9 (M)	NA: Did not use methamphetamine	4418	91.2 %	-

Based upon 16 valid cases out of 4846 total cases.

METTRTYP_3 Was the treatment for Methamphetamine use a residential program?

Location: 2275-2275 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	6	0.1 %	37.5%
1	Yes	10	0.2 %	62.5%
8 (M)	NA: Did not receive treatment for methamphetamine	412	8.5 %	-
9 (M)	NA: Did not use methamphetamine	4418	91.2 %	-

Based upon 16 valid cases out of 4846 total cases.

METTRTYP_4 Was the treatment for Methamphetamine use detoxification in a hospital or clinic?

Location: 2276-2276 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	12	0.2 %	75.0%
1	Yes	4	0.1 %	25.0%
8 (M)	NA: Did not receive treatment for methamphetamine	412	8.5 %	-
9 (M)	NA: Did not use methamphetamine	4418	91.2 %	-

Based upon 16 valid cases out of 4846 total cases.

METTRTYP_5 Was the treatment for Methamphetamine use some type of treatment, but you don't know the type?

Location: 2277-2277 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 8, 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	16	0.3 %	100.0%
8 (M)	NA: Did not receive treatment for methamphetamine	412	8.5 %	-
9 (M)	NA: Did not use methamphetamine	4418	91.2 %	-

Based upon 16 valid cases out of 4846 total cases.

METTRTYP_6 Was the treatment for Methamphetamine use some other type of treatment?

Location: 2278-2278 (width: 1; decimal: 0)

Value	Label	Unweighted Frequency	%	Valid %
0	No	14	0.3 %	87.5%
1	Yes	2	0.0 %	12.5%
8 (M)	NA: Did not receive treatment for methamphetamine	412	8.5 %	-
9 (M)	NA: Did not use methamphetamine	4418	91.2 %	-

Based upon 16 valid cases out of 4846 total cases.

METTRTYPA Other (specify)

Location: 2279-2396 (width: 118; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%	Valid %
	4839	99.9 %	99.9%
Masked for Confidentiality	7	0.1 %	0.1%

Based upon 4846 valid cases out of 4846 total cases.

OUTCTRL During this year, how often did you feel your drug use was out of control?

Location: 2397-2397 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
1	Never	1983	40.9 %	57.9%
2	Sometimes	522	10.8 %	15.2%
3	Often	234	4.8 %	6.8%
4	Always	688	14.2 %	20.1%
9 (M)	N/A; did not use drugs this year	1419	29.3 %	-

Based upon 3427 valid cases out of 4846 total cases.

OUTCTLDR_1 During this year, was it your tobacco use that was out of control?

Location: 2398-2398 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1327	27.4 %	92.2%
1	Yes	112	2.3 %	7.8%
9 (M)	NA: Did not use drugs this year or it's not out of control	3407	70.3 %	-

Based upon 1439 valid cases out of 4846 total cases.

OUTCTLDR_2 During this year, was it your alcohol use that was out of control?

Location: 2399-2399 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	983	20.3 %	68.3%
1	Yes	456	9.4 %	31.7%
9 (M)	NA: Did not use drugs this year or it's not out of control	3407	70.3 %	-

Based upon 1439 valid cases out of 4846 total cases.

OUTCTLDR_3 During this year, was it your marijuana use that was out of control?

Location: 2400-2400 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1279	26.4 %	88.9%
1	Yes	160	3.3 %	11.1%
9 (M)	NA: Did not use drugs this year or it's not out of control	3407	70.3 %	-

Based upon 1439 valid cases out of 4846 total cases.

OUTCTLDR_4 During this year, was it your use of hallucinogens/ecstasy/club drugs that was out of control?

Location: 2401-2401 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1401	28.9 %	97.4%
1	Yes	38	0.8 %	2.6%
9 (M)	NA: Did not use drugs this year or it's not out of control	3407	70.3 %	-

Based upon 1439 valid cases out of 4846 total cases.

OUTCTLDR_5 During this year, was it your prescription pill use that was out of control?

Location: 2402-2402 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1143	23.6 %	79.4%

Value	Label	Unweighted Frequency	%	Valid %
1	Yes	296	6.1 %	20.6%
9 (M)	NA: Did not use drugs this year or it's not out of control	3407	70.3 %	-

Based upon 1439 valid cases out of 4846 total cases.

OUTCTLDR_6 During this year, was it your cocaine use that was out of control?

Location: 2403-2403 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1020	21.0 %	70.9%
1	Yes	419	8.6 %	29.1%
9 (M)	NA: Did not use drugs this year or it's not out of control	3407	70.3 %	-

Based upon 1439 valid cases out of 4846 total cases.

OUTCTLDR_7 During this year, was it your crack use that was out of control?

Location: 2404-2404 (width: 1; decimal: 0)

9

Variable Type: numeric

Range of Missing Values (M):

Value	Label	Unweighted Frequency	%	Valid %
0	No	852	17.6 %	59.2%
1	Yes	587	12.1 %	40.8%
9 (M)	NA: Did not use drugs this year or it's not out of control	3407	70.3 %	-

Based upon 1439 valid cases out of 4846 total cases.

OUTCTLDR_8 During this year, was it your heroin use that was out of control?

Location: 2405-2405 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):

Value	Label	Unweighted Frequency	%	Valid %
0	No	1075	22.2 %	74.7%
1	Yes	364	7.5 %	25.3%
9 (M)	NA: Did not use drugs this year or it's not out of control	3407	70.3 %	-

Based upon 1439 valid cases out of 4846 total cases.

OUTCTLDR_9 During this year, was it your amphetamine use that was out of control?

Location: 2406-2406 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1386	28.6 %	96.3%
1	Yes	53	1.1 %	3.7%
9 (M)	NA: Did not use drugs this year or it's not out of control	3407	70.3 %	-

Based upon 1439 valid cases out of 4846 total cases.

OUTCTLDR_10 During this year, was it your methamphetamine use that was out of control?

Location: 2407-2407 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1277	26.4 %	88.7%
1	Yes	162	3.3 %	11.3%
9 (M)	NA: Did not use drugs this year or it's not out of control	3407	70.3 %	-

Based upon 1439 valid cases out of 4846 total cases.

OUTCTLCO Comments about this question:

Location: 2408-2525 (width: 118; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%	Valid %
	4792	98.9 %	98.9%
Masked for Confidentiality	54	1.1 %	1.1%

Based upon 4846 valid cases out of 4846 total cases.

LIFPRB During this year, how often did you feel that your drug use caused problems in your life?

Location: 2526-2526 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
1	Never	1738	35.9 %	50.7%
2	Sometimes	835	17.2 %	24.4%
3	Often	277	5.7 %	8.1%
4	Always	577	11.9 %	16.8%
9 (M)	N/A; did not use drugs during this year	1419	29.3 %	-

Based upon 3427 valid cases out of 4846 total cases.

LIFPRBDR_1 During this year, was it your tobacco use that caused problems in your life?

Location: 2527-2527 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1557	32.1 %	93.8%
1	Yes	103	2.1 %	6.2%
9 (M)	NA: Did not use drugs this year or it didn't cause problems in life	3186	65.7 %	-

Based upon 1660 valid cases out of 4846 total cases.

LIFPRBDR_2 During this year, was it your alcohol use that caused problems in your life?

Location: 2528-2528 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1071	22.1 %	64.5%
1	Yes	589	12.2 %	35.5%
9 (M)	NA: Did not use drugs this year or it didn't cause problems in life	3186	65.7 %	-

Based upon 1660 valid cases out of 4846 total cases.

LIFPRBDR_3 During this year, was it your marijuana use that caused problems in your life?

Location: 2529-2529 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1366	28.2 %	82.3%
1	Yes	294	6.1 %	17.7%
9 (M)	NA: Did not use drugs this year or it didn't cause problems in life	3186	65.7 %	-

Based upon 1660 valid cases out of 4846 total cases.

LIFPRBDR_4 During this year, was it your hallucinogens/ecstasy/club drugs use that caused problems in your life?

Location: 2530-2530 (width: 1; decimal: 0)

Value	Label	Unweighted Frequency	%	Valid %
0	No	1612	33.3 %	97.1%
1	Yes	48	1.0 %	2.9%
9 (M)	NA: Did not use drugs this year or it didn't cause problems in life	3186	65.7 %	-

Based upon 1660 valid cases out of 4846 total cases.

LIFPRBDR_5 During this year, was it your prescription pill use that caused problems in your life?

Location: 2531-2531 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1344	27.7 %	81.0%
1	Yes	316	6.5 %	19.0%
9 (M)	NA: Did not use drugs this year or it didn't cause problems in life	3186	65.7 %	-

Based upon 1660 valid cases out of 4846 total cases.

LIFPRBDR_6 During this year, was it your cocaine use that caused problems in your life?

Location: 2532-2532 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1164	24.0 %	70.1%
1	Yes	496	10.2 %	29.9%
9 (M)	NA: Did not use drugs this year or it didn't cause problems in life	3186	65.7 %	-

Based upon 1660 valid cases out of 4846 total cases.

LIFPRBDR_7 During this year, was it your crack use that caused problems in your life?

Location: 2533-2533 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1044	21.5 %	62.9%
1	Yes	616	12.7 %	37.1%
9 (M)	NA: Did not use drugs this year or it didn't cause problems in life	3186	65.7 %	-

Based upon 1660 valid cases out of 4846 total cases.

LIFPRBDR_8 During this year, was it your heroin use that caused problems in your life?

Location: 2534-2534 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1258	26.0 %	75.8%
1	Yes	402	8.3 %	24.2%
9 (M)	NA: Did not use drugs this year or it didn't cause problems in life	3186	65.7 %	-

Based upon 1660 valid cases out of 4846 total cases.

LIFPRBDR_9 During this year, was it your amphetamine use that caused problems in your life?

Location: 2535-2535 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1598	33.0 %	96.3%
1	Yes	62	1.3 %	3.7%
9 (M)	NA: Did not use drugs this year or it didn't cause problems in life	3186	65.7 %	-

Based upon 1660 valid cases out of 4846 total cases.

LIFPRBDR_10 During this year, was it your methamphetamine use that caused problems in your life?

Location: 2536-2536 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1466	30.3 %	88.3%
1	Yes	194	4.0 %	11.7%
9 (M)	NA: Did not use drugs this year or it didn't cause problems in life	3186	65.7 %	-

Based upon 1660 valid cases out of 4846 total cases.

LIFPRBCO Comments about this question:

Location: 2537-2727 (width: 191; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%	Valid %
	4315	89.0 %	89.0%
Masked for Confidentiality	531	11.0 %	11.0%

Based upon 4846 valid cases out of 4846 total cases.

DSMCTRL1 During this year, had there been a period when you spent a great deal of time using drugs, getting drugs or getting over its effects?

Location: 2728-2728 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1357	28.0 %	40.6%
1	Yes	1988	41.0 %	59.4%
9 (M)	N/A; did not use drugs this year	1501	31.0 %	-

Based upon 3345 valid cases out of 4846 total cases.

DSMCTRL2 During this year, had you often used larger amounts of drugs or used drugs for a longer period of time than you intended to?

Location: 2729-2729 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	1683	34.7 %	50.3%
1	Yes	1662	34.3 %	49.7%
9 (M)	N/A; did not use drugs this year	1501	31.0 %	-

Based upon 3345 valid cases out of 4846 total cases.

DSMCTRL3 During this year, had you often wanted to cut down on or control your drug use or had you tried to cut down but you couldn't?

Location: 2730-2730 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2043	42.2 %	61.1%
1	Yes	1302	26.9 %	38.9%
9 (M)	N/A; did not use drugs this year	1501	31.0 %	-

Based upon 3345 valid cases out of 4846 total cases.

DSMCTRL4 During this year, had you found that you had to take a lot more drugs to get the same effect?

Location: 2731-2731 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):

Value	Label	Unweighted Frequency	%	Valid %
0	No	1742	35.9 %	52.1%
1	Yes	1603	33.1 %	47.9%
9 (M)	N/A; did not use drugs this year	1501	31.0 %	-

Based upon 3345 valid cases out of 4846 total cases.

TREATANY During this year, were you in any kind of treatment?

2732-2732 (width: 1; decimal: 0)

Variable Type: numeric

Location:

Label Unweighted Value % Valid % Frequency 0 No 4310 88.9 % 88.9% 1 Any type of 12-Step program 350 7.2 % 7.2% 2 Other 3.8 % 186 3.8%

Based upon 4846 valid cases out of 4846 total cases.

TREATANYA Other (specify)

Location: 2733-2832 (width: 100; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%	Valid %
	4474	92.3 %	92.3%
Masked for Confidentiality	372	7.7 %	7.7%

Based upon 4846 valid cases out of 4846 total cases.

GEOAREA What type of geographic area did you live in during this year?

Location: 2833-2833 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%	Valid %
1	Rural	449	9.3 %	9.3%
2	Suburban	1444	29.8 %	29.8%
3	Urban	2293	47.3 %	47.3%
4	Small town	660	13.6 %	13.6%

Based upon 4846 valid cases out of 4846 total cases.

RESSTAT What was your type of residence status for the majority of this year?

Location: 2834-2835 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%	Valid %
1	Own home	1420	29.3 %	29.3%
2	Rent home	2076	42.8 %	42.8%
3	Pay roomate	186	3.8 %	3.8%
4	Live in someone's home for free	522	10.8 %	10.8%
5	Government paid home	87	1.8 %	1.8%
6	Military base	80	1.7 %	1.7%
7	Single room occupancy/Boarding room	74	1.5 %	1.5%
8	Shelter	37	0.8 %	0.8%
9	Homeless on street	131	2.7 %	2.7%
10	Jail/Prison	156	3.2 %	3.2%
11	Other	77	1.6 %	1.6%

Based upon 4846 valid cases out of 4846 total cases.

RESSTATA Other (specify)

Location: 2836-2935 (width: 100; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%	Valid %
	4492	92.7 %	92.7%
Masked for Confidentiality	354	7.3 %	7.3%

Based upon 4846 valid cases out of 4846 total cases.

FAMROLE_1 During this year, was your family role that of a son or daughter?

Location: 2936-2936 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%	Valid %
0	No	708	14.6 %	14.6%
1	Yes	4138	85.4 %	85.4%

Based upon 4846 valid cases out of 4846 total cases.

FAMROLE_2 During this year, was your family role that of a sibling?

Location: 2937-2937 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%	Valid %
0	No	699	14.4 %	14.4%
1	Yes	4147	85.6 %	85.6%

Based upon 4846 valid cases out of 4846 total cases.

FAMROLE_3 During this year, was your family role that of a father or mother?

Location: 2938-2938 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%	Valid %
0	No	3191	65.8 %	65.8%
1	Yes	1655	34.2 %	34.2%

Based upon 4846 valid cases out of 4846 total cases.

FAMROLE_4 During this year, was your family role that of a partner?

Location: 2939-2939 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%	Valid %
0	No	3758	77.5 %	77.5%
1	Yes	1088	22.5 %	22.5%

Based upon 4846 valid cases out of 4846 total cases.

FAMROLE_5 During this year, was your family role that of a spouse?

Location: 2940-2940 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%	Valid %
0	No	4087	84.3 %	84.3%
1	Yes	759	15.7 %	15.7%

Based upon 4846 valid cases out of 4846 total cases.

FAMROLE_6 During this year, was your family role N/A?

Location: 2941-2941 (width: 1; decimal: 0)

Variable Type: numeric

1	Value	Label	Unweighted Frequency	%	Valid %
()	No	4660	96.2 %	96.2%
	1	Yes	186	3.8 %	3.8%

Based upon 4846 valid cases out of 4846 total cases.

FAMROLE_7 During this year, was your family role that of some other role?

Location: 2942-2942 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%	Valid %
0	No	4727	97.5 %	97.5%
1	Yes	119	2.5 %	2.5%

Based upon 4846 valid cases out of 4846 total cases.

FAMROLEA Other (specify)

Location: 2943-3042 (width: 100; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%	Valid %
	4669	96.3 %	96.3%
Masked for Confidentiality	177	3.7 %	3.7%

Based upon 4846 valid cases out of 4846 total cases.

WRKROLE What was you major work role during this year?

Location: 3043-3044 (width: 2; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 99

Value	Label	Unweighted Frequency	%	Valid %
1	Professional	148	3.1 %	4.3%
2	Managerial	10	0.2 %	0.3%
3	Office	239	4.9 %	7.0%
4	Blue collar	1012	20.9 %	29.6%
5	Service/Restaurant	548	11.3 %	16.1%
6	Farm	23	0.5 %	0.7%
7	Day labor	48	1.0 %	1.4%
8	Military	66	1.4 %	1.9%
9	Student	71	1.5 %	2.1%
10	Homemaker	109	2.2 %	3.2%
11	Disabled, not working	116	2.4 %	3.4%
12	Sales	158	3.3 %	4.6%
13	After-school work	190	3.9 %	5.6%
14	Looking for work	53	1.1 %	1.6%
15	Unemployed, not seeking work	346	7.1 %	10.1%
16	Prison work/Community service	155	3.2 %	4.5%
18	Other	122	2.5 %	3.6%
99 (M)	N/A (did not start working yet)	1432	29.6 %	-

Based upon 3414 valid cases out of 4846 total cases.

WRKROLEA Other (specify)

Location: 3045-3144 (width: 100; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%	Valid %
	4469	92.2 %	92.2%

Value	Unweighted Frequency	%	Valid %
Masked for Confidentiality	377	7.8 %	7.8%

Based upon 4846 valid cases out of 4846 total cases.

DRGROLE_1 Was one of the drug roles you had this year that of a user?

Location: 3145-3145 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%	Valid %
0	No	1401	28.9 %	28.9%
1	Yes	3445	71.1 %	71.1%

Based upon 4846 valid cases out of 4846 total cases.

DRGROLE_2 Was one of the drug roles you had this year that of a runner?

Location: 3146-3146 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%	Valid %
0	No	4392	90.6 %	90.6%
1	Yes	454	9.4 %	9.4%

Based upon 4846 valid cases out of 4846 total cases.

DRGROLE_3 Was one of the drug roles you had this year that of a dealer?

Location: 3147-3147 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%	Valid %
0	No	4312	89.0 %	89.0%
1	Yes	534	11.0 %	11.0%

Based upon 4846 valid cases out of 4846 total cases.

DRGROLE_4 Was one of the drug roles you had this year that of a producer?

Location: 3148-3148 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%	Valid %
0	No	4833	99.7 %	99.7%
1	Yes	13	0.3 %	0.3%

Based upon 4846 valid cases out of 4846 total cases.

DRGROLE_5 Was one of the drug roles you had this year that of a person who engages in sex work for drugs?

- 86 -

Location: 3149-3149 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%	Valid %
0	No	4638	95.7 %	95.7%
1	Yes	208	4.3 %	4.3%

Based upon 4846 valid cases out of 4846 total cases.

DRGROLE_6 Was one of the drug roles you had this year that of a person who hustles for drugs?

Location: 3150-3150 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%	Valid %
0	No	4342	89.6 %	89.6%
1	Yes	504	10.4 %	10.4%

Based upon 4846 valid cases out of 4846 total cases.

DRGROLE_7 Was one of the drug roles you had this year N/A?

Location: 3151-3151 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%	Valid %
0	No	3447	71.1 %	71.1%
1	Yes	1399	28.9 %	28.9%

Based upon 4846 valid cases out of 4846 total cases.

DRGROLE_8 Was one of the drug roles you had this year some other role?

Location: 3152-3152 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%	Valid %
0	No	4774	98.5 %	98.5%
1	Yes	72	1.5 %	1.5%

Based upon 4846 valid cases out of 4846 total cases.

DRGROLEA Other (specify)

Location: 3153-3252 (width: 100; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%	Valid %
	4730	97.6 %	97.6%
Masked for Confidentiality	116	2.4 %	2.4%

Based upon 4846 valid cases out of 4846 total cases.

PRISON Were you in prison/jail/youth detention at any time this year?

Location: 3253-3253 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%	Valid %
0	No	4247	87.6 %	87.6%
1	Yes	599	12.4 %	12.4%

Based upon 4846 valid cases out of 4846 total cases.

SEXINT Did you have sexual intercourse this year?

Location: 3254-3254 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%	Valid %
0	No	1900	39.2 %	39.2%
1	Yes	2946	60.8 %	60.8%

Based upon 4846 valid cases out of 4846 total cases.

SEXPART_1 Was one of your sexual partners that you had this year your spouse?

Location: 3255-3255 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M):

Value	Label	Unweighted Frequency	%	Valid %
0	No	2212	45.6 %	75.1%
1	Yes	734	15.1 %	24.9%
9 (M)	NA: Did not have sexual intercourse during this year	1900	39.2 %	-

Based upon 2946 valid cases out of 4846 total cases.

SEXPART_2 Was one of your sexual partners that you had this year a steady partner?

Location: 3256-3256 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):

Value	Label	Unweighted Frequency	%	Valid %
0	No	1608	33.2 %	54.6%
1	Yes	1338	27.6 %	45.4%
9 (M)	NA: Did not have sexual intercourse during this year	1900	39.2 %	-

Based upon 2946 valid cases out of 4846 total cases.

SEXPART_3 Was one of your sexual partners that you had this year an occasional partner?

Location: 3257-3257 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2575	53.1 %	87.4%
1	Yes	371	7.7 %	12.6%
9 (M)	NA: Did not have sexual intercourse during this year	1900	39.2 %	-

Based upon 2946 valid cases out of 4846 total cases.

SEXPART_4 Was one of your sexual partners that you had this year a friend?

Location: 3258-3258 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2468	50.9 %	83.8%
1	Yes	478	9.9 %	16.2%
9 (M)	NA: Did not have sexual intercourse during this year	1900	39.2 %	-

Based upon 2946 valid cases out of 4846 total cases.

SEXPART_5 Was one of your sexual partners that you had this year an acquaintance?

Location: 3259-3259 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2434	50.2 %	82.6%
1	Yes	512	10.6 %	17.4%
9 (M)	NA: Did not have sexual intercourse during this year	1900	39.2 %	-

Based upon 2946 valid cases out of 4846 total cases.

SEXPART_6 Was one of your sexual partners that you had this year someone who was paying you for sex or someone you paid to have sex with?

Location: 3260-3260 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2614	53.9 %	88.7%
1	Yes	332	6.9 %	11.3%
9 (M)	NA: Did not have sexual intercourse during this year	1900	39.2 %	-

Based upon 2946 valid cases out of 4846 total cases.

SEXPART_7 Was one of your sexual partners that you had this year a stranger?

Location: 3261-3261 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2602	53.7 %	88.3%
1	Yes	344	7.1 %	11.7%
9 (M)	NA: Did not have sexual intercourse during this year	1900	39.2 %	-

Based upon 2946 valid cases out of 4846 total cases.

SEXPART_8 Was one of your sexual partners that you had this year some other form of a sexual parnter that was not listed previously?

Location: 3262-3262 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 9

> Value Label Valid % Unweighted % Frequency 0 No 99.0% 60.2 % 2917 Yes 29 0.6 % 1.0% 9 (M) NA: Did not have sexual intercourse during this 1900 39.2 %

Based upon 2946 valid cases out of 4846 total cases.

SEXPARTA Other (specify)

Location: 3263-3362 (width: 100; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%	Valid %
	4803	99.1 %	99.1%
Masked for Confidentiality	43	0.9 %	0.9%

Based upon 4846 valid cases out of 4846 total cases.

SEXSPS How many of this type of partner did you have: Spouse

year

Location: 3363-3366 (width: 4; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 9999

Value	Label	Unweighted Frequency	%	Valid %
1	-	733	15.1 %	99.9%
2	-	1	0.0 %	0.1%
9999 (M)	NA: Did not have sex this year with a spouse	4112	84.9 %	-

Based upon 734 valid cases out of 4846 total cases.

SEXSTP How many of this type of partner did you have: Steady partner

Location: 3367-3370 (width: 4; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 9999

Value	Label	Unweighted Frequency	%	Valid %
1	-	1268	26.2 %	94.8%
2	-	46	0.9 %	3.4%
3	-	10	0.2 %	0.7%
4	-	9	0.2 %	0.7%
5	-	4	0.1 %	0.3%
6	-	1	0.0 %	0.1%
9999 (M)	NA: Did not have sex this year with a steady partner	3508	72.4 %	-

Based upon 1338 valid cases out of 4846 total cases.

SEXOCP How many of this type of partner did you have: Occasional partner

Location: 3371-3374 (width: 4; decimal: 0)

Value	Label	Unweighted Frequency	%	Valid %
1	-	96	2.0 %	25.9%
2	-	114	2.4 %	30.7%
3	-	35	0.7 %	9.4%
4	-	8	0.2 %	2.2%
5	-	7	0.1 %	1.9%
7	-	19	0.4 %	5.1%
9	-	3	0.1 %	0.8%
10	-	29	0.6 %	7.8%
11	-	7	0.1 %	1.9%
12	-	13	0.3 %	3.5%
15	-	8	0.2 %	2.2%

Value	Label	Unweighted Frequency	%	Valid %
20	-	16	0.3 %	4.3%
25	-	8	0.2 %	2.2%
75	-	8	0.2 %	2.2%
9999 (M)	NA: Did not have sex this year with an occasional partner	4475	92.3 %	-

Based upon 371 valid cases out of 4846 total cases.

SEXFRN How many of this type of partner did you have: Friend

Location: 3375-3378 (width: 4; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 9999

Value	Label	Unweighted Frequency	%	Valid %
1	-	121	2.5 %	25.3%
2	-	63	1.3 %	13.2%
3	-	54	1.1 %	11.3%
4	-	29	0.6 %	6.1%
5	-	31	0.6 %	6.5%
6	-	18	0.4 %	3.8%
7	-	10	0.2 %	2.1%
8	-	21	0.4 %	4.4%
9	-	3	0.1 %	0.6%
10	-	61	1.3 %	12.8%
12	-	18	0.4 %	3.8%
15	-	3	0.1 %	0.6%
20	-	20	0.4 %	4.2%
25	-	3	0.1 %	0.6%
30	-	1	0.0 %	0.2%
45	-	2	0.0 %	0.4%
60	-	6	0.1 %	1.3%
100	-	11	0.2 %	2.3%
180	-	3	0.1 %	0.6%
9999 (M)	NA: Did not have sex this year with a friend	4368	90.1 %	-

Based upon 478 valid cases out of 4846 total cases.

SEXACQ How many of this type of partner did you have: Acquaintance

Location: 3379-3382 (width: 4; decimal: 0)

- Study 34296 -

Value	Label	Unweighted Frequency	%	Valid %
1	-	92	1.9 %	18.0%
2	-	85	1.8 %	16.6%
3	-	57	1.2 %	11.1%
4	-	35	0.7 %	6.8%
5	-	55	1.1 %	10.7%
6	-	19	0.4 %	3.7%
7	-	2	0.0 %	0.4%
8	-	1	0.0 %	0.2%
10	-	50	1.0 %	9.8%
11	-	1	0.0 %	0.2%
15	-	31	0.6 %	6.1%
18	-	12	0.2 %	2.3%
20	-	19	0.4 %	3.7%
25	-	11	0.2 %	2.1%
30	-	1	0.0 %	0.2%
36	-	10	0.2 %	2.0%
52	-	4	0.1 %	0.8%
60	-	6	0.1 %	1.2%
80	-	7	0.1 %	1.4%
100	-	11	0.2 %	2.1%
180	-	3	0.1 %	0.6%
9999 (M)	NA: Did not have sex this year with an acquaintance	4334	89.4 %	-

Based upon 512 valid cases out of 4846 total cases.

SEXPAY How many of this type of partner did you have: Paying or paid sex

Location: 3383-3386 (width: 4; decimal: 0)

Value	Label	Unweighted Frequency	%	Valid %
1	-	19	0.4 %	5.7%
2	-	36	0.7 %	10.8%
3	-	22	0.5 %	6.6%
4	-	6	0.1 %	1.8%
5	-	30	0.6 %	9.0%
6	-	27	0.6 %	8.1%
7	-	3	0.1 %	0.9%
8	-	1	0.0 %	0.3%
10	-	57	1.2 %	17.2%

- Study 34296 -

Value	Label	Unweighted Frequency	%	Valid %
11	-	4	0.1 %	1.2%
12	-	15	0.3 %	4.5%
15	-	3	0.1 %	0.9%
20	-	11	0.2 %	3.3%
24	-	1	0.0 %	0.3%
25	-	12	0.2 %	3.6%
30	-	2	0.0 %	0.6%
40	-	3	0.1 %	0.9%
50	-	13	0.3 %	3.9%
150	-	5	0.1 %	1.5%
200	-	2	0.0 %	0.6%
500	-	40	0.8 %	12.0%
1800	-	16	0.3 %	4.8%
2000	-	4	0.1 %	1.2%
9999 (M)	NA: Did not have sex this year with where you were paying or paid for sex	4514	93.1 %	-

Based upon 332 valid cases out of 4846 total cases.

SEXSTRN

How many of this type of partner did you have: Stranger

Location: 3387-3390 (width: 4; decimal: 0)

Value	Label	Unweighted Frequency	%	Valid %
1	-	25	0.5 %	7.3%
2	-	25	0.5 %	7.3%
3	-	64	1.3 %	18.6%
4	-	12	0.2 %	3.5%
5	-	34	0.7 %	9.9%
6	-	5	0.1 %	1.5%
8	-	1	0.0 %	0.3%
9	-	1	0.0 %	0.3%
10	-	72	1.5 %	20.9%
11	-	1	0.0 %	0.3%
12	-	27	0.6 %	7.8%
13	-	3	0.1 %	0.9%
15	-	4	0.1 %	1.2%
20	-	13	0.3 %	3.8%
25	-	3	0.1 %	0.9%
30	-	1	0.0 %	0.3%

Value	Label	Unweighted Frequency	%	Valid %
35	-	20	0.4 %	5.8%
50	-	1	0.0 %	0.3%
70	-	6	0.1 %	1.7%
75	-	8	0.2 %	2.3%
100	-	12	0.2 %	3.5%
110	-	2	0.0 %	0.6%
150	-	1	0.0 %	0.3%
180	-	3	0.1 %	0.9%
9999 (M)	NA: Did not have sex this year with a stranger	4502	92.9 %	-

Based upon 344 valid cases out of 4846 total cases.

SEXOTH How many of this type of partner did you have: Other

Location: 3391-3394 (width: 4; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 9999

Value	Label	Unweighted Frequency	%	Valid %
1	-	18	0.4 %	62.1%
2	-	6	0.1 %	20.7%
3	-	2	0.0 %	6.9%
5	-	1	0.0 %	3.4%
50	-	2	0.0 %	6.9%
9999 (M)	NA: Did not have sex this year with some other person	4817	99.4 %	-

Based upon 29 valid cases out of 4846 total cases.

CONDOM How often did you use a condom while having sex this year?

Location: 3395-3395 (width: 1; decimal: 0)

Variable Type: numeric Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
1	Always	284	5.9 %	9.6%
2	Usually	121	2.5 %	4.1%
3	Sometimes	392	8.1 %	13.3%
4	Never	2149	44.3 %	72.9%
9 (M)	N/A; did not have sexual intercourse this year	1900	39.2 %	-

Based upon 2946 valid cases out of 4846 total cases.

SEXTYPE_1 What was the type of sexual relation you had this year "heterosexual"?

Location: 3396-3396 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	137	2.8 %	4.7%
1	Yes	2809	58.0 %	95.3%
9 (M)	NA: Did not have sexual intercourse during this year	1900	39.2 %	-

Based upon 2946 valid cases out of 4846 total cases.

SEXTYPE_2 What was the type of sexual relation you had this year "male sex with male"?

Location: 3397-3397 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2812	58.0 %	95.5%
1	Yes	134	2.8 %	4.5%
9 (M)	NA: Did not have sexual intercourse during this year	1900	39.2 %	-

Based upon 2946 valid cases out of 4846 total cases.

SEXTYPE_3 What was the type of sexual relation you had this year "female sex with female"?

Location: 3398-3398 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2843	58.7 %	96.5%
1	Yes	103	2.1 %	3.5%
9 (M)	NA: Did not have sexual intercourse during this year	1900	39.2 %	-

Based upon 2946 valid cases out of 4846 total cases.

SEXTYPE_4 What was the type of sexual relation you had this year some type other than heterosexual, male-male, or female-female?

Location: 3399-3399 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

Value	Label	Unweighted Frequency	%	Valid %
0	No	2946	60.8 %	100.0%
9 (M)	NA: Did not have sexual intercourse during this year	1900	39.2 %	-

- Study 34296 -

Based upon 2946 valid cases out of 4846 total cases.

SEXTYPEA	Other (specify)			
Location: Variable Type:	3400-3499 (width: 100; decimal: 0) character			
	Value	Unweighted Frequency	%	Valid %
		4818	99.4 %	99.4%
	Masked for Confidentiality	28	0.6 %	0.6%