



Thoshith R R 250701797-2025-CSE ▾

T2**Started on** Saturday, 3 October 2026, 11:13 AM**State** Finished**Completed on** Saturday, 3 October 2026, 11:14 AM**Time taken** 27 secs**Marks** 1.00/1.00**Grade** 10.00 out of 10.00 (100%)

Question 1 | Correct Mark 1.00 out of 1.00

Find the intersection of two sorted arrays.

OR in other words,

Given 2 sorted arrays, find all the elements which occur in both the arrays.

Input Format

· The first line contains T, the number of test cases. Following T lines contain:

1. Line 1 contains N1, followed by N1 integers of the first array
2. Line 2 contains N2, followed by N2 integers of the second array

Output Format

The intersection of the arrays in a single line

Example

Input:

1

3 10 17 57

6 2 7 10 15 57 246

Output:

10 57

Input:

1

6 1 2 3 4 5 6

2 1 6

Output:

1 6

For example:

Input	Result
1 3 10 17 57 6 2 7 10 15 57 246	10 57

Answer: (penalty regime: 0 %)

```

1 | #include <stdio.h>
2 |
3 | int main() {
4 |     int t;
5 |     scanf("%d", &t);
6 |
7 |     while (t--) {
8 |         int n1, n2;
9 |         scanf("%d", &n1);
10 |
11 |         int a[n1];
12 |         for (int i = 0; i < n1; i++)
13 |             scanf("%d", &a[i]);
14 |

```

```

15     scanf("%d", &n2);
16
17     int b[n2];
18     for (int i = 0; i < n2; i++)
19         scanf("%d", &b[i]);
20
21     int i = 0, j = 0;
22
23     while (i < n1 && j < n2) {
24         if (a[i] == b[j]) {
25             printf("%d ", a[i]);
26             i++;
27             j++;
28         }
29         else if (a[i] < b[j]) {
30             i++;
31         }
32         else {
33             j++;
34         }
35     }
36
37     printf("\n");
38 }
39
40 return 0;
41 }

```

	Input	Expected	Got	
✓	1 3 10 17 57 6 2 7 10 15 57 246	10 57	10 57	✓
✓	1 6 1 2 3 4 5 6 2 1 6	1 6	1 6	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)