



Thoshith R R 250701797-2025-CSE ▾

T2**Started on** Tuesday, 25 August 2026, 10:27 AM**State** Finished**Completed on** Tuesday, 25 August 2026, 10:28 AM**Time taken** 1 min 25 secs**Marks** 1.00/1.00**Grade** 10.00 out of 10.00 (100%)

Question 1 | Correct Mark 1.00 out of 1.00

Write a Program to Implement the Quick Sort Algorithm

Input Format:

The first line contains the no of elements in the list-n

The next n lines contain the elements.

Output:

Sorted list of elements

For example:

Input	Result
5 67 34 12 98 78	12 34 67 78 98

Answer:

```

1  #include <stdio.h>
2
3  void quickSort(int a[], int low, int high) {
4      if (low < high) {
5          int pivot = a[high];
6          int i = low - 1;
7          int j, temp;
8
9          for (j = low; j < high; j++) {
10             if (a[j] < pivot) {
11                 i++;
12                 temp = a[i];
13                 a[i] = a[j];
14                 a[j] = temp;
15             }
16         }
17
18         temp = a[i + 1];
19         a[i + 1] = a[high];
20         a[high] = temp;
21
22         int p = i + 1;
23
24         quickSort(a, low, p - 1);
25         quickSort(a, p + 1, high);
26     }
27 }
28
29 int main() {
30     int n, i;
31
32     scanf("%d", &n);
33
34     int a[n];
35
36     for (i = 0; i < n; i++) {
37         scanf("%d", &a[i]);
38     }
39
40     quickSort(a, 0, n - 1);
41
42     for (i = 0; i < n; i++) {
43         if (i > 0)
44             printf(" ");
45         printf("%d", a[i]);
46     }

```

```
47 |  
48 |   return 0;  
49 | }  
50 |
```

	Input	Expected	Got	
✓	5 67 34 12 98 78	12 34 67 78 98	12 34 67 78 98	✓
✓	10 1 56 78 90 32 56 11 10 90 114	1 10 11 32 56 56 78 90 90 114	1 10 11 32 56 56 78 90 90 114	✓
✓	12 9 8 7 6 5 4 3 2 1 10 11 90	1 2 3 4 5 6 7 8 9 10 11 90	1 2 3 4 5 6 7 8 9 10 11 90	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)