

T. DHANA LAXMI
2505A41L46

1.Best Time to Buy and Sell Stock LC-121


https://leetcode.com/problems/best-time-to-buy-and-sell-stock/description/






2.Two Sum LC-1

https://leetcode.com/problems/two-sum/description/





3.Move Zeros LC-283

https://leetcode.com/problems/move-zeroes/description/

Problem List

Submit

00:00:02

Description | Accepted | Editorial | Solutions | Submissions

283. Move Zeroes

Solved

Easy | Topics | Companies | Hint

Given an integer array `nums`, move all `0`'s to the end of it while maintaining the relative order of the non-zero elements.

Note that you must do this in-place without making a copy of the array.

Example 1:

```
Input: nums = [0,1,0,3,12]
Output: [1,3,12,0,0]
```

Example 2:


```
Input: nums = [0]
Output: [0]
```

Code

Java | Auto

```java
class Solution {
    public void moveZeroes(int[] nums) {
        int i=0;
        int j=0;
        while(j<nums.length){
            if(nums[j] == 0){
                j++;
            }
            else{
             int temp=nums[i];
                nums[i]=nums[j];
                nums[j]=temp;
                i++;
                j++;
            }
        }
    }
}
```

Saved



4.Mximum subarray

https://leetcode.com/problems/maximum-subarray/description/

Description | Editorial | Solutions | Submissions

53. Maximum Subarray

Solved

Medium | Topics | Companies

Given an integer array `nums`, find the subarray with the largest sum, and return *its sum*.

Example 1:

```
Input: nums = [-2,1,-3,4,-1,2,1,-5,4]
Output: 6
Explanation: The subarray [4,-1,2,1] has the largest sum 6.
```

Example 2:

```
Input: nums = [1]
Output: 1
Explanation: The subarray [1] has the largest sum 1.
```

Example 3:

```
Input: nums = [5,4,-1,7,8]
```


Code

Java | Auto

```java
class Solution {
    public int maxSubArray(int[] nums) {
        int maxSum=Integer.MIN_VALUE;
       int currSum=0;
    for(int i=0; i<nums.length; i++){
        currSum+=nums[i];
                maxSum = Math.max(currSum,maxSum);
                if(currSum<0){
                    currSum=0;
                }
    }

       return maxSum;
    }
}
```

Saved



5.Rotate Array LC-189

https://leetcode.com/problems/rotate-array/

Description | Editorial | Solutions | Submissions | Accepted

189. Rotate Array

Solved

Medium | Topics | Companies | Hint

Given an integer array `nums`, rotate the array to the right by `k` steps, where `k` is non-negative.

Example 1:

> **Input:** nums = [1,2,3,4,5,6,7], k = 3
> **Output:** [5,6,7,1,2,3,4]
> **Explanation:**
> rotate 1 steps to the right: [7,1,2,3,4,5,6]
> rotate 2 steps to the right: [6,7,1,2,3,4,5]
> rotate 3 steps to the right: [5,6,7,1,2,3,4]

Example 2:

> **Input:** nums = [-1,-100,3,99], k = 2
> **Output:** [3,99,-1,-100]

Code

Java | Auto

```java
class Solution {
    public void rotate(int[] nums, int k) {
     int n = nums.length;
      int arr[] = new int[n];
      for(int i=0; i<n; i++){
        arr[(i+k)%n] = nums[i];
      }
      for(int i=0; i<n; i++){
        nums[i] = arr[i];
      }
    }
}
```

Saved

